

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112120\
 Data File : BF122436.D
 Acq On : 21 Nov 2020 23:25
 Operator : JU/CG
 Sample : L4868-02
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 KENS-B3-112020-0-2

Quant Time: Nov 23 01:02:20 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110920.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Nov 20 13:27:02 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	193344	20.00	ng	0.00
21) Naphthalene-d8	8.151	136	744497	20.00	ng	# 0.00
39) Acenaphthene-d10	9.904	164	396025	20.00	ng	-0.01
64) Phenanthrene-d10	11.392	188	744505	20.00	ng	-0.01
76) Chrysene-d12	14.039	240	699383	20.00	ng	-0.01
86) Perylene-d12	15.515	264	608914	20.00	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	986072	78.31	ng	-0.01
7) Phenol-d6	6.492	99	1275911	77.46	ng	-0.02
23) Nitrobenzene-d5	7.422	82	778735	64.04	ng	-0.01
42) 2,4,6-Tribromophenol	10.698	330	355445	83.63	ng	0.00
45) 2-Fluorobiphenyl	9.228	172	1431991	56.50	ng	0.00
79) Terphenyl-d14	12.986	244	1693986	51.31	ng	0.00
Target Compounds						
10) Phenol	6.504	94	58216	3.59	ng	77
50) Dimethylphthalate	9.622	163	107847	3.83	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112120\
Data File : BF122436.D
Acq On : 21 Nov 2020 23:25
Operator : JU/CG
Sample : L4868-02
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2

Quant Time: Nov 23 01:02:20 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF110920.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Nov 20 13:27:02 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.863 min Scan# 812
Delta R.T. -0.006 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25




Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2


Tgt Ion:152 Resp: 193344
Ion Ratio Lower Upper
152 100
150 155.6 125.3 187.9
115 59.0 51.9 77.9



#5
2-Fluorophenol
Concen: 78.31 ng
RT: 5.481 min Scan# 577
Delta R.T. -0.012 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25

Tgt Ion:112 Resp: 986072
Ion Ratio Lower Upper
112 100
64 59.0 50.4 75.6
63 30.8 25.8 38.6









#7
Phenol-d6
Concen: 77.46 ng
RT: 6.492 min Scan# 749
Delta R.T. -0.018 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25




Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2


Tgt Ion: 99 Resp: 1275911
Ion Ratio Lower Upper
99 100
42 18.5 15.9 23.9
71 35.0 27.1 40.7



#10
Phenol
Concen: 3.59 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.018 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25

Tgt Ion: 94 Resp: 58216
Ion Ratio Lower Upper
94 100
65 26.0 17.1 57.1
66 37.5 36.0 76.0









#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.151 min Scan# 1031
Delta R.T. -0.006 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25




Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2


Tgt	Ion:136	Resp:	744497
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.6	13.0
54	6.9	7.1	10.7#
68	5.6	5.0	7.4



#23
Nitrobenzene-d5
Concen: 64.04 ng
RT: 7.422 min Scan# 907
Delta R.T. -0.012 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25

Tgt Ion: 82	Resp: 778735
Ion Ratio	Lower Upper
82 100	
128 44.0	35.0 52.4
54 49.3	43.9 65.9









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.904 min Scan# 1329
Delta R.T. -0.012 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25




Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2


Tgt Ion:164 Resp: 396025
Ion Ratio Lower Upper
164 100
162 103.0 83.2 124.8
160 44.1 37.5 56.3



#42
2,4,6-Tribromophenol
Concen: 83.63 ng
RT: 10.698 min Scan# 1464
Delta R.T. -0.006 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25

Tgt Ion:330 Resp: 355445
Ion Ratio Lower Upper
330 100
332 96.9 77.3 115.9
141 30.7 22.3 33.5









#45
2-Fluorobiphenyl
Concen: 56.50 ng
RT: 9.228 min Scan# 1214
Delta R.T. -0.006 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25




Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2


Tgt Ion:172 Resp: 1431991
Ion Ratio Lower Upper
172 100
171 36.9 29.1 43.7
170 24.3 19.8 29.6



#50
Dimethylphthalate
Concen: 3.83 ng
RT: 9.622 min Scan# 1281
Delta R.T. -0.018 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25

Tgt Ion:163 Resp: 107847
Ion Ratio Lower Upper
163 100
194 4.1 3.3 4.9
164 9.9 8.2 12.4









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.392 min Scan# 1582
Delta R.T. -0.012 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25




Instrument :
BNA_F
ClientSampleId :
KENS-B3-112020-0-2


Tgt Ion:188 Resp: 744505
Ion Ratio Lower Upper
188 100
94 10.2 8.3 12.5
80 11.0 9.1 13.7



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.012 min
Lab File: BF122436.D
Acq: 21 Nov 2020 23:25


Tgt Ion:240 Resp: 699383
Ion Ratio Lower Upper
240 100
120 10.3 9.2 13.8
236 24.9 20.9 31.3








#79
 Terphenyl-d14
 Concen: 51.31 ng
 RT: 12.986 min Scan# 1853
 Delta R.T. -0.006 min
 Lab File: BF122436.D
 Acq: 21 Nov 2020 23:25

Instrument :
 BNA_F
 ClientSampleId :
 KENS-B3-112020-0-2



Tgt Ion:244 Resp: 1693986
 Ion Ratio Lower Upper
 244 100
 212 7.0 5.4 8.2
 122 10.8 8.1 12.1



#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.515 min Scan# 2283
 Delta R.T. -0.018 min
 Lab File: BF122436.D
 Acq: 21 Nov 2020 23:25

Tgt Ion:264 Resp: 608914
 Ion Ratio Lower Upper
 264 100
 260 23.4 18.7 28.1
 265 22.3 17.3 25.9

