

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112322\
 Data File : BF131356.D
 Acq On : 23 Nov 2022 11:08
 Operator : CG\JU
 Sample : PB149038TB
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB149038TB

Quant Time: Nov 24 05:50:28 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Nov 24 05:48:25 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	100706	20.000	ng	0.00
21) Naphthalene-d8	8.251	136	371670	20.000	ng	0.00
39) Acenaphthene-d10	10.016	164	215817	20.000	ng	0.00
64) Phenanthrene-d10	11.516	188	413159	20.000	ng	0.00
76) Chrysene-d12	14.169	240	342835	20.000	ng	# 0.00
86) Perylene-d12	15.715	264	255692	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.581	112	738422	139.552	ng	0.01
7) Phenol-d6	6.581	99	919798	136.243	ng	0.00
23) Nitrobenzene-d5	7.534	82	623827	84.608	ng	0.00
42) 2,4,6-Tribromophenol	10.816	330	292316	160.995	ng	0.00
45) 2-Fluorobiphenyl	9.334	172	1162675	78.376	ng	0.00
79) Terphenyl-d14	13.116	244	1506503	71.858	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112322\
Data File : BF131356.D
Acq On : 23 Nov 2022 11:08
Operator : CG\JU
Sample : PB149038TB
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB149038TB

Quant Time: Nov 24 05:50:28 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112122.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Nov 24 05:48:25 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF131356.D
Acq: 23 Nov 2022 11:08




Instrument :
BNA_F
ClientSampleId :
PB149038TB

Tgt Ion:152 Resp: 100706
Ion Ratio Lower Upper
152 100
150 150.3 117.8 176.8
115 62.4 47.1 70.7



#5
2-Fluorophenol
Concen: 139.552 ng
RT: 5.581 min Scan# 594
Delta R.T. 0.012 min
Lab File: BF131356.D
Acq: 23 Nov 2022 11:08

Tgt Ion:112 Resp: 738422
Ion Ratio Lower Upper
112 100
64 72.2 58.6 88.0
63 39.6 31.4 47.0








#7
Phenol-d6
Concen: 136.243 ng
RT: 6.581 min Scan# 70
Delta R.T. 0.000 min
Lab File: BF131356.D
Acq: 23 Nov 2022 11:08




Instrument :
BNA_F
ClientSampleId :
PB149038TB

Tgt Ion: 99 Resp: 919798
Ion Ratio Lower Upper
99 100
42 23.7 19.4 29.2
71 40.8 32.3 48.5



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.251 min Scan# 1048
Delta R.T. -0.006 min
Lab File: BF131356.D
Acq: 23 Nov 2022 11:08

Tgt Ion: 136 Resp: 371670
Ion Ratio Lower Upper
136 100
137 10.4 9.0 13.6
54 10.4 9.4 14.0
68 5.5 4.5 6.7









#23
Nitrobenzene-d5
Concen: 84.608 ng
RT: 7.534 min Scan# 91
Delta R.T. 0.000 min
Lab File: BF131356.D
Acq: 23 Nov 2022 11:08




Instrument :
BNA_F
ClientSampleId :
PB149038TB

Tgt Ion: 82 Resp: 623827
Ion Ratio Lower Upper
82 100
128 42.1 31.4 47.0
54 58.9 49.8 74.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.016 min Scan# 1348
Delta R.T. -0.006 min
Lab File: BF131356.D
Acq: 23 Nov 2022 11:08

Tgt Ion:164 Resp: 215817
Ion Ratio Lower Upper
164 100
162 102.3 80.6 120.8
160 44.3 34.4 51.6





#42

2,4,6-Tribromophenol

Concen: 160.995 ng

RT: 10.816 min Scan# 1484

Delta R.T. 0.000 min

Lab File: BF131356.D

Acq: 23 Nov 2022 11:08

Instrument :

BNA_F

ClientSampleId :

PB149038TB





Tgt Ion:330 Resp: 292316

Ion Ratio Lower Upper

330 100

332 95.8 77.5 116.3

141 33.9 29.3 43.9



#45

2-Fluorobiphenyl

Concen: 78.376 ng

RT: 9.334 min Scan# 1232

Delta R.T. -0.006 min

Lab File: BF131356.D

Acq: 23 Nov 2022 11:08




Tgt Ion:172 Resp: 1162675


Ion Ratio Lower Upper

172 100

171 35.2 28.2 42.2

170 23.1 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.516 min Scan# 10

Delta R.T. 0.000 min

Lab File: BF131356.D

Acq: 23 Nov 2022 11:08

Instrument :

BNA_F

ClientSampleId :

PB149038TB





Tgt Ion:188 Resp: 413159

Ion Ratio Lower Upper

188 100

94 7.3 6.3 9.5

80 8.2 6.8 10.2



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.169 min Scan# 2054

Delta R.T. -0.006 min

Lab File: BF131356.D

Acq: 23 Nov 2022 11:08




Tgt Ion:240 Resp: 342835

Ion Ratio Lower Upper

240 100

120 9.7 5.8 8.8#


236 25.1 20.3 30.5








#79
 Terphenyl-d14
 Concen: 71.858 ng
 RT: 13.116 min Scan# 1875
 Delta R.T. 0.006 min
 Lab File: BF131356.D
 Acq: 23 Nov 2022 11:08


Instrument :
 BNA_F
 ClientSampleId :
 PB149038TB



Tgt Ion:244 Resp: 1506503
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.9 8.9
 122 9.4 7.5 11.3



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.715 min Scan# 2317
 Delta R.T. 0.000 min
 Lab File: BF131356.D
 Acq: 23 Nov 2022 11:08



Tgt Ion:264 Resp: 255692
 Ion Ratio Lower Upper
 264 100
 260 22.5 19.0 28.4
 265 20.9 16.4 24.6

