

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112519\
 Data File : BF117990.D
 Acq On : 26 Nov 2019 2:40
 Operator : JU
 Sample : K5840-03 2X
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PHIPPS-BH-NE-01

Quant Time: Nov 26 05:58:07 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 26 05:38:20 2019
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.89	152	188344	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	698136	20.00	ng	0.00
39) Acenaphthene-d10	9.94	164	292398	20.00	ng	0.00
64) Phenanthrene-d10	11.43	188	471072	20.00	ng	0.00
76) Chrysene-d12	14.08	240	316936	20.00	ng	0.00
87) Perylene-d12	15.58	264	357688	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	374500	35.20	ng	0.00
7) Phenol-d6	6.51	99	547758	42.68	ng	-0.01
23) Nitrobenzene-d5	7.45	82	310828	26.47	ng	-0.01
42) 2,4,6-Tribromophenol	10.73	330	129877	41.96	ng	-0.01
45) 2-Fluorobiphenyl	9.26	172	729358	44.75	ng	0.00
79) Terphenyl-d14	13.02	244	575690	33.20	ng	0.00
Target Compounds						
10) Phenol	6.52	94	27216	2.041	ng	97
50) Dimethylphthalate	9.65	163	80651	3.933	ng	98


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112519\
Data File : BF117990.D
Acq On : 26 Nov 2019 2:40
Operator : JU
Sample : K5840-03 2X
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PHIPPS-BH-NE-01

Quant Time: Nov 26 05:58:07 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF111319.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 26 05:38:20 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.89 min Scan# 816
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Instrument :
BNA_F
ClientSampleId :
PHIPPS-BH-NE-01

Tot Ion:152 Resp: 188344
Ion Ratio Lower Upper
152 100
150 153.3 125.3 187.9
115 61.4 47.0 70.4




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 35.196 ng
RT: 5.50 min Scan# 580
Delta R.T. 0.00 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Tgt Ion:112 Resp: 374500
Ion Ratio Lower Upper
112 100
64 52.2 45.6 68.4
63 27.9 24.1 36.1



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 42.681 ng

RT: 6.51 min Scan# 752

Delta R.T. -0.01 min

Lab File: BF117990.D

Acq: 26 Nov 2019 2:40

Instrument :

BNA_F

ClientSampleId :

PHIPPS-BH-NE-01


Tot Ion: 99 Resp: 547758

Ion Ratio Lower Upper

99 100

42 16.7 14.9 22.3

71 34.1 28.6 43.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1

800000

600000



400000

200000

0

6.45 6.50 6.55 6.60

Time-->



#10

Phenol

Concen: 2.041 ng

RT: 6.52 min Scan# 754

Delta R.T. -0.01 min

Lab File: BF117990.D

Acq: 26 Nov 2019 2:40


Tgt Ion: 94 Resp: 27216

Ion Ratio Lower Upper

94 100

65 26.3 8.9 48.9

66 39.7 18.7 58.7



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1

40000

30000


20000


10000

0

6.50 6.55 6.60

Time-->









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.17 min Scan# 1035
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40




Instrument :
BNA_F
ClientSampleId :
PHIPPS-BH-NE-01


Tot Ion:136	Resp:	698136
Ion Ratio	Lower	Upper
136	100	
137	11.4	9.0 13.4
54	7.5	5.4 8.2
68	5.6	4.3 6.5



#23
Nitrobenzene-d5
Concen: 26.467 ng
RT: 7.45 min Scan# 912
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Tgt Ion: 82	Resp:	310828
Ion Ratio	Lower	Upper
82	100	
128	49.5	38.9 58.3
54	47.0	39.8 59.6









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.94 min Scan# 1335
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Instrument :
BNA_F
ClientSampleId :
PHIPPS-BH-NE-01

Tot Ion	Ratio	Lower	Upper
164	100		
162	102.2	81.3	121.9
160	45.2	36.6	55.0




Abundance Ion 164.00 (163.70 to 164.70): E
Ion 162.00 (161.70 to 162.70): E
Ion 160.00 (159.70 to 160.70): E






#42
2,4,6-Tribromophenol
Concen: 41.956 ng
RT: 10.73 min Scan# 1469
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Tgt Ion	Ratio	Lower	Upper
330	100		
332	99.1	76.7	115.1
141	33.6	27.7	41.5



Abundance Ion 329.80 (329.50 to 330.50): E
Ion 331.80 (331.50 to 332.50): E
Ion 141.00 (140.70 to 141.70): E









#45
2-Fluorobiphenyl
Concen: 44.750 ng
RT: 9.26 min Scan# 1219
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Instrument :
BNA_F
ClientSampleId :
PHIPPS-BH-NE-01

Tot Ion:172 Resp: 729358
Ion Ratio Lower Upper
172 100
171 35.5 30.9 46.3
170 24.0 21.0 31.4




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 3.933 ng
RT: 9.65 min Scan# 1285
Delta R.T. -0.02 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Tgt Ion:163 Resp: 80651
Ion Ratio Lower Upper
163 100
194 4.3 3.3 4.9
164 10.2 8.7 13.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.43 min Scan# 1589
Delta R.T. 0.00 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40




Instrument :
BNA_F
ClientSampleId :
PHIPPS-BH-NE-01


Tot Ion:188 Resp: 471072
Ion Ratio Lower Upper
188 100
94 7.9 6.6 10.0
80 7.9 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.08 min Scan# 2039
Delta R.T. -0.01 min
Lab File: BF117990.D
Acq: 26 Nov 2019 2:40

Tgt Ion:240 Resp: 316936
Ion Ratio Lower Upper
240 100
120 9.7 9.5 14.3
236 25.9 21.3 31.9





#79

Terphenyl-d14

Concen: 33.197 ng

RT: 13.02 min Scan# 1859

Delta R.T. -0.01 min

Lab File: BF117990.D

Acq: 26 Nov 2019 2:40

Instrument :

BNA_F

ClientSampleId :

PHIPPS-BH-NE-01


Tot Ion:244 Resp: 575690

Ion Ratio Lower Upper

244 100

212 6.4 6.3 9.5




122 9.4 9.4 14.2#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.58 min Scan# 2294

Delta R.T. 0.00 min

Lab File: BF117990.D

Acq: 26 Nov 2019 2:40


Tgt Ion:264 Resp: 357688

Ion Ratio Lower Upper

264 100

260 23.6 19.4 29.0

265 21.0 17.1 25.7



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

