

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112525\
 Data File : BF144348.D
 Acq On : 25 Nov 2025 13:54
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Nov 25 17:02:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 05 18:37:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	48785	20.000	ng	-0.01
21) Naphthalene-d8	8.145	136	180679	20.000	ng	-0.01
39) Acenaphthene-d10	9.898	164	87905	20.000	ng	-0.02
64) Phenanthrene-d10	11.392	188	143543	20.000	ng	-0.01
76) Chrysene-d12	14.039	240	127780	20.000	ng	-0.01
86) Perylene-d12	15.521	264	177416	20.000	ng	-0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.481	112	281560	90.316	ng	-0.01
7) Phenol-d6	6.498	99	297540	84.232	ng	0.00
23) Nitrobenzene-d5	7.428	82	250057	79.932	ng	0.00
42) 2,4,6-Tribromophenol	10.692	330	78596	71.250	ng	-0.01
45) 2-Fluorobiphenyl	9.222	172	492993	82.830	ng	0.00
79) Terphenyl-d14	12.980	244	508325	63.189	ng	-0.01
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.575	88	61148	47.443	ng	97
3) Pyridine	3.346	79	160175	44.545	ng	97
4) n-Nitrosodimethylamine	3.293	42	73077	38.907	ng	83
6) Aniline	6.528	93	211230	41.971	ng	99
8) 2-Chlorophenol	6.651	128	130204	42.588	ng	97
9) Benzaldehyde	6.416	77	90360	45.301	ng	99
10) Phenol	6.510	94	185200	42.912	ng	98
11) bis(2-Chloroethyl)ether	6.598	93	134958	42.915	ng	99
12) 1,3-Dichlorobenzene	6.804	146	163024	43.213	ng	95
13) 1,4-Dichlorobenzene	6.881	146	162274	42.935	ng	99
14) 1,2-Dichlorobenzene	7.034	146	154375	42.614	ng	99
15) Benzyl Alcohol	7.004	79	108397	38.754	ng	99
16) 2,2'-oxybis(1-Chloropr...	7.134	45	248454	42.902	ng	98
17) 2-Methylphenol	7.116	107	97760	40.194	ng	97
18) Hexachloroethane	7.375	117	53402	42.528	ng	98
19) n-Nitroso-di-n-propyla...	7.269	70	83517	35.915	ng	97
20) 3+4-Methylphenols	7.269	107	115699	40.354	ng	98
22) Acetophenone	7.269	105	151990	39.213	ng	98
24) Nitrobenzene	7.445	77	136310	40.130	ng	96
25) Isophorone	7.681	82	222358	37.577	ng	99
26) 2-Nitrophenol	7.763	139	69960	41.608	ng	# 94
27) 2,4-Dimethylphenol	7.798	122	104225	41.356	ng	97
28) bis(2-Chloroethoxy)met...	7.892	93	146761	39.717	ng	98
29) 2,4-Dichlorophenol	8.004	162	114543	39.434	ng	99
30) 1,2,4-Trichlorobenzene	8.087	180	118733	39.808	ng	96
31) Naphthalene	8.169	128	347035	40.378	ng	100
32) Benzoic acid	7.904	122	59676	32.304	ng	94
33) 4-Chloroaniline	8.216	127	121635	38.804	ng	99
34) Hexachlorobutadiene	8.281	225	84211	37.463	ng	98
35) Caprolactam	8.581	113	27994	35.178	ng	95
36) 4-Chloro-3-methylphenol	8.698	107	96354	37.014	ng	98
37) 2-Methylnaphthalene	8.857	142	219317	38.166	ng	99
38) 1-Methylnaphthalene	8.957	142	209225	37.735	ng	99
40) 1,2,4,5-Tetrachloroben...	9.022	216	120482	41.821	ng	99
41) Hexachlorocyclopentadiene	9.010	237	29442	34.982	ng	97
43) 2,4,6-Trichlorophenol	9.139	196	79905	40.751	ng	96

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF112525\
 Data File : BF144348.D
 Acq On : 25 Nov 2025 13:54
 Operator : RC/JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Quant Time: Nov 25 17:02:26 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 05 18:37:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.181	196	84192	39.839	ng	97
46) 1,1'-Biphenyl	9.322	154	258035	42.052	ng	100
47) 2-Chloronaphthalene	9.345	162	215916	41.252	ng	100
48) 2-Nitroaniline	9.445	65	59174	39.182	ng	92
49) Acenaphthylene	9.763	152	291788	40.909	ng	99
50) Dimethylphthalate	9.616	163	227472	39.061	ng	99
51) 2,6-Dinitrotoluene	9.686	165	46367	39.332	ng	92
52) Acenaphthene	9.933	154	181131	37.975	ng	98
53) 3-Nitroaniline	9.857	138	53390	41.430	ng	95
54) 2,4-Dinitrophenol	9.969	184	29207	41.029	ng	96
55) Dibenzofuran	10.104	168	267748	40.081	ng	98
56) 4-Nitrophenol	10.028	139	34731	37.257	ng	89
57) 2,4-Dinitrotoluene	10.092	165	62505	39.606	ng	99
58) Fluorene	10.451	166	205016	40.365	ng	98
59) 2,3,4,6-Tetrachlorophenol	10.228	232	56966	38.100	ng	# 99
60) Diethylphthalate	10.316	149	202846	37.785	ng	99
61) 4-Chlorophenyl-phenyle...	10.439	204	109198	37.744	ng	99
62) 4-Nitroaniline	10.469	138	50500	41.149	ng	90
63) Azobenzene	10.604	77	196232	39.276	ng	95
65) 4,6-Dinitro-2-methylph...	10.504	198	34414	35.291	ng	95
66) n-Nitrosodiphenylamine	10.557	169	192100	41.610	ng	100
67) 4-Bromophenyl-phenylether	10.933	248	69080	37.703	ng	99
68) Hexachlorobenzene	10.998	284	81924	37.962	ng	97
69) Atrazine	11.086	200	55047	37.492	ng	99
70) Pentachlorophenol	11.198	266	44019	40.962	ng	97
71) Phenanthrene	11.416	178	294154	41.159	ng	99
72) Anthracene	11.469	178	299727	41.244	ng	99
73) Carbazole	11.627	167	262073	42.410	ng	99
74) Di-n-butylphthalate	11.951	149	307696	41.189	ng	98
75) Fluoranthene	12.610	202	325934	44.149	ng	98
77) Benzidine	12.733	184	183154	48.458	ng	99
78) Pyrene	12.839	202	344234	33.412	ng	99
80) Butylbenzylphthalate	13.451	149	133343	37.342	ng	99
81) Benzo(a)anthracene	14.033	228	368996	41.666	ng	100
82) 3,3'-Dichlorobenzidine	13.992	252	132266	43.571	ng	97
83) Chrysene	14.069	228	325491	39.814	ng	98
84) Bis(2-ethylhexyl)phtha...	14.010	149	196685	40.236	ng	98
85) Di-n-octyl phthalate	14.627	149	373902	44.334	ng	100
87) Indeno(1,2,3-cd)pyrene	17.027	276	491163	38.566	ng	96
88) Benzo(b)fluoranthene	15.086	252	432116	42.841	ng	100
89) Benzo(k)fluoranthene	15.115	252	346217	36.672	ng	99
90) Benzo(a)pyrene	15.457	252	375868	40.393	ng	97
91) Dibenzo(a,h)anthracene	17.039	278	392362	38.361	ng	99
92) Benzo(g,h,i)perylene	17.480	276	393304	38.940	ng	97

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Quant Time: Nov 25 17:02:26 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 05 18:37:33 2025
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 79
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040







Tgt Ion:152 Resp: 48785
Ion Ratio Lower Upper
152 100
150 163.5 127.4 191.0
115 62.7 49.5 74.3



#2
1,4-Dioxane
Concen: 47.443 ng
RT: 2.575 min Scan# 65
Delta R.T. -0.041 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 88 Resp: 61148
Ion Ratio Lower Upper
88 100
58 89.3 73.1 109.7
43 36.0 31.0 46.6









#3
Pyridine
Concen: 44.545 ng
RT: 3.346 min Scan# 196
Delta R.T. -0.065 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 160175
Ion Ratio Lower Upper
79 100
52 79.2 64.5 96.7
51 36.3 31.7 47.5



#4
n-Nitrosodimethylamine
Concen: 38.907 ng
RT: 3.293 min Scan# 187
Delta R.T. -0.053 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 42 Resp: 73077
Ion Ratio Lower Upper
42 100
74 128.9 88.2 132.4
44 7.6 5.7 8.5









#5
2-Fluorophenol
Concen: 90.316 ng
RT: 5.481 min Scan# 511
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 281560
Ion Ratio Lower Upper
112 100
64 55.5 47.2 70.8
63 27.7 24.4 36.6



#6
Aniline
Concen: 41.971 ng
RT: 6.528 min Scan# 737
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 93 Resp: 211230
Ion Ratio Lower Upper
93 100
66 42.7 34.3 51.5
65 19.7 16.9 25.3









#7
Phenol-d6
Concen: 84.232 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 297540
Ion Ratio Lower Upper
99 100
42 22.8 20.9 31.3
71 33.8 31.4 47.2



#8
2-Chlorophenol
Concen: 42.588 ng
RT: 6.651 min Scan# 758
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:128 Resp: 130204
Ion Ratio Lower Upper
128 100
130 31.4 10.5 50.5
64 50.3 33.2 73.2









#9
Benzaldehyde
Concen: 45.301 ng
RT: 6.416 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 90360
Ion Ratio Lower Upper
77 100
105 94.9 77.2 117.2
106 92.0 72.2 112.2



#10
Phenol
Concen: 42.912 ng
RT: 6.510 min Scan# 734
Delta R.T. -0.000 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 94 Resp: 185200
Ion Ratio Lower Upper
94 100
65 31.5 10.8 50.8
66 46.2 24.3 64.3








#11
bis(2-Chloroethyl)ether
Concen: 42.915 ng
RT: 6.598 min Scan# 74
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 134958
Ion Ratio Lower Upper
93 100
63 74.4 55.2 95.2
95 31.3 11.2 51.2



#12
1,3-Dichlorobenzene
Concen: 43.213 ng
RT: 6.804 min Scan# 784
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54


Tgt Ion:146 Resp: 163024
Ion Ratio Lower Upper
146 100
148 61.1 51.8 77.8
75 27.7 25.0 37.4








#13
1,4-Dichlorobenzene
Concen: 42.935 ng
RT: 6.881 min Scan# 799
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040







Tgt Ion:146 Resp: 162274
Ion Ratio Lower Upper
146 100
148 63.1 50.2 75.2
111 39.2 32.6 48.8



#14
1,2-Dichlorobenzene
Concen: 42.614 ng
RT: 7.034 min Scan# 823
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:146 Resp: 154375
Ion Ratio Lower Upper
146 100
148 63.0 50.7 76.1
111 41.0 34.2 51.4









#15
Benzyl Alcohol
Concen: 38.754 ng
RT: 7.004 min Scan# 81
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 108397
Ion Ratio Lower Upper
79 100
108 74.3 58.2 87.4
77 61.6 49.9 74.9



#16
2,2'-oxybis(1-Chloropropane)
Concen: 42.902 ng
RT: 7.134 min Scan# 840
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 45 Resp: 248454
Ion Ratio Lower Upper
45 100
77 12.4 0.0 31.8
79 10.1 0.0 29.1









#17
2-Methylphenol
Concen: 40.194 ng
RT: 7.116 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:	107	Resp:	97760
Ion	Ratio	Lower	Upper
107	100		
108	118.4	91.0	136.4
77	50.8	42.7	64.1
79	52.0	41.4	62.2



#18
Hexachloroethane
Concen: 42.528 ng
RT: 7.375 min Scan# 881
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:	117	Resp:	53402
Ion	Ratio	Lower	Upper
117	100		
119	94.3	75.8	113.8
201	120.2	98.9	148.3









#19
n-Nitroso-di-n-propylamine
Concen: 35.915 ng
RT: 7.269 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 70 Resp: 83517




Ion	Ratio	Lower	Upper
70	100		
42	75.1	58.3	87.5
101	8.1	7.0	10.6
130	16.0	14.4	21.6




#20
3+4-Methylphenols
Concen: 40.354 ng
RT: 7.269 min Scan# 863
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 107 Resp: 115699

Ion	Ratio	Lower	Upper
107	100		
108	90.3	70.2	110.2
77	146.6	123.9	163.9
79	30.9	14.2	54.2









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 10
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:136 Resp: 180679




Ion	Ratio	Lower	Upper
136	100		
137	10.9	8.6	13.0
54	8.8	7.0	10.6
68	6.1	4.3	6.5




#22
Acetophenone
Concen: 39.213 ng
RT: 7.269 min Scan# 863
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:105 Resp: 151990

Ion	Ratio	Lower	Upper
105	100		
71	9.1	7.2	10.8
51	44.7	34.0	51.0
120	22.5	17.8	26.6









#23
Nitrobenzene-d5
Concen: 79.932 ng
RT: 7.428 min Scan# 890
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 250057
Ion Ratio Lower Upper
82 100
128 44.9 34.7 52.1
54 60.4 49.5 74.3



#24
Nitrobenzene
Concen: 40.130 ng
RT: 7.445 min Scan# 893
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 77 Resp: 136310
Ion Ratio Lower Upper
77 100
123 47.2 35.8 53.8
65 13.4 12.2 18.2









#25
Isophorone
Concen: 37.577 ng
RT: 7.681 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 222358
Ion Ratio Lower Upper
82 100
95 6.6 5.5 8.3
138 17.5 13.7 20.5



#26
2-Nitrophenol
Concen: 41.608 ng
RT: 7.763 min Scan# 947
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:139 Resp: 69960
Ion Ratio Lower Upper
139 100
109 21.8 22.2 33.2#
65 48.8 40.7 61.1








#27
2,4-Dimethylphenol
Concen: 41.356 ng
RT: 7.798 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:122 Resp: 104225




Ion	Ratio	Lower	Upper
122	100		
107	103.3	86.2	129.4
121	55.8	44.6	66.8




#28
bis(2-Chloroethoxy)methane
Concen: 39.717 ng
RT: 7.892 min Scan# 969
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 93 Resp: 146761

Ion	Ratio	Lower	Upper
93	100		
95	31.5	24.2	36.4
123	11.4	9.0	13.4









#29
2,4-Dichlorophenol
Concen: 39.434 ng
RT: 8.004 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:162 Resp: 114543
Ion Ratio Lower Upper
162 100
164 63.7 42.9 82.9
98 33.6 13.3 53.3



#30
1,2,4-Trichlorobenzene
Concen: 39.808 ng
RT: 8.087 min Scan# 1002
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:180 Resp: 118733
Ion Ratio Lower Upper
180 100
182 104.9 87.7 131.5
145 30.3 25.4 38.0









#31
Naphthalene
Concen: 40.378 ng
RT: 8.169 min Scan# 1016
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 347035
Ion Ratio Lower Upper
128 100
129 11.0 8.9 13.3
127 13.0 10.3 15.5



#32
Benzoic acid
Concen: 32.304 ng
RT: 7.904 min Scan# 971
Delta R.T. -0.047 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:122 Resp: 59676
Ion Ratio Lower Upper
122 100
105 114.5 99.9 139.9
77 90.7 77.5 117.5





#33

4-Chloroaniline

Concen: 38.804 ng

RT: 8.216 min Scan# 1024

Delta R.T. -0.012 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040

Tgt Ion:127 Resp: 121635





Ion Ratio Lower Upper

127 100

129 32.2 25.3 37.9

65 33.6 27.6 41.4

92 22.1 18.4 27.6



#34

Hexachlorobutadiene

Concen: 37.463 ng

RT: 8.281 min Scan# 1035

Delta R.T. -0.012 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54




Tgt Ion:225 Resp: 84211


Ion Ratio Lower Upper

225 100

223 65.3 50.2 75.4

227 63.0 50.1 75.1









#35
 Caprolactam
 Concen: 35.178 ng
 RT: 8.581 min Scan# 1086
 Delta R.T. -0.041 min
 Lab File: BF144348.D
 Acq: 25 Nov 2025 13:54




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:113 Resp: 27994
 Ion Ratio Lower Upper
 113 100
 55 179.5 166.8 206.8
 56 139.2 125.9 165.9



#36
 4-Chloro-3-methylphenol
 Concen: 37.014 ng
 RT: 8.698 min Scan# 1106
 Delta R.T. -0.006 min
 Lab File: BF144348.D
 Acq: 25 Nov 2025 13:54

Tgt Ion:107 Resp: 96354
 Ion Ratio Lower Upper
 107 100
 144 28.6 23.3 34.9
 142 77.6 63.8 95.6









#37
2-Methylnaphthalene
Concen: 38.166 ng
RT: 8.857 min Scan# 1133
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:142 Resp: 219317
Ion Ratio Lower Upper
142 100
141 86.6 69.9 104.9



#38
1-Methylnaphthalene
Concen: 37.735 ng
RT: 8.957 min Scan# 1150
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:142 Resp: 209225
Ion Ratio Lower Upper
142 100
141 91.0 72.1 108.1





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.898 min Scan# 1161

Delta R.T. -0.018 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:164 Resp: 87905

Ion Ratio Lower Upper

164 100

162 101.8 81.1 121.7

160 43.4 34.5 51.7



#40

1,2,4,5-Tetrachlorobenzene

Concen: 41.821 ng

RT: 9.022 min Scan# 1161

Delta R.T. -0.012 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54

Tgt Ion:216 Resp: 120482




Ion Ratio Lower Upper


216 100

214 80.3 63.4 95.2

179 19.1 15.0 22.4

108 13.1 10.5 15.7









#41
Hexachlorocyclopentadiene
Concen: 34.982 ng
RT: 9.010 min Scan# 1159
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 29442
Ion Ratio Lower Upper
237 100
235 62.5 45.5 85.5
272 13.5 0.0 33.5



#42
2,4,6-Tribromophenol
Concen: 71.250 ng
RT: 10.692 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:330 Resp: 78596
Ion Ratio Lower Upper
330 100
332 96.7 76.7 115.1
141 22.4 17.8 26.8









#43
2,4,6-Trichlorophenol
Concen: 40.751 ng
RT: 9.139 min Scan# 1181
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:196 Resp: 79905
Ion Ratio Lower Upper
196 100
198 97.8 75.3 112.9
200 31.0 23.4 35.2



#44
2,4,5-Trichlorophenol
Concen: 39.839 ng
RT: 9.181 min Scan# 1188
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:196 Resp: 84192
Ion Ratio Lower Upper
196 100
198 91.7 76.1 114.1
97 40.2 31.9 47.9
132 23.3 19.4 29.2





#45

2-Fluorobiphenyl

Concen: 82.830 ng

RT: 9.222 min Scan# 1195

Delta R.T. -0.006 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:172 Resp: 492993

Ion Ratio Lower Upper

172 100

171 34.3 28.1 42.1

170 23.1 18.6 28.0



#46

1,1'-Biphenyl

Concen: 42.052 ng

RT: 9.322 min Scan# 1212

Delta R.T. -0.012 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54




Tgt Ion:154 Resp: 258035


Ion Ratio Lower Upper

154 100

153 39.2 19.2 59.2

76 11.5 0.0 31.8





#47

2-Chloronaphthalene

Concen: 41.252 ng

RT: 9.345 min Scan# 11

Delta R.T. -0.012 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 215916

Ion Ratio Lower Upper

162 100

127 36.0 28.8 43.2

164 32.6 25.8 38.8



#48

2-Nitroaniline

Concen: 39.182 ng

RT: 9.445 min Scan# 1233

Delta R.T. -0.012 min

Lab File: BF144348.D

Acq: 25 Nov 2025 13:54




Tgt Ion: 65 Resp: 59174


Ion Ratio Lower Upper

65 100

92 70.7 53.0 79.6

138 111.3 81.6 122.4









#49
Acenaphthylene
Concen: 40.909 ng
RT: 9.763 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:152 Resp: 291788
Ion Ratio Lower Upper
152 100
151 20.2 15.9 23.9
153 12.9 10.5 15.7



#50
Dimethylphthalate
Concen: 39.061 ng
RT: 9.616 min Scan# 1262
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:163 Resp: 227472
Ion Ratio Lower Upper
163 100
194 4.0 3.3 4.9
164 9.7 8.1 12.1









#51
2,6-Dinitrotoluene
Concen: 39.332 ng
RT: 9.686 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 46367
Ion Ratio Lower Upper
165 100
63 46.8 43.8 65.8
89 44.1 37.5 56.3



#52
Acenaphthene
Concen: 37.975 ng
RT: 9.933 min Scan# 1316
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:154 Resp: 181131
Ion Ratio Lower Upper
154 100
153 113.4 89.0 133.4
152 54.4 42.2 63.4









#53
3-Nitroaniline
Concen: 41.430 ng
RT: 9.857 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 53390
Ion Ratio Lower Upper
138 100
108 10.0 7.5 11.3
92 109.6 91.8 137.6



#54
2,4-Dinitrophenol
Concen: 41.029 ng
RT: 9.969 min Scan# 1322
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:184 Resp: 29207
Ion Ratio Lower Upper
184 100
63 51.6 44.0 66.0
154 51.1 42.4 63.6









#55
Dibenzenofuran
Concen: 40.081 ng
RT: 10.104 min Scan# 1345
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 267748
Ion Ratio Lower Upper
168 100
139 36.5 30.2 45.2
169 15.9 12.2 18.4



#56
4-Nitrophenol
Concen: 37.257 ng
RT: 10.028 min Scan# 1332
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:139 Resp: 34731
Ion Ratio Lower Upper
139 100
109 53.4 39.9 79.9
65 87.2 79.5 119.5









#57
2,4-Dinitrotoluene
Concen: 39.606 ng
RT: 10.092 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	165	Resp:	62505
Ion Ratio	Lower	Upper	
165	100		
63	44.5	35.5	53.3
89	60.3	47.4	71.2
182	2.3	1.9	2.9



#58
Fluorene
Concen: 40.365 ng
RT: 10.451 min Scan# 1404
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:	166	Resp:	205016
Ion Ratio	Lower	Upper	
166	100		
165	95.6	78.6	118.0
167	12.9	10.4	15.6









#59
2,3,4,6-Tetrachlorophenol
Concen: 38.100 ng
RT: 10.228 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 56966
Ion Ratio Lower Upper
232 100
131 38.3 30.3 45.5
130 1.2 1.2 1.8#
166 25.5 21.5 32.3



#60
Diethylphthalate
Concen: 37.785 ng
RT: 10.316 min Scan# 1381
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:149 Resp: 202846
Ion Ratio Lower Upper
149 100
177 22.6 18.3 27.5
150 11.9 9.8 14.6









#61
4-Chlorophenyl-phenylether
Concen: 37.744 ng
RT: 10.439 min Scan# 1402
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 109198
Ion Ratio Lower Upper
204 100
206 35.0 27.4 41.2
141 50.6 40.0 60.0



#62
4-Nitroaniline
Concen: 41.149 ng
RT: 10.469 min Scan# 1407
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:138 Resp: 50500
Ion Ratio Lower Upper
138 100
92 47.9 29.4 69.4
108 53.1 46.4 86.4









#63
Azobenzene
Concen: 39.276 ng
RT: 10.604 min Scan# 14
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion: 77 Resp: 196232




Ion	Ratio	Lower	Upper
77	100		
182	31.2	8.1	48.1
105	23.3	2.0	42.0
51	30.1	13.9	53.9




#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 1564
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion: 188 Resp: 143543

Ion	Ratio	Lower	Upper
188	100		
94	8.7	6.2	9.2
80	8.3	6.9	10.3









#65
4,6-Dinitro-2-methylphenol
Concen: 35.291 ng
RT: 10.504 min Scan# 1414
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 34414
Ion Ratio Lower Upper
198 100
51 40.7 25.6 65.6
105 35.5 14.6 54.6



#66
n-Nitrosodiphenylamine
Concen: 41.610 ng
RT: 10.557 min Scan# 1422
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:169 Resp: 192100
Ion Ratio Lower Upper
169 100
168 57.5 46.2 69.2
167 32.6 25.7 38.5









#67
4-Bromophenyl-phenylether
Concen: 37.703 ng
RT: 10.933 min Scan# 1486
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 69080
Ion Ratio Lower Upper
248 100
250 97.7 78.4 117.6
141 55.4 45.1 67.7



#68
Hexachlorobenzene
Concen: 37.962 ng
RT: 10.998 min Scan# 1497
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:284 Resp: 81924
Ion Ratio Lower Upper
284 100
142 25.1 19.2 28.8
249 28.1 23.8 35.8









#69
Atrazine
Concen: 37.492 ng
RT: 11.086 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:200 Resp: 55047
Ion Ratio Lower Upper
200 100
173 25.4 5.0 45.0
215 47.6 28.7 68.7



#70
Pentachlorophenol
Concen: 40.962 ng
RT: 11.198 min Scan# 1531
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:266 Resp: 44019
Ion Ratio Lower Upper
266 100
268 64.6 49.5 74.3
264 63.8 49.4 74.2









#71
Phenanthrene
Concen: 41.159 ng
RT: 11.416 min Scan# 1570
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 294154
Ion Ratio Lower Upper
178 100
176 18.6 15.5 23.3
179 15.1 12.2 18.4



#72
Anthracene
Concen: 41.244 ng
RT: 11.469 min Scan# 1577
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:178 Resp: 299727
Ion Ratio Lower Upper
178 100
176 18.6 15.3 22.9
179 15.0 12.0 18.0









#73
Carbazole
Concen: 42.410 ng
RT: 11.627 min Scan# 1604
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:167 Resp: 262073
Ion Ratio Lower Upper
167 100
166 21.4 17.2 25.8
139 11.6 9.9 14.9



#74
Di-n-butylphthalate
Concen: 41.189 ng
RT: 11.951 min Scan# 1659
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:149 Resp: 307696
Ion Ratio Lower Upper
149 100
150 8.3 7.4 11.0
104 3.7 3.4 5.2









#75
Fluoranthene
Concen: 44.149 ng
RT: 12.610 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 325934
Ion Ratio Lower Upper
202 100
101 9.4 0.0 27.9
203 17.2 0.0 37.5



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.039 min Scan# 2014
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54


Tgt Ion:240 Resp: 127780
Ion Ratio Lower Upper
240 100
120 9.5 6.6 10.0
236 24.6 21.4 32.2








#77
Benzidine
Concen: 48.458 ng
RT: 12.733 min Scan# 1
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040







Tgt Ion:184 Resp: 183154
Ion Ratio Lower Upper
184 100
185 14.2 11.7 17.5
183 10.6 8.3 12.5



#78
Pyrene
Concen: 33.412 ng
RT: 12.839 min Scan# 1810
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:202 Resp: 344234
Ion Ratio Lower Upper
202 100
200 21.0 17.2 25.8
203 16.9 13.7 20.5









#79
 Terphenyl-d14
 Concen: 63.189 ng
 RT: 12.980 min Scan# 1834
 Delta R.T. -0.012 min
 Lab File: BF144348.D
 Acq: 25 Nov 2025 13:54




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:244 Resp: 508325
 Ion Ratio Lower Upper
 244 100
 212 6.0 5.3 7.9
 122 7.2 5.6 8.4



#80
 Butylbenzylphthalate
 Concen: 37.342 ng
 RT: 13.451 min Scan# 1914
 Delta R.T. -0.018 min
 Lab File: BF144348.D
 Acq: 25 Nov 2025 13:54

Tgt Ion:149 Resp: 133343
 Ion Ratio Lower Upper
 149 100
 91 69.3 56.1 84.1
 206 22.9 18.8 28.2









#81
Benzo(a)anthracene
Concen: 41.666 ng
RT: 14.033 min Scan# 20
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 368996
Ion Ratio Lower Upper
228 100
226 27.6 21.8 32.8
229 19.6 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 43.571 ng
RT: 13.992 min Scan# 2006
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:252 Resp: 132266
Ion Ratio Lower Upper
252 100
254 64.3 53.5 80.3
126 8.0 6.4 9.6









#83
Chrysene
Concen: 39.814 ng
RT: 14.069 min Scan# 2009
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 325491
Ion Ratio Lower Upper
228 100
226 29.9 22.9 34.3
229 19.7 15.0 22.6



#84
Bis(2-ethylhexyl)phthalate
Concen: 40.236 ng
RT: 14.010 min Scan# 2009
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:149 Resp: 196685
Ion Ratio Lower Upper
149 100
167 28.2 21.8 32.8
279 4.1 3.7 5.5









#85
Di-n-octyl phthalate
Concen: 44.334 ng
RT: 14.627 min Scan# 2114
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:149 Resp: 373902
Ion Ratio Lower Upper
149 100
167 1.6 1.2 1.8
43 11.3 9.0 13.4



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.521 min Scan# 2266
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:264 Resp: 177416
Ion Ratio Lower Upper
264 100
260 21.7 17.1 25.7
265 20.6 17.4 26.0









#87
Indeno(1,2,3-cd)pyrene
Concen: 38.566 ng
RT: 17.027 min Scan# 2192
Delta R.T. -0.006 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:276 Resp: 491163
Ion Ratio Lower Upper
276 100
138 20.5 13.9 20.9
277 25.2 19.8 29.6



#88
Benzo(b)fluoranthene
Concen: 42.841 ng
RT: 15.086 min Scan# 2192
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:252 Resp: 432116
Ion Ratio Lower Upper
252 100
253 21.8 17.4 26.2
125 7.2 5.3 7.9









#89
Benzo(k)fluoranthene
Concen: 36.672 ng
RT: 15.115 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:252 Resp: 346217
Ion Ratio Lower Upper
252 100
253 22.4 18.0 27.0
125 7.5 5.4 8.2



#90
Benzo(a)pyrene
Concen: 40.393 ng
RT: 15.457 min Scan# 2255
Delta R.T. -0.018 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:252 Resp: 375868
Ion Ratio Lower Upper
252 100
253 21.9 16.7 25.1
125 8.4 5.7 8.5









#91
Dibenzo(a,h)anthracene
Concen: 38.361 ng
RT: 17.039 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 392362
Ion Ratio Lower Upper
278 100
139 11.7 9.1 13.7
279 23.3 18.2 27.4



#92
Benzo(g,h,i)perylene
Concen: 38.940 ng
RT: 17.480 min Scan# 2599
Delta R.T. -0.012 min
Lab File: BF144348.D
Acq: 25 Nov 2025 13:54

Tgt Ion:276 Resp: 393304
Ion Ratio Lower Upper
276 100
277 23.1 19.0 28.4
138 18.0 12.9 19.3

