

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112718\
 Data File : BF111010.D
 Acq On : 27 Nov 2018 15:29
 Operator : JU/SJ
 Sample : J6060-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20180946-COMPOSITE-5

Quant Time: Nov 27 16:11:41 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF112618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 27 15:32:10 2018
 Response via : Initial Calibration


Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	47854	20.00	ng	0.00
21) Naphthalene-d8	8.22	136	176090	20.00	ng	0.00
39) Acenaphthene-d10	9.98	164	72812	20.00	ng	0.00
64) Phenanthrene-d10	11.48	188	134909	20.00	ng	0.00
76) Chrysene-d12	14.14	240	104075	20.00	ng	0.00
87) Perylene-d12	15.67	264	68379	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	341926	118.49	ng	0.01
7) Phenol-d6	6.57	99	397318	105.65	ng	0.00
23) Nitrobenzene-d5	7.50	82	237928	77.33	ng	0.00
42) 2,4,6-Tribromophenol	10.78	330	75781	104.80	ng	0.00
45) 2-Fluorobiphenyl	9.29	172	369322	73.49	ng	0.00
79) Terphenyl-d14	13.06	244	343762	64.30	ng	0.00
Target Compounds						
10) Phenol	6.58	94	23492	5.547	ng	79
50) Dimethylphthalate	9.69	163	45163	8.457	ng	99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112718\
Data File : BF111010.D
Acq On : 27 Nov 2018 15:29
Operator : JU/SJ
Sample : J6060-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20180946-COMPOSITE-5

Quant Time: Nov 27 16:11:41 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF112618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 27 15:32:10 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 825
Delta R.T. 0.01 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29

Instrument :
BNA_F
ClientSampleId :
20180946-COMPOSITE-5

Tot Ion:152 Resp: 47854
Ion Ratio Lower Upper
152 100
150 159.4 122.7 184.1
115 63.2 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 118.490 ng
RT: 5.56 min Scan# 591
Delta R.T. 0.01 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29

Tgt Ion:112 Resp: 341926
Ion Ratio Lower Upper
112 100
64 61.1 44.1 66.1
63 32.5 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 105.654 ng

RT: 6.57 min Scan# 762

Delta R.T. -0.00 min

Lab File: BF111010.D

Acq: 27 Nov 2018 15:29

Instrument :

BNA_F

ClientSampleId :

20180946-COMPOSITE-5


Tot Ion: 99 Resp: 397318

Ion Ratio Lower Upper




99 100

42 20.4 15.8 23.6

71 37.0 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#10

Phenol

Concen: 5.547 ng

RT: 6.58 min Scan# 764

Delta R.T. -0.00 min

Lab File: BF111010.D

Acq: 27 Nov 2018 15:29


Tgt Ion: 94 Resp: 23492

Ion Ratio Lower Upper



94 100


65 31.8 25.3 65.3

66 56.8 54.5 94.5



Abundance Ion 94.00 (93.70 to 94.70): BF1
Ion 65.00 (64.70 to 65.70): BF1
Ion 66.00 (65.70 to 66.70): BF1









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.22 min Scan# 1043
Delta R.T. -0.00 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29




Instrument :
BNA_F
ClientSampleId :
20180946-COMPOSITE-5


Tot Ion:136	Resp:	176090
Ion	Ratio	Lower Upper
136	100	
137	10.7	8.8 13.2
54	7.6	5.4 8.2
68	4.8	4.2 6.2



#23
Nitrobenzene-d5
Concen: 77.329 ng
RT: 7.50 min Scan# 921
Delta R.T. -0.01 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29

Tgt Ion: 82	Resp:	237928
Ion	Ratio	Lower Upper
82	100	
128	44.6	34.2 51.2
54	54.2	38.6 58.0









#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.98 min Scan# 1342
 Delta R.T. -0.00 min
 Lab File: BF111010.D
 Acq: 27 Nov 2018 15:29




Instrument :
 BNA_F
 ClientSampleId :
 20180946-COMPOSITE-5


Tot Ion:164 Resp: 72812
 Ion Ratio Lower Upper
 164 100
 162 104.6 83.0 124.6
 160 45.3 37.0 55.6



#42
 2,4,6-Tribromophenol
 Concen: 104.797 ng
 RT: 10.78 min Scan# 1478
 Delta R.T. -0.00 min
 Lab File: BF111010.D
 Acq: 27 Nov 2018 15:29

Tgt Ion:330 Resp: 75781
 Ion Ratio Lower Upper
 330 100
 332 95.9 77.1 115.7
 141 38.3 27.0 40.4









#45
2-Fluorobiphenyl
Concen: 73.486 ng
RT: 9.29 min Scan# 1225
Delta R.T. -0.00 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29

Instrument :
BNA_F
ClientSampleId :
20180946-COMPOSITE-5

Tot Ion:172 Resp: 369322
Ion Ratio Lower Upper
172 100
171 34.9 28.6 43.0
170 22.8 19.7 29.5




Abundance Ion 172.00 (171.70 to 172.70): E
Ion 171.00 (170.70 to 171.70): E
Ion 170.00 (169.70 to 170.70): E






#50
Dimethylphthalate
Concen: 8.457 ng
RT: 9.69 min Scan# 1293
Delta R.T. -0.01 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29

Tgt Ion:163 Resp: 45163
Ion Ratio Lower Upper
163 100
194 3.8 3.2 4.8
164 10.4 8.1 12.1



Abundance Ion 163.00 (162.70 to 163.70): E
Ion 194.00 (193.70 to 194.70): E
Ion 164.00 (163.70 to 164.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.48 min Scan# 1597
Delta R.T. 0.01 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29




Instrument :
BNA_F
ClientSampleId :
20180946-COMPOSITE-5


Tot Ion:188 Resp: 134909
Ion Ratio Lower Upper
188 100
94 8.4 7.2 10.8
80 8.6 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.14 min Scan# 2049
Delta R.T. 0.01 min
Lab File: BF111010.D
Acq: 27 Nov 2018 15:29

Tgt Ion:240 Resp: 104075
Ion Ratio Lower Upper
240 100
120 10.2 8.3 12.5
236 25.6 21.2 31.8





#79

Terphenyl-d14

Concen: 64.298 ng

RT: 13.06 min Scan# 1866

Delta R.T. 0.01 min

Lab File: BF111010.D

Acq: 27 Nov 2018 15:29

Instrument :

BNA_F

ClientSampleId :

20180946-COMPOSITE-5


Tot Ion:244 Resp: 343762

Ion Ratio Lower Upper

244 100

212 6.5 5.8 8.8




122 10.2 8.7 13.1



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.67 min Scan# 2310

Delta R.T. 0.01 min

Lab File: BF111010.D

Acq: 27 Nov 2018 15:29


Tgt Ion:264 Resp: 68379

Ion Ratio Lower Upper

264 100

260 23.1 18.7 28.1

265 22.3 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

