

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112718\
 Data File : BF111028.D
 Acq On : 28 Nov 2018 00:41
 Operator : JU/SJ
 Sample : J6070-12
 Misc :
 ALS Vial : 31 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 112118-CHDE-E-U-B

Quant Time: Nov 28 03:44:08 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF112618.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Nov 27 15:32:10 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.94	152	44942	20.00	ng	0.00
21) Naphthalene-d8	8.22	136	168292	20.00	ng	0.00
39) Acenaphthene-d10	9.98	164	67794	20.00	ng	0.00
64) Phenanthrene-d10	11.48	188	128546	20.00	ng	0.00
76) Chrysene-d12	14.14	240	105183	20.00	ng	0.00
87) Perylene-d12	15.68	264	65715	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.56	112	106055	39.13	ng	0.01
7) Phenol-d6	6.57	99	78234	22.15	ng	0.00
23) Nitrobenzene-d5	7.50	82	272323	92.61	ng	0.00
42) 2,4,6-Tribromophenol	10.78	330	58906	87.49	ng	0.00
45) 2-Fluorobiphenyl	9.29	172	452336	96.67	ng	0.00
79) Terphenyl-d14	13.06	244	475675	88.03	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF112718\
Data File : BF111028.D
Acq On : 28 Nov 2018 00:41
Operator : JU/SJ
Sample : J6070-12
Misc :
ALS Vial : 31 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
112118-CHDE-E-U-B

Quant Time: Nov 28 03:44:08 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF112618.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Nov 27 15:32:10 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.94 min Scan# 825
Delta R.T. 0.01 min
Lab File: BF111028.D
Acq: 28 Nov 2018 00:41

Instrument :
BNA_F
ClientSampleId :
112118-CHDE-E-U-B

Tot Ion:152 Resp: 44942
Ion Ratio Lower Upper
152 100
150 156.6 122.7 184.1
115 61.0 49.1 73.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 39.133 ng
RT: 5.56 min Scan# 591
Delta R.T. 0.01 min
Lab File: BF111028.D
Acq: 28 Nov 2018 00:41

Tgt Ion:112 Resp: 106055
Ion Ratio Lower Upper
112 100
64 60.4 44.1 66.1
63 32.3 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 22.152 ng

RT: 6.57 min Scan# 763

Delta R.T. 0.01 min

Lab File: BF111028.D

Acq: 28 Nov 2018 00:41

Instrument :

BNA_F

ClientSampleId :

112118-CHDE-E-U-B


Tot Ion: 99 Resp: 78234

Ion Ratio Lower Upper




99 100

42 19.2 15.8 23.6

71 34.1 28.0 42.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.22 min Scan# 1043

Delta R.T. -0.00 min

Lab File: BF111028.D

Acq: 28 Nov 2018 00:41

Tgt Ion: 136 Resp: 168292


Ion Ratio Lower Upper

136 100



137 10.6 8.8 13.2


54 7.8 5.4 8.2

68 4.5 4.2 6.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 92.608 ng
 RT: 7.50 min Scan# 921
 Delta R.T. -0.01 min
 Lab File: BF111028.D
 Acq: 28 Nov 2018 00:41




Instrument :
 BNA_F
 ClientSampleId :
 112118-CHDE-E-U-B


Tot Ion	82	Resp	272323
Ion Ratio	Lower	Upper	
82	100		
128	44.1	34.2	51.2
54	53.6	38.6	58.0



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.98 min Scan# 1342
 Delta R.T. -0.00 min
 Lab File: BF111028.D
 Acq: 28 Nov 2018 00:41

Tgt Ion	164	Resp	67794
Ion Ratio	Lower	Upper	
164	100		
162	105.9	83.0	124.6
160	47.0	37.0	55.6









#42
 2,4,6-Tribromophenol
 Concen: 87.490 ng
 RT: 10.78 min Scan# 1478
 Delta R.T. -0.00 min
 Lab File: BF111028.D
 Acq: 28 Nov 2018 00:41

Instrument :
 BNA_F
 ClientSampleId :
 112118-CHDE-E-U-B

Tot Ion:330 Resp: 58906




Ion	Ratio	Lower	Upper
330	100		
332	97.1	77.1	115.7
141	37.9	27.0	40.4




#45
 2-Fluorobiphenyl
 Concen: 96.665 ng
 RT: 9.29 min Scan# 1225
 Delta R.T. -0.00 min
 Lab File: BF111028.D
 Acq: 28 Nov 2018 00:41

Tgt Ion:172 Resp: 452336

Ion	Ratio	Lower	Upper
172	100		
171	35.1	28.6	43.0
170	23.1	19.7	29.5





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.48 min Scan# 1597

Delta R.T. 0.01 min

Lab File: BF111028.D

Acq: 28 Nov 2018 00:41

Instrument :

BNA_F

ClientSampleId :

112118-CHDE-E-U-B


Tot Ion:188 Resp: 128546

Ion Ratio Lower Upper

188 100

94 8.3 7.2 10.8




80 9.4 7.9 11.9



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.14 min Scan# 2049

Delta R.T. 0.01 min

Lab File: BF111028.D

Acq: 28 Nov 2018 00:41


Tgt Ion:240 Resp: 105183

Ion Ratio Lower Upper

240 100

120 10.0 8.3 12.5



236 25.7 21.2 31.8




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 88.034 ng

RT: 13.06 min Scan# 1865

Delta R.T. -0.00 min

Lab File: BF111028.D

Acq: 28 Nov 2018 00:41

Instrument :

BNA_F

ClientSampleId :

112118-CHDE-E-U-B


Tot Ion:244 Resp: 475675

Ion Ratio Lower Upper

244 100

212 7.0 5.8 8.8




122 13.4 8.7 13.1#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.68 min Scan# 2311

Delta R.T. 0.01 min

Lab File: BF111028.D

Acq: 28 Nov 2018 00:41


Tgt Ion:264 Resp: 65715

Ion Ratio Lower Upper

264 100

260 25.3 18.7 28.1

265 21.5 16.7 25.1



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

