

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120225\
 Data File : BF144403.D
 Acq On : 02 Dec 2025 15:20
 Operator : RC/JU
 Sample : Q3742-07
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-1125-18

Manual Integrations
 APPROVED

Reviewed By :Jagrut Upadhyay 12/03/2025
 Supervised By :Sohil Jodhani 12/03/2025

Quant Time: Dec 02 15:40:49 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Nov 05 18:37:33 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	43495	20.000	ng	-0.01
21) Naphthalene-d8	8.145	136	159428	20.000	ng	-0.01
39) Acenaphthene-d10	9.898	164	84264	20.000	ng	-0.02
64) Phenanthrene-d10	11.392	188	125123	20.000	ng	-0.01
76) Chrysene-d12	14.045	240	107178	20.000	ng	0.00
86) Perylene-d12	15.527	264	138111	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	192837	69.379	ng	0.00
7) Phenol-d6	6.493	99	214899	68.236	ng	0.00
23) Nitrobenzene-d5	7.422	82	121391	43.976	ng	-0.01
42) 2,4,6-Tribromophenol	10.692	330	58148	54.991	ng	-0.01
45) 2-Fluorobiphenyl	9.216	172	250733	43.947	ng	-0.01
79) Terphenyl-d14	12.980	244	223099	33.064	ng	-0.01
Target Compounds						Qvalue
20) 3+4-Methylphenols	7.281	107	7113	2.783	ng	# 46
31) Naphthalene	8.163	128	15206	2.005	ng	99
71) Phenanthrene	11.416	178	13183	2.116	ng	# 92
75) Fluoranthene	12.610	202	21197	3.294	ng	93
78) Pyrene	12.839	202	23361	2.703	ng	# 93
88) Benzo(b)fluoranthene	15.092	252	17654m	2.248	ng	

(#) = qualifier out of range (m) = manual integration (+) = signals summed


Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120225\
Data File : BF144403.D
Acq On : 02 Dec 2025 15:20
Operator : RC/JU
Sample : Q3742-07
Misc :
ALS Vial : 7 Sample Multiplier: 1


Instrument :
BNA_F
ClientSampleId :
SB-1125-18

Quant Time: Dec 02 15:40:49 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF110525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Nov 05 18:37:33 2025
Response via : Initial Calibration

Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025





#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 796
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20




Instrument :
BNA_F
ClientSampleId :
SB-1125-18




Tgt Ion:152 Resp: 43495
Ion Ratio Lower Upper
152 100
150 153.2 127.4 191.0
115 58.1 49.5 74.3

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025




#5
2-Fluorophenol
Concen: 69.379 ng
RT: 5.487 min Scan# 560
Delta R.T. -0.006 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20



Tgt Ion:112 Resp: 192837
Ion Ratio Lower Upper
112 100
64 56.5 47.2 70.8
63 27.7 24.4 36.6





#7

Phenol-d6

Concen: 68.236 ng

RT: 6.493 min Scan# 731

Delta R.T. -0.006 min

Lab File: BF144403.D

Acq: 02 Dec 2025 15:20

Instrument :

BNA_F

ClientSampleId :

SB-1125-18





Tgt Ion: 99 Resp: 214895

Ion	Ratio	Lower	Upper
99	100		
42	23.4	20.9	31.3
71	35.3	31.4	47.2

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025



#20

3+4-Methylphenols

Concen: 2.783 ng

RT: 7.281 min Scan# 865




Delta R.T. -0.006 min


Lab File: BF144403.D

Acq: 02 Dec 2025 15:20

Tgt Ion:107 Resp: 7113

Ion	Ratio	Lower	Upper
107	100		
108	103.3	70.2	110.2
77	31.7	123.9	163.9#
79	30.7	14.2	54.2





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 1014
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20

Instrument :

BNA_F

ClientSampleId :





SB-1125-18

Tgt Ion:136 Resp: 159428
Ion Ratio Lower Upper
136 100
137 10.3 8.6 13.0
54 8.2 7.0 10.6
68 5.9 4.3 6.5

Manual Integrations




APPROVED


Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025



#23
Nitrobenzene-d5
Concen: 43.976 ng
RT: 7.422 min Scan# 889
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20


Tgt Ion: 82 Resp: 121391
Ion Ratio Lower Upper
82 100
128 45.2 34.7 52.1
54 60.3 49.5 74.3





#31
Naphthalene
Concen: 2.005 ng
RT: 8.163 min Scan# 1015
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20




Instrument :
BNA_F
ClientSampleId :
SB-1125-18




Tgt Ion:128 Resp: 15206
Ion Ratio Lower Upper
128 100
129 10.5 8.9 13.3
127 12.7 10.3 15.5

Manual Integrations
APPROVED



Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025




#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.898 min Scan# 1310
Delta R.T. -0.018 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20




Tgt Ion:164 Resp: 84264
Ion Ratio Lower Upper
164 100
162 98.1 81.1 121.7
160 43.1 34.5 51.7





#42
2,4,6-Tribromophenol
Concen: 54.991 ng
RT: 10.692 min Scan# 1445
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20




Instrument :
BNA_F
ClientSampleId :
SB-1125-18




Tgt Ion: 330 Resp: 58148
Ion Ratio Lower Upper
330 100
332 97.9 76.7 115.1
141 23.3 17.8 26.8

Manual Integrations
APPROVED



Reviewed By : Jagrut Upadhyay 12/03/2025
Supervised By : Sohil Jodhani 12/03/2025




#45
2-Fluorobiphenyl
Concen: 43.947 ng
RT: 9.216 min Scan# 1194
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20



Tgt Ion: 172 Resp: 250733
Ion Ratio Lower Upper
172 100
171 34.9 28.1 42.1
170 23.3 18.6 28.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.392 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20

Instrument :
BNA_F
ClientSampleId :
SB-1125-18

Tgt Ion:188 Resp: 125123
Ion Ratio Lower Upper
188 100
94 8.4 6.2 9.2
80 7.8 6.9 10.3




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025



#71
Phenanthrene
Concen: 2.116 ng
RT: 11.416 min Scan# 1568
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20


Tgt Ion:178 Resp: 13183
Ion Ratio Lower Upper
178 100
176 21.2 15.5 23.3
179 20.8 12.2 18.4#





#75
Fluoranthene
Concen: 3.294 ng
RT: 12.610 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20




Instrument :
BNA_F
ClientSampleId :
SB-1125-18



Tgt Ion:202 Resp: 21197
Ion Ratio Lower Upper
202 100
101 10.1 0.0 27.9
203 20.9 0.0 37.5




Manual Integrations
APPROVED


Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 2015
Delta R.T. -0.006 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20

Tgt Ion:240 Resp: 107178
Ion Ratio Lower Upper
240 100
120 9.0 6.6 10.0
236 25.7 21.4 32.2





#78

Pyrene

Concen: 2.703 ng

RT: 12.839 min Scan# 1810

Delta R.T. -0.012 min

Lab File: BF144403.D

Acq: 02 Dec 2025 15:20

Instrument :

BNA_F

ClientSampleId :





SB-1125-18

Tgt Ion:	202	Resp:	2336
Ion Ratio	Lower	Upper	
202	100		
200	22.7	17.2	25.8
203	22.3	13.7	20.5

Manual Integrations

APPROVED

Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025



#79

Terphenyl-d14

Concen: 33.064 ng




RT: 12.980 min Scan# 1834


Delta R.T. -0.012 min

Lab File: BF144403.D

Acq: 02 Dec 2025 15:20

Tgt Ion:	244	Resp:	223099
Ion Ratio	Lower	Upper	
244	100		
212	5.9	5.3	7.9
122	7.4	5.6	8.4









#86
Perylene-d12
Concen: 20.000 ng
RT: 15.527 min Scan# 211
Delta R.T. -0.012 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20

Instrument :
BNA_F
ClientSampleId :
SB-1125-18

Tgt Ion:264 Resp: 13811
Ion Ratio Lower Upper
264 100
260 21.9 17.1 25.7
265 21.3 17.4 26.0

Manual Integrations
APPROVED

Reviewed By :Jagrut Upadhyay 12/03/2025
Supervised By :Sohil Jodhani 12/03/2025



#88
Benzo(b)fluoranthene
Concen: 2.248 ng m
RT: 15.092 min Scan# 2193
Delta R.T. -0.006 min
Lab File: BF144403.D
Acq: 02 Dec 2025 15:20

Tgt Ion:252 Resp: 17654
Ion Ratio Lower Upper
252 100
253 25.6 17.4 26.2
125 20.8 5.3 7.9#

