

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120423\
 Data File : BF136378.D
 Acq On : 04 Dec 2023 13:10
 Operator : CG\JU
 Sample : 05388-01MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-3MS

Manual Integrations
 APPROVED

Reviewed By :Yogesh Patel 12/05/2023
 Supervised By :mohammad ahmed 12/05/2023

Quant Time: Dec 04 13:37:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:30:53 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.804	152	139641	20.000	ng	0.00
21) Naphthalene-d8	8.081	136	578184	20.000	ng	0.00
39) Acenaphthene-d10	9.839	164	305772	20.000	ng	0.00
64) Phenanthrene-d10	11.328	188	588985	20.000	ng	0.00
76) Chrysene-d12	13.980	240	331478	20.000	ng	# 0.00
86) Perylene-d12	15.463	264	299835	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.446	112	909335	90.637	ng	0.00
7) Phenol-d6	6.446	99	1140969	90.953	ng	0.00
23) Nitrobenzene-d5	7.369	82	716345	65.471	ng	0.00
42) 2,4,6-Tribromophenol	10.634	330	381789	102.129	ng	0.00
45) 2-Fluorobiphenyl	9.163	172	1439336	60.126	ng	0.00
79) Terphenyl-d14	12.922	244	1675391	58.301	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.652	88	140170	36.924	ng	96
3) Pyridine	3.410	79	326261	34.817	ng	92
4) n-Nitrosodimethylamine	3.375	42	171339	36.172	ng	88
6) Aniline	6.469	93	367279	30.976	ng	96
8) 2-Chlorophenol	6.587	128	443535	40.602	ng	95
9) Benzaldehyde	6.351	77	46721	6.682	ng	95
10) Phenol	6.457	94	533000	39.604	ng	98
11) bis(2-Chloroethyl)ether	6.546	93	399709	40.485	ng	95
12) 1,3-Dichlorobenzene	6.746	146	466926	37.664	ng	98
13) 1,4-Dichlorobenzene	6.822	146	484982	38.482	ng	98
14) 1,2-Dichlorobenzene	6.969	146	453485	38.009	ng	97
15) Benzyl Alcohol	6.946	79	365404	41.545	ng	95
16) 2,2'-oxybis(1-Chloropr...	7.075	45	527331	38.452	ng	96
17) 2-Methylphenol	7.057	107	342846	39.920	ng	99
18) Hexachloroethane	7.310	117	168116	38.031	ng	93
19) n-Nitroso-di-n-propyla...	7.222	70	292246	38.952	ng	95
20) 3+4-Methylphenols	7.210	107	432909	38.785	ng	94
22) Acetophenone	7.210	105	613199	40.382	ng	# 96
24) Nitrobenzene	7.387	77	440602	39.737	ng	94
25) Isophorone	7.622	82	819721	41.549	ng	97
26) 2-Nitrophenol	7.698	139	230725	48.838	ng	97
27) 2,4-Dimethylphenol	7.740	122	303414	48.795	ng	93
28) bis(2-Chloroethoxy)met...	7.834	93	504274	42.256	ng	98
29) 2,4-Dichlorophenol	7.940	162	370822	44.213	ng	98
30) 1,2,4-Trichlorobenzene	8.022	180	412697	40.190	ng	98
31) Naphthalene	8.104	128	1313305	40.411	ng	98
32) Benzoic acid	7.875	122	291732	51.478	ng	99
33) 4-Chloroaniline	8.151	127	277956	25.162	ng	98
34) Hexachlorobutadiene	8.216	225	233553	38.876	ng	99
35) Caprolactam	8.534	113	121538m	51.836	ng	
36) 4-Chloro-3-methylphenol	8.640	107	397974	43.750	ng	98
37) 2-Methylnaphthalene	8.792	142	841830	41.295	ng	97
38) 1-Methylnaphthalene	8.892	142	803701	40.414	ng	94
40) 1,2,4,5-Tetrachloroben...	8.957	216	409920	42.124	ng	98
41) Hexachlorocyclopentadiene	8.945	237	363221	97.003	ng	95
43) 2,4,6-Trichlorophenol	9.075	196	273462	43.295	ng	93

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120423\
 Data File : BF136378.D
 Acq On : 04 Dec 2023 13:10
 Operator : CG\JU
 Sample : 05388-01MS
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-3MS


Quant Time: Dec 04 13:37:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF112723.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon Dec 04 13:30:53 2023
 Response via : Initial Calibration

Manual Integrations APPROVED

Reviewed By :Yogesh Patel 12/05/2023
 Supervised By :mohammad ahmed 12/05/2023


Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.122	196	287372	41.691	ng	99
46) 1,1'-Biphenyl	9.263	154	1116186	41.395	ng	97
47) 2-Chloronaphthalene	9.287	162	828665	39.573	ng	97
48) 2-Nitroaniline	9.387	65	240960	44.074	ng	# 79
49) Acenaphthylene	9.698	152	1301943	43.568	ng	99
50) Dimethylphthalate	9.569	163	978017	42.319	ng	98
51) 2,6-Dinitrotoluene	9.628	165	209739	44.423	ng	96
52) Acenaphthene	9.875	154	776996	41.145	ng	96
53) 3-Nitroaniline	9.798	138	171848	36.683	ng	94
54) 2,4-Dinitrophenol	9.910	184	237694	108.247	ng	# 81
55) Dibenzofuran	10.045	168	1156255	41.147	ng	99
56) 4-Nitrophenol	9.969	139	342394	96.231	ng	90
57) 2,4-Dinitrotoluene	10.034	165	282729	44.830	ng	90
58) Fluorene	10.392	166	909552	41.264	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.163	232	241287	43.996	ng	99
60) Diethylphthalate	10.269	149	977342	42.276	ng	98
61) 4-Chlorophenyl-phenyle...	10.381	204	431512	40.312	ng	93
62) 4-Nitroaniline	10.416	138	211090	46.033	ng	95
63) Azobenzene	10.545	77	872892	40.728	ng	95
65) 4,6-Dinitro-2-methylph...	10.445	198	156220	48.503	ng	84
66) n-Nitrosodiphenylamine	10.504	169	813121	43.080	ng	96
67) 4-Bromophenyl-phenylether	10.875	248	283230	41.218	ng	94
68) Hexachlorobenzene	10.939	284	322025	40.492	ng	99
69) Atrazine	11.039	200	264250	47.195	ng	96
70) Pentachlorophenol	11.133	266	351360	78.160	ng	96
71) Phenanthrene	11.357	178	1406996	42.503	ng	99
72) Anthracene	11.410	178	1385345	41.731	ng	99
73) Carbazole	11.563	167	1193946	42.287	ng	100
74) Di-n-butylphthalate	11.898	149	1624972	45.998	ng	98
75) Fluoranthene	12.545	202	1414954	42.104	ng	94
77) Benzidine	12.669	184	120965	22.200	ng	99
78) Pyrene	12.775	202	1402431	38.632	ng	98
80) Butylbenzylphthalate	13.404	149	576286	51.007	ng	99
81) Benzo(a)anthracene	13.969	228	1001083	40.660	ng	98
82) 3,3'-Dichlorobenzidine	13.939	252	279961	47.237	ng	96
83) Chrysene	14.010	228	954945	40.170	ng	98
84) Bis(2-ethylhexyl)phtha...	13.969	149	784233	57.837	ng	# 99
85) Di-n-octyl phthalate	14.586	149	1296343	57.697	ng	98
87) Indeno(1,2,3-cd)pyrene	16.974	276	955775	42.944	ng	98
88) Benzo(b)fluoranthene	15.027	252	838187	39.845	ng	98
89) Benzo(k)fluoranthene	15.057	252	826751	41.381	ng	97
90) Benzo(a)pyrene	15.398	252	726973	42.275	ng	98
91) Dibenzo(a,h)anthracene	16.992	278	794312	44.375	ng	98
92) Benzo(g,h,i)perylene	17.433	276	766128	42.664	ng	99

(#) = qualifier out of range (m) = manual integration (+) = signals summed



#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.804 min Scan# 80
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:152 Resp: 13964
Ion Ratio Lower Upper
152 100
150 157.5 137.8 206.8
115 59.4 52.7 79.1

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#2
1,4-Dioxane
Concen: 36.924 ng
RT: 2.652 min Scan# 96
Delta R.T. 0.059 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion: 88 Resp: 140170
Ion Ratio Lower Upper
88 100
58 78.9 65.9 98.9
43 28.0 24.8 37.2





#3

Pyridine

Concen: 34.817 ng

RT: 3.410 min Scan# 21

Delta R.T. 0.059 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion: 79 Resp: 32626

Ion Ratio Lower Upper

79 100

52 71.5 63.2 94.8





51 36.0 32.6 49.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#4

n-Nitrosodimethylamine

Concen: 36.172 ng

RT: 3.375 min Scan# 219

Delta R.T. 0.047 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion: 42 Resp: 171339


Ion Ratio Lower Upper

42 100

74 134.8 96.6 144.8

44 6.6 5.4 8.2









#5
2-Fluorophenol
Concen: 90.637 ng
RT: 5.446 min Scan# 511
Delta R.T. 0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :
BNA_F
ClientSampleId :
TP-3MS

Tgt Ion:112 Resp: 909335
Ion Ratio Lower Upper
112 100
64 59.3 48.2 72.4
63 31.8 27.0 40.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#6
Aniline
Concen: 30.976 ng
RT: 6.469 min Scan# 745
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion: 93 Resp: 367279
Ion Ratio Lower Upper
93 100
66 39.9 34.1 51.1
65 20.2 17.3 25.9





#7

Phenol-d6

Concen: 90.953 ng

RT: 6.446 min Scan# 741

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion: 99 Resp: 114096

Ion Ratio Lower Upper

99 100

42 16.3 15.0 22.6





71 34.2 28.9 43.3

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#8

2-Chlorophenol

Concen: 40.602 ng

RT: 6.587 min Scan# 765

Delta R.T. -0.006 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion:128 Resp: 443535


Ion Ratio Lower Upper

128 100

130 31.5 10.3 50.3


64 45.9 30.0 70.0





#9
Benzaldehyde
Concen: 6.682 ng
RT: 6.351 min Scan# 725
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion: 77 Resp: 4672
Ion Ratio Lower Upper
77 100
105 105.9 84.3 124.3
106 99.0 71.0 111.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#10
Phenol
Concen: 39.604 ng
RT: 6.457 min Scan# 743
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Tgt Ion: 94 Resp: 533000
Ion Ratio Lower Upper
94 100
65 31.1 12.5 52.5
66 44.7 24.1 64.1





#11
bis(2-Chloroethyl)ether
Concen: 40.485 ng
RT: 6.546 min Scan# 710
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS



Tgt Ion: 93 Resp: 399709
Ion Ratio Lower Upper
93 100
63 74.9 60.2 100.2
95 31.1 9.1 49.1




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#12
1,3-Dichlorobenzene
Concen: 37.664 ng
RT: 6.746 min Scan# 792
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:146 Resp: 466926
Ion Ratio Lower Upper
146 100
148 61.4 47.8 71.6
75 26.0 22.0 33.0





#13
1,4-Dichlorobenzene
Concen: 38.482 ng
RT: 6.822 min Scan# 806
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:146 Resp: 484982
Ion Ratio Lower Upper
146 100
148 61.1 47.0 70.6
111 40.0 31.5 47.3

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#14
1,2-Dichlorobenzene
Concen: 38.009 ng
RT: 6.969 min Scan# 830
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Tgt Ion:146 Resp: 453485
Ion Ratio Lower Upper
146 100
148 60.3 47.3 70.9
111 43.9 32.4 48.6





#15
Benzyl Alcohol
Concen: 41.545 ng
RT: 6.946 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS



Tgt Ion: 79 Resp: 365404
Ion Ratio Lower Upper
79 100
108 77.8 58.1 87.1
77 62.4 51.8 77.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#16
2,2'-oxybis(1-Chloropropane)
Concen: 38.452 ng
RT: 7.075 min Scan# 848
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion: 45 Resp: 527331
Ion Ratio Lower Upper
45 100
77 15.6 0.0 34.0
79 11.3 0.0 30.1









#17
2-Methylphenol
Concen: 39.920 ng
RT: 7.057 min Scan# 846
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :
BNA_F
ClientSampleId :
TP-3MS

Tgt Ion:107 Resp: 342840
Ion Ratio Lower Upper
107 100
108 107.5 85.4 128.0
77 45.2 37.4 56.2
79 44.9 35.8 53.8




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#18
Hexachloroethane
Concen: 38.031 ng
RT: 7.310 min Scan# 888
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:117 Resp: 168116
Ion Ratio Lower Upper
117 100
119 93.7 71.6 107.4
201 100.4 73.4 110.2





#19
n-Nitroso-di-n-propylamine
Concen: 38.952 ng
RT: 7.222 min Scan# 81
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion: 70 Resp: 292240
Ion Ratio Lower Upper
70 100
42 54.3 47.0 70.4
101 10.5 7.8 11.8
130 23.8 16.8 25.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#20
3+4-Methylphenols
Concen: 38.785 ng
RT: 7.210 min Scan# 871
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:107 Resp: 432909
Ion Ratio Lower Upper
107 100
108 84.6 63.9 103.9
77 110.2 100.2 140.2
79 27.8 11.1 51.1





#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.081 min Scan# 1019
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :





TP-3MS

Tgt Ion:136 Resp: 578184
Ion Ratio Lower Upper
136 100
137 10.4 7.4 11.2
54 7.1 5.5 8.3
68 4.9 3.7 5.5

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#22
Acetophenone
Concen: 40.382 ng
RT: 7.210 min Scan# 871
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion:105 Resp: 613199
Ion Ratio Lower Upper
105 100
71 4.8 2.8 4.2#
51 34.7 29.0 43.6
120 20.0 13.9 20.9






#23
Nitrobenzene-d5
Concen: 65.471 ng
RT: 7.369 min Scan# 899
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS






Tgt Ion: 82 Resp: 716349
Ion Ratio Lower Upper
82 100
128 45.8 33.4 50.2
54 47.6 41.7 62.5


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#24
Nitrobenzene
Concen: 39.737 ng
RT: 7.387 min Scan# 901
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Tgt Ion: 77 Resp: 440602
Ion Ratio Lower Upper
77 100
123 49.7 35.4 53.2
65 13.6 11.0 16.6





#25
Isophorone
Concen: 41.549 ng
RT: 7.622 min Scan# 941
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
Client SampleId :
TP-3MS




Tgt Ion: 82 Resp: 81972
Ion Ratio Lower Upper
82 100
95 6.9 5.5 8.3
138 17.7 12.8 19.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#26
2-Nitrophenol
Concen: 48.838 ng
RT: 7.698 min Scan# 954
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:139 Resp: 230725
Ion Ratio Lower Upper
139 100
109 29.2 25.0 37.6
65 48.4 40.4 60.6





#27
2,4-Dimethylphenol
Concen: 48.795 ng
RT: 7.740 min Scan# 90
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :





TP-3MS

Tgt Ion:122 Resp: 303414
Ion Ratio Lower Upper
122 100
107 115.1 100.0 150.0
121 60.2 50.7 76.1

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#28
bis(2-Chloroethoxy)methane
Concen: 42.256 ng
RT: 7.834 min Scan# 977
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion: 93 Resp: 504274
Ion Ratio Lower Upper
93 100
95 30.9 23.8 35.6
123 11.5 8.2 12.4





#29

2,4-Dichlorophenol

Concen: 44.213 ng

RT: 7.940 min Scan# 996

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS





Tgt Ion:162 Resp: 370822
 Ion Ratio Lower Upper
 162 100
 164 61.1 40.3 80.3
 98 35.8 13.0 53.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#30

1,2,4-Trichlorobenzene

Concen: 40.190 ng




RT: 8.022 min Scan# 1009


Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10


Tgt Ion:180 Resp: 412697
 Ion Ratio Lower Upper
 180 100
 182 91.9 71.6 107.4
 145 28.7 23.0 34.4





#31
Naphthalene
Concen: 40.411 ng
RT: 8.104 min Scan# 1023
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS



Tgt Ion:128 Resp: 131330
Ion Ratio Lower Upper
128 100
129 10.0 7.3 10.9
127 13.8 11.8 17.6




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#32
Benzoic acid
Concen: 51.478 ng
RT: 7.875 min Scan# 984
Delta R.T. 0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion:122 Resp: 291732
Ion Ratio Lower Upper
122 100
105 123.3 103.7 143.7
77 89.0 66.8 106.8





#33
4-Chloroaniline
Concen: 25.162 ng
RT: 8.151 min Scan# 1032
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :





TP-3MS

Tgt Ion:127 Resp: 277950
Ion Ratio Lower Upper
127 100
129 30.8 23.4 35.2
65 28.7 23.8 35.6
92 18.6 14.6 21.8

Manual Integrations




APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#34
Hexachlorobutadiene
Concen: 38.876 ng
RT: 8.216 min Scan# 1042
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:225 Resp: 233553
Ion Ratio Lower Upper
225 100
223 64.3 50.6 75.8
227 62.6 49.6 74.4





#35
 Caprolactam
 Concen: 51.836 ng m
 RT: 8.534 min Scan# 1096
 Delta R.T. -0.006 min
 Lab File: BF136378.D
 Acq: 04 Dec 2023 13:10




Instrument :
 BNA_F
 ClientSampleId :
 TP-3MS



Tgt Ion:113 Resp: 121538
 Ion Ratio Lower Upper
 113 100
 55 166.8 143.1 183.1
 56 129.5 103.6 143.6




Manual Integrations
 APPROVED


Reviewed By :Yogesh Patel 12/05/2023
 Supervised By :mohammad ahmed 12/05/2023



#36
 4-Chloro-3-methylphenol
 Concen: 43.750 ng
 RT: 8.640 min Scan# 1114
 Delta R.T. 0.000 min
 Lab File: BF136378.D
 Acq: 04 Dec 2023 13:10

Tgt Ion:107 Resp: 397974
 Ion Ratio Lower Upper
 107 100
 144 23.7 17.8 26.8
 142 75.9 59.4 89.0





#37

2-Methylnaphthalene

Concen: 41.295 ng

RT: 8.792 min Scan# 1141

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion:142 Resp: 841830

Ion Ratio Lower Upper

142 100





141 94.0 77.8 116.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#38

1-Methylnaphthalene

Concen: 40.414 ng

RT: 8.892 min Scan# 1157

Delta R.T. 0.000 min

Lab File: BF136378.D




Acq: 04 Dec 2023 13:10


Tgt Ion:142 Resp: 803701

Ion Ratio Lower Upper

142 100


141 98.4 83.8 125.6





#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.839 min Scan# 1168
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:164 Resp: 305772
Ion Ratio Lower Upper
164 100
162 106.8 89.5 134.3
160 48.3 39.6 59.4

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#40
1,2,4,5-Tetrachlorobenzene
Concen: 42.124 ng
RT: 8.957 min Scan# 1168
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Tgt Ion:216 Resp: 409920
Ion Ratio Lower Upper
216 100
214 80.7 65.8 98.8
179 21.3 17.4 26.0
108 18.9 14.1 21.1





#41
Hexachlorocyclopentadiene
Concen: 97.003 ng
RT: 8.945 min Scan# 1166
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion: 237 Resp: 36322
Ion Ratio Lower Upper
237 100
235 66.1 42.1 82.1
272 13.2 0.0 31.0

Manual Integrations
APPROVED



Reviewed By : Yogesh Patel 12/05/2023
Supervised By : mohammad ahmed 12/05/2023




#42
2,4,6-Tribromophenol
Concen: 102.129 ng
RT: 10.634 min Scan# 1453
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Tgt Ion: 330 Resp: 381789
Ion Ratio Lower Upper
330 100
332 94.1 73.0 109.6
141 28.7 24.2 36.2





#43
2,4,6-Trichlorophenol
Concen: 43.295 ng
RT: 9.075 min Scan# 1188
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:196 Resp: 273462
Ion Ratio Lower Upper
196 100
198 98.4 73.2 109.8
200 30.7 22.4 33.6

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#44
2,4,5-Trichlorophenol
Concen: 41.691 ng
RT: 9.122 min Scan# 1196
Delta R.T. 0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:196 Resp: 287372
Ion Ratio Lower Upper
196 100
198 100.0 78.8 118.2
97 47.0 37.8 56.8
132 28.0 22.4 33.6





#45

2-Fluorobiphenyl

Concen: 60.126 ng

RT: 9.163 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion:172 Resp: 1439330

Ion Ratio Lower Upper

172 100

171 37.7 31.5 47.3





170 25.0 20.8 31.2

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#46

1,1'-Biphenyl

Concen: 41.395 ng

RT: 9.263 min Scan# 1220

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion:154 Resp: 1116186


Ion Ratio Lower Upper

154 100

153 42.6 24.6 64.6


76 9.7 0.0 29.4





#47
2-Chloronaphthalene
Concen: 39.573 ng
RT: 9.287 min Scan# 1224
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS



Tgt Ion:162 Resp: 82866
Ion Ratio Lower Upper
162 100
127 38.7 30.2 45.2
164 30.9 22.8 34.2




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#48
2-Nitroaniline
Concen: 44.074 ng
RT: 9.387 min Scan# 1241
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion: 65 Resp: 240960
Ion Ratio Lower Upper
65 100
92 71.5 50.6 75.8
138 123.1 76.7 115.1#






#49
Acenaphthylene
Concen: 43.568 ng
RT: 9.698 min Scan# 1294
Delta R.T. -0.006 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS






Tgt Ion:152 Resp: 130194
Ion Ratio Lower Upper
152 100
151 21.7 17.5 26.3
153 13.1 9.6 14.4


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#50
Dimethylphthalate
Concen: 42.319 ng
RT: 9.569 min Scan# 1272
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:163 Resp: 978017
Ion Ratio Lower Upper
163 100
194 3.7 2.5 3.7
164 9.4 7.0 10.6









#51
2,6-Dinitrotoluene
Concen: 44.423 ng
RT: 9.628 min Scan# 1282
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :
BNA_F
ClientSampleId :
TP-3MS

Tgt Ion:165 Resp: 209739
Ion Ratio Lower Upper
165 100
63 53.4 46.2 69.2
89 54.1 44.9 67.3




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#52
Acenaphthene
Concen: 41.145 ng
RT: 9.875 min Scan# 1324
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion:154 Resp: 776996
Ion Ratio Lower Upper
154 100
153 120.6 100.8 151.2
152 56.9 47.0 70.6





#53

3-Nitroaniline

Concen: 36.683 ng

RT: 9.798 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :





TP-3MS

Tgt Ion:138 Resp: 17184

Ion	Ratio	Lower	Upper
138	100		
108	10.7	8.7	13.1
92	110.3	94.2	141.4

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#54

2,4-Dinitrophenol

Concen: 108.247 ng

RT: 9.910 min Scan# 1330




Delta R.T. 0.006 min


Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Tgt Ion:184 Resp: 237694


Ion	Ratio	Lower	Upper
184	100		
63	44.6	55.0	82.4
154	62.1	54.9	82.3





#55
Dibenzo-furan
Concen: 41.147 ng
RT: 10.045 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS



Tgt Ion:168 Resp: 115625
Ion Ratio Lower Upper
168 100
139 38.9 30.9 46.3
169 12.6 9.1 13.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#56
4-Nitrophenol
Concen: 96.231 ng
RT: 9.969 min Scan# 1340
Delta R.T. 0.012 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:139 Resp: 342394
Ion Ratio Lower Upper
139 100
109 71.2 57.8 97.8
65 94.0 86.0 126.0





#57
2,4-Dinitrotoluene
Concen: 44.830 ng
RT: 10.034 min Scan# 1351
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:165 Resp: 282729
Ion Ratio Lower Upper
165 100
63 46.5 33.0 49.4
89 73.1 51.5 77.3
182 2.5 1.9 2.9

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#58
Fluorene
Concen: 41.264 ng
RT: 10.392 min Scan# 1412
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Tgt Ion:166 Resp: 909552
Ion Ratio Lower Upper
166 100
165 107.3 86.2 129.4
167 12.2 9.1 13.7





#59
2,3,4,6-Tetrachlorophenol
Concen: 43.996 ng
RT: 10.163 min Scan# 1373
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS



Tgt Ion:232 Resp: 241281
Ion Ratio Lower Upper
232 100
131 44.8 36.4 54.6
130 2.2 1.9 2.9
166 30.5 23.9 35.9




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#60
Diethylphthalate
Concen: 42.276 ng
RT: 10.269 min Scan# 1391
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Tgt Ion:149 Resp: 977342
Ion Ratio Lower Upper
149 100
177 20.8 15.8 23.6
150 11.7 8.8 13.2






#61
4-Chlorophenyl-phenylether
Concen: 40.312 ng
RT: 10.381 min Scan# 1410
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS






Tgt Ion:204 Resp: 43151
Ion Ratio Lower Upper
204 100
206 31.6 23.4 35.0
141 65.6 47.6 71.4


Manual Integrations

APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#62
4-Nitroaniline
Concen: 46.033 ng
RT: 10.416 min Scan# 1416
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:138 Resp: 211090
Ion Ratio Lower Upper
138 100
92 48.5 28.5 68.5
108 72.6 59.8 99.8





#63

Azobenzene

Concen: 40.728 ng

RT: 10.545 min Scan# 1438

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion: 77 Resp: 87289

Ion Ratio Lower Upper

77 100

182 26.7 3.3 43.3

105 21.6 0.0 39.5





51 27.1 9.0 49.0

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.328 min Scan# 1571

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion:188 Resp: 588985


Ion Ratio Lower Upper

188 100

94 9.3 6.7 10.1

80 9.5 7.2 10.8









#65
4,6-Dinitro-2-methylphenol
Concen: 48.503 ng
RT: 10.445 min Scan# 1421
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :
BNA_F
ClientSampleId :
TP-3MS

Tgt Ion:198 Resp: 156220
Ion Ratio Lower Upper
198 100
51 34.9 28.2 68.2
105 37.8 25.7 65.7




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#66
n-Nitrosodiphenylamine
Concen: 43.080 ng
RT: 10.504 min Scan# 1431
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:169 Resp: 813121
Ion Ratio Lower Upper
169 100
168 68.8 57.8 86.6
167 38.1 32.7 49.1





#67
4-Bromophenyl-phenylether
Concen: 41.218 ng
RT: 10.875 min Scan# 1494
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:248 Resp: 283230
Ion Ratio Lower Upper
248 100
250 96.6 72.5 108.7
141 71.5 60.8 91.2

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#68
Hexachlorobenzene
Concen: 40.492 ng
RT: 10.939 min Scan# 1505
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:284 Resp: 322025
Ion Ratio Lower Upper
284 100
142 25.0 19.8 29.8
249 27.0 21.0 31.4





#69

Atrazine

Concen: 47.195 ng

RT: 11.039 min Scan# 1522

Delta R.T. 0.006 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion:200 Resp: 264250

Ion Ratio Lower Upper

200 100

173 25.7 4.3 44.3





215 46.5 23.8 63.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#70

Pentachlorophenol

Concen: 78.160 ng

RT: 11.133 min Scan# 1538

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion:266 Resp: 351360


Ion Ratio Lower Upper

266 100

268 62.5 47.9 71.9

264 64.5 49.1 73.7









#71
Phenanthrene
Concen: 42.503 ng
RT: 11.357 min Scan# 1576
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :
BNA_F
ClientSampleId :
TP-3MS

Tgt Ion:178 Resp: 1406990
Ion Ratio Lower Upper
178 100
176 20.3 16.2 24.2
179 13.7 10.3 15.5




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#72
Anthracene
Concen: 41.731 ng
RT: 11.410 min Scan# 1585
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:178 Resp: 1385345
Ion Ratio Lower Upper
178 100
176 19.6 15.5 23.3
179 14.1 10.5 15.7





#73
 Carbazole
 Concen: 42.287 ng
 RT: 11.563 min Scan# 1611
 Delta R.T. 0.000 min
 Lab File: BF136378.D
 Acq: 04 Dec 2023 13:10




Instrument :
 BNA_F
 ClientSampleId :
 TP-3MS




Tgt Ion:167 Resp: 1193940
 Ion Ratio Lower Upper
 167 100
 166 22.7 18.4 27.6
 139 13.0 10.5 15.7

Manual Integrations
 APPROVED



Reviewed By :Yogesh Patel 12/05/2023
 Supervised By :mohammad ahmed 12/05/2023




#74
 Di-n-butylphthalate
 Concen: 45.998 ng
 RT: 11.898 min Scan# 1668
 Delta R.T. 0.000 min
 Lab File: BF136378.D
 Acq: 04 Dec 2023 13:10




Tgt Ion:149 Resp: 1624972
 Ion Ratio Lower Upper
 149 100
 150 8.3 6.0 9.0
 104 4.6 3.5 5.3





#75
Fluoranthene
Concen: 42.104 ng
RT: 12.545 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:202 Resp: 1414954
Ion Ratio Lower Upper
202 100
101 10.3 0.0 27.8
203 16.4 0.0 34.5

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.980 min Scan# 2022
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:240 Resp: 331478
Ion Ratio Lower Upper
240 100
120 11.4 7.4 11.2#
236 25.7 21.1 31.7





#77

Benzidine

Concen: 22.200 ng

RT: 12.669 min Scan# 11

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion:184 Resp: 12096

Ion Ratio Lower Upper

184 100

185 14.6 11.0 16.6





183 11.2 9.0 13.4

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#78

Pyrene

Concen: 38.632 ng

RT: 12.775 min Scan# 1817

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion:202 Resp: 1402431


Ion Ratio Lower Upper

202 100

200 22.1 18.4 27.6

203 16.1 11.8 17.6






#79
 Terphenyl-d14
 Concen: 58.301 ng
 RT: 12.922 min Scan# 1842
 Delta R.T. -0.006 min
 Lab File: BF136378.D
 Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS






Tgt Ion:244 Resp: 167539
 Ion Ratio Lower Upper
 244 100
 212 6.2 4.6 7.0
 122 10.4 7.3 10.9

Manual Integrations


APPROVED

Reviewed By :Yogesh Patel 12/05/2023



Supervised By :mohammad ahmed 12/05/2023




#80
 Butylbenzylphthalate
 Concen: 51.007 ng
 RT: 13.404 min Scan# 1924
 Delta R.T. 0.000 min
 Lab File: BF136378.D
 Acq: 04 Dec 2023 13:10




Tgt Ion:149 Resp: 576286
 Ion Ratio Lower Upper
 149 100
 91 69.4 56.4 84.6
 206 19.4 14.8 22.2





#81
Benzo(a)anthracene
Concen: 40.660 ng
RT: 13.969 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:228 Resp: 1001083
Ion Ratio Lower Upper
228 100
226 27.2 22.6 34.0
229 18.8 14.0 21.0

Manual Integrations
APPROVED



Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023




#82
3,3'-Dichlorobenzidine
Concen: 47.237 ng
RT: 13.939 min Scan# 2015
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:252 Resp: 279961
Ion Ratio Lower Upper
252 100
254 62.3 47.4 71.2
126 9.7 8.3 12.5





#83

Chrysene

Concen: 40.170 ng

RT: 14.010 min Scan# 2028

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS





Tgt Ion:228 Resp: 954945
 Ion Ratio Lower Upper
 228 100
 226 31.1 25.5 38.3
 229 18.5 13.9 20.9

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#84

Bis(2-ethylhexyl)phthalate

Concen: 57.837 ng




RT: 13.969 min Scan# 2020


Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Tgt Ion:149 Resp: 784233
 Ion Ratio Lower Upper
 149 100
 167 25.8 20.2 30.2
 279 4.0 2.4 3.6





#85

Di-n-octyl phthalate

Concen: 57.697 ng

RT: 14.586 min Scan# 2125

Delta R.T. 0.000 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10

Instrument :

BNA_F

ClientSampleId :

TP-3MS

Tgt Ion:149 Resp: 129634

Ion Ratio Lower Upper

149 100

167 1.4 1.0 1.6





43 8.3 7.2 10.8

Manual Integrations

APPROVED

Reviewed By :Yogesh Patel 12/05/2023

Supervised By :mohammad ahmed 12/05/2023



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.463 min Scan# 2274

Delta R.T. 0.006 min

Lab File: BF136378.D

Acq: 04 Dec 2023 13:10




Tgt Ion:264 Resp: 299835


Ion Ratio Lower Upper

264 100

260 23.4 18.6 27.8


265 21.2 15.7 23.5





#87
Indeno(1,2,3-cd)pyrene
Concen: 42.944 ng
RT: 16.974 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
Client Sample Id :
TP-3MS




Tgt Ion: 276 Resp: 95577
Ion Ratio Lower Upper
276 100
138 23.3 17.7 26.5
277 25.1 19.6 29.4

Manual Integrations
APPROVED



Reviewed By : Yogesh Patel 12/05/2023
Supervised By : mohammad ahmed 12/05/2023




#88
Benzo(b)fluoranthene
Concen: 39.845 ng
RT: 15.027 min Scan# 2200
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion: 252 Resp: 838187
Ion Ratio Lower Upper
252 100
253 20.9 16.2 24.2
125 9.3 6.9 10.3









#89
Benzo(k)fluoranthene
Concen: 41.381 ng
RT: 15.057 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10

Instrument :
BNA_F
ClientSampleId :
TP-3MS

Tgt Ion:252 Resp: 82675
Ion Ratio Lower Upper
252 100
253 20.7 15.6 23.4
125 9.8 7.0 10.4




Manual Integrations
APPROVED


Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#90
Benzo(a)pyrene
Concen: 42.275 ng
RT: 15.398 min Scan# 2263
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10


Tgt Ion:252 Resp: 726973
Ion Ratio Lower Upper
252 100
253 20.8 15.5 23.3
125 10.1 7.9 11.9





#91
Dibenzo(a,h)anthracene
Concen: 44.375 ng
RT: 16.992 min Scan# 21
Delta R.T. 0.000 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10




Instrument :
BNA_F
ClientSampleId :
TP-3MS




Tgt Ion:278 Resp: 794312
Ion Ratio Lower Upper
278 100
139 15.3 11.7 17.5
279 23.6 17.8 26.8

Manual Integrations
APPROVED

Reviewed By :Yogesh Patel 12/05/2023
Supervised By :mohammad ahmed 12/05/2023



#92
Benzo(g,h,i)perylene
Concen: 42.664 ng
RT: 17.433 min Scan# 2609
Delta R.T. 0.012 min
Lab File: BF136378.D
Acq: 04 Dec 2023 13:10



Tgt Ion:276 Resp: 766128
Ion Ratio Lower Upper
276 100
277 23.6 18.6 27.8
138 20.6 15.8 23.8

