

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120522\
 Data File : BF131505.D
 Acq On : 05 Dec 2022 17:06
 Operator : CG\JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Quant Time: Dec 06 00:27:05 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 06 00:24:35 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.922	152	91483	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	335557	20.000	ng	0.00
39) Acenaphthene-d10	9.975	164	189120	20.000	ng	0.00
64) Phenanthrene-d10	11.469	188	369363	20.000	ng	0.00
76) Chrysene-d12	14.127	240	286425	20.000	ng	0.00
86) Perylene-d12	15.645	264	195637	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.522	112	112039	23.309	ng	0.00
7) Phenol-d6	6.534	99	141375	23.052	ng	-0.01
23) Nitrobenzene-d5	7.487	82	154508	23.211	ng	0.00
42) 2,4,6-Tribromophenol	10.763	330	37101	23.318	ng	0.00
45) 2-Fluorobiphenyl	9.292	172	285868	21.991	ng	0.00
79) Terphenyl-d14	13.063	244	335552	19.157	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.722	88	24764	10.806	ng	95
3) Pyridine	3.487	79	68870	10.823	ng	96
4) n-Nitrosodimethylamine	3.434	42	36935	9.843	ng	99
6) Aniline	6.581	93	87592	10.898	ng	98
8) 2-Chlorophenol	6.698	128	59515	10.929	ng	99
9) Benzaldehyde	6.469	77	54006	12.534	ng	97
10) Phenol	6.545	94	80133	11.785	ng	99
11) bis(2-Chloroethyl)ether	6.651	93	59933	10.520	ng	100
12) 1,3-Dichlorobenzene	6.857	146	69522	10.712	ng	97
13) 1,4-Dichlorobenzene	6.940	146	70538	10.696	ng	96
14) 1,2-Dichlorobenzene	7.092	146	66317	10.921	ng	99
15) Benzyl Alcohol	7.057	79	60035	11.939	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.192	45	61741	5.667	ng	99
17) 2-Methylphenol	7.163	107	51898	11.182	ng	96
18) Hexachloroethane	7.434	117	26448	11.211	ng	88
19) n-Nitroso-di-n-propyla...	7.328	70	49013	10.917	ng	99
20) 3+4-Methylphenols	7.316	107	68558	11.569	ng	# 87
22) Acetophenone	7.328	105	94695	11.087	ng	96
24) Nitrobenzene	7.504	77	78968	11.386	ng	96
25) Isophorone	7.739	82	122996	10.356	ng	97
26) 2-Nitrophenol	7.822	139	24642	13.280	ng	97
27) 2,4-Dimethylphenol	7.851	122	42557	9.243	ng	96
28) bis(2-Chloroethoxy)met...	7.951	93	66242	9.820	ng	98
29) 2,4-Dichlorophenol	8.063	162	50090	10.030	ng	99
30) 1,2,4-Trichlorobenzene	8.151	180	63805	10.313	ng	97
31) Naphthalene	8.234	128	187325	10.476	ng	98
32) Benzoic acid	7.928	122	21735	8.304	ng	94
33) 4-Chloroaniline	8.281	127	69538	9.857	ng	97
34) Hexachlorobutadiene	8.345	225	45806	11.434	ng	95
35) Caprolactam	8.622	113	13592	10.357	ng	# 82
36) 4-Chloro-3-methylphenol	8.751	107	53980	10.404	ng	94
37) 2-Methylnaphthalene	8.928	142	121306	10.012	ng	96
38) 1-Methylnaphthalene	9.028	142	117884	10.034	ng	97
40) 1,2,4,5-Tetrachloroben...	9.092	216	68691	11.193	ng	99
41) Hexachlorocyclopentadiene	9.075	237	26739	9.692	ng	98
43) 2,4,6-Trichlorophenol	9.204	196	40545	11.646	ng	97

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120522\
 Data File : BF131505.D
 Acq On : 05 Dec 2022 17:06
 Operator : CG\JU
 Sample : SSTDICC010
 Misc :
 ALS Vial : 4 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Quant Time: Dec 06 00:27:05 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 06 00:24:35 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.239	196	41260	10.539	ng	100
46) 1,1'-Biphenyl	9.392	154	147107	10.193	ng	98
47) 2-Chloronaphthalene	9.416	162	120731	10.428	ng	99
48) 2-Nitroaniline	9.510	65	34846	9.913	ng	# 81
49) Acenaphthylene	9.833	152	180679	10.238	ng	100
50) Dimethylphthalate	9.686	163	135972	10.319	ng	100
51) 2,6-Dinitrotoluene	9.751	165	27111	10.288	ng	# 82
52) Acenaphthene	10.010	154	115532	10.454	ng	99
53) 3-Nitroaniline	9.922	138	28953	10.693	ng	93
54) 2,4-Dinitrophenol	10.028	184	10667	12.048	ng	97
55) Dibenzofuran	10.180	168	172218	10.832	ng	100
56) 4-Nitrophenol	10.075	139	18716	9.959	ng	91
57) 2,4-Dinitrotoluene	10.157	165	35515	10.712	ng	89
58) Fluorene	10.528	166	140625	11.333	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.292	232	34605	10.614	ng	97
60) Diethylphthalate	10.392	149	133011	10.691	ng	99
61) 4-Chlorophenyl-phenyle...	10.516	204	72021	11.322	ng	93
62) 4-Nitroaniline	10.533	138	29829	11.069	ng	96
63) Azobenzene	10.675	77	142944	10.685	ng	97
65) 4,6-Dinitro-2-methylph...	10.563	198	16642	11.449	ng	95
66) n-Nitrosodiphenylamine	10.633	169	113623	9.654	ng	99
67) 4-Bromophenyl-phenylether	11.010	248	43990	9.717	ng	94
68) Hexachlorobenzene	11.069	284	49440	10.290	ng	96
69) Atrazine	11.163	200	33785	9.323	ng	98
70) Pentachlorophenol	11.263	266	20614	8.362	ng	94
71) Phenanthrene	11.492	178	200776	10.058	ng	99
72) Anthracene	11.545	178	199149	10.152	ng	100
73) Carbazole	11.698	167	170256	10.174	ng	99
74) Di-n-butylphthalate	12.027	149	183581	9.310	ng	99
75) Fluoranthene	12.686	202	224769	10.686	ng	99
77) Benzidine	12.810	184	60077	11.355	ng	99
78) Pyrene	12.921	202	228131	9.027	ng	99
80) Butylbenzylphthalate	13.539	149	58356	8.014	ng	98
81) Benzo(a)anthracene	14.116	228	192047	9.782	ng	99
82) 3,3'-Dichlorobenzidine	14.074	252	55160	10.588	ng	# 96
83) Chrysene	14.151	228	189202	9.823	ng	98
84) Bis(2-ethylhexyl)phtha...	14.098	149	69552	7.077	ng	97
85) Di-n-octyl phthalate	14.721	149	79985	5.397	ng	99
87) Indeno(1,2,3-cd)pyrene	17.192	276	100197	7.625	ng	98
88) Benzo(b)fluoranthene	15.192	252	125696	9.671	ng	99
89) Benzo(k)fluoranthene	15.221	252	147806	11.067	ng	99
90) Benzo(a)pyrene	15.580	252	102689	9.629	ng	99
91) Dibenzo(a,h)anthracene	17.209	278	78942	7.277	ng	96
92) Benzo(g,h,i)perylene	17.656	276	85441	7.891	ng	94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Dec 06 00:27:05 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 06 00:24:35 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.922 min Scan# 81
 Delta R.T. -0.000 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:152 Resp: 91483
 Ion Ratio Lower Upper
 152 100
 150 153.1 121.9 182.9
 115 64.3 50.4 75.6



#2
 1,4-Dioxane
 Concen: 10.806 ng
 RT: 2.722 min Scan# 108
 Delta R.T. 0.018 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06

Tgt Ion: 88 Resp: 24764
 Ion Ratio Lower Upper
 88 100
 58 69.3 52.9 79.3
 43 33.1 23.8 35.6









#3
Pyridine
Concen: 10.823 ng
RT: 3.487 min Scan# 21
Delta R.T. 0.018 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 79 Resp: 68870
Ion Ratio Lower Upper
79 100
52 64.1 48.5 72.7
51 34.9 29.4 44.0



#4
n-Nitrosodimethylamine
Concen: 9.843 ng
RT: 3.434 min Scan# 229
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 42 Resp: 36935
Ion Ratio Lower Upper
42 100
74 110.7 88.1 132.1
44 5.2 3.7 5.5









#5
2-Fluorophenol
Concen: 23.309 ng
RT: 5.522 min Scan# 51
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:112 Resp: 112039
Ion Ratio Lower Upper
112 100
64 61.6 44.5 66.7
63 36.0 26.7 40.1



#6
Aniline
Concen: 10.898 ng
RT: 6.581 min Scan# 764
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 93 Resp: 87592
Ion Ratio Lower Upper
93 100
66 38.9 32.6 49.0
65 20.4 15.8 23.8









#7
Phenol-d6
Concen: 23.052 ng
RT: 6.534 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 99 Resp: 141375
Ion Ratio Lower Upper
99 100
42 20.1 16.6 25.0
71 43.1 34.4 51.6



#8
2-Chlorophenol
Concen: 10.929 ng
RT: 6.698 min Scan# 784
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 128 Resp: 59515
Ion Ratio Lower Upper
128 100
130 32.2 11.9 51.9
64 52.6 31.7 71.7





#9

Benzaldehyde

Concen: 12.534 ng

RT: 6.469 min Scan# 74

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion: 77 Resp: 54006

Ion Ratio Lower Upper

77 100

105 89.6 71.9 111.9

106 84.8 67.2 107.2



#10

Phenol

Concen: 11.785 ng

RT: 6.545 min Scan# 758

Delta R.T. -0.012 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion: 94 Resp: 80133


Ion Ratio Lower Upper

94 100

65 31.3 12.1 52.1

66 46.2 27.1 67.1









#11
bis(2-Chloroethyl)ether
Concen: 10.520 ng
RT: 6.651 min Scan# 776
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 93 Resp: 59933
Ion Ratio Lower Upper
93 100
63 71.2 51.2 91.2
95 33.4 13.0 53.0



#12
1,3-Dichlorobenzene
Concen: 10.712 ng
RT: 6.857 min Scan# 811
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 146 Resp: 69522
Ion Ratio Lower Upper
146 100
148 62.2 50.2 75.4
75 42.5 31.4 47.2





#13

1,4-Dichlorobenzene

Concen: 10.696 ng

RT: 6.940 min Scan# 81

Delta R.T. 0.000 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:146 Resp: 70538

Ion Ratio Lower Upper

146 100

148 65.7 50.9 76.3

111 43.9 37.6 56.4



#14

1,2-Dichlorobenzene

Concen: 10.921 ng

RT: 7.092 min Scan# 851

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:146 Resp: 66317


Ion Ratio Lower Upper

146 100

148 61.6 50.6 75.8

111 45.4 36.1 54.1









#15
Benzyl Alcohol
Concen: 11.939 ng
RT: 7.057 min Scan# 846
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 79 Resp: 60035
Ion Ratio Lower Upper
79 100
108 66.6 55.1 82.7
77 67.5 55.4 83.0



#16
2,2'-oxybis(1-Chloropropane)
Concen: 5.667 ng
RT: 7.192 min Scan# 868
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 45 Resp: 61741
Ion Ratio Lower Upper
45 100
77 21.3 1.8 41.8
79 15.6 0.0 36.4









#17
2-Methylphenol
Concen: 11.182 ng
RT: 7.163 min Scan# 80
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:	107	Resp:	51898
Ion	Ratio	Lower	Upper
107	100		
108	109.4	92.1	138.1
77	55.4	47.0	70.4
79	56.4	44.8	67.2



#18
Hexachloroethane
Concen: 11.211 ng
RT: 7.434 min Scan# 909
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:	117	Resp:	26448
Ion	Ratio	Lower	Upper
117	100		
119	92.9	77.8	116.8
201	94.9	91.1	136.7





#19

n-Nitroso-di-n-propylamine

Concen: 10.917 ng

RT: 7.328 min Scan# 891

Delta R.T. -0.012 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion: 70 Resp: 49013





Ion Ratio Lower Upper

70 100

42 55.9 44.1 66.1

101 9.3 7.7 11.5

130 19.9 16.5 24.7



#20

3+4-Methylphenols

Concen: 11.569 ng

RT: 7.316 min Scan# 889

Delta R.T. -0.012 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Tgt Ion:107 Resp: 68558




Ion Ratio Lower Upper


107 100

108 83.9 70.8 110.8

77 60.4 60.7 100.7

79 34.4 17.0 57.0









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1041
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:136 Resp: 335557
Ion Ratio Lower Upper
136 100
137 10.8 8.8 13.2
54 6.9 5.0 7.6
68 5.1 3.6 5.4



#22
Acetophenone
Concen: 11.087 ng
RT: 7.328 min Scan# 891
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:105 Resp: 94695
Ion Ratio Lower Upper
105 100
71 7.5 6.6 10.0
51 30.0 21.0 31.6
120 19.7 16.3 24.5









#23
Nitrobenzene-d5
Concen: 23.211 ng
RT: 7.487 min Scan# 919
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion: 82 Resp: 154508
Ion Ratio Lower Upper
82 100
128 36.1 29.7 44.5
54 48.9 38.7 58.1



#24
Nitrobenzene
Concen: 11.386 ng
RT: 7.504 min Scan# 921
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 77 Resp: 78968
Ion Ratio Lower Upper
77 100
123 35.6 31.0 46.4
65 13.2 11.4 17.2









#25
Isophorone
Concen: 10.356 ng
RT: 7.739 min Scan# 90
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion: 82 Resp: 122996
Ion Ratio Lower Upper
82 100
95 8.8 6.6 9.8
138 14.7 12.7 19.1



#26
2-Nitrophenol
Concen: 13.280 ng
RT: 7.822 min Scan# 975
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:139 Resp: 24642
Ion Ratio Lower Upper
139 100
109 36.6 31.6 47.4
65 59.6 46.8 70.2





#27

2,4-Dimethylphenol

Concen: 9.243 ng

RT: 7.851 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:122 Resp: 42557

Ion Ratio Lower Upper

122 100

107 139.3 106.8 160.2

121 60.5 47.3 70.9



#28

bis(2-Chloroethoxy)methane

Concen: 9.820 ng

RT: 7.951 min Scan# 997

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion: 93 Resp: 66242


Ion Ratio Lower Upper

93 100

95 32.2 26.4 39.6

123 10.0 8.7 13.1





#29

2,4-Dichlorophenol

Concen: 10.030 ng

RT: 8.063 min Scan# 1016

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDIC010





Tgt Ion:162 Resp: 50090

Ion Ratio Lower Upper

162 100

164 68.7 47.3 87.3

98 36.2 16.3 56.3



#30

1,2,4-Trichlorobenzene

Concen: 10.313 ng

RT: 8.151 min Scan# 1031

Delta R.T. 0.000 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:180 Resp: 63805


Ion Ratio Lower Upper

180 100

182 98.5 76.3 114.5

145 27.5 23.3 34.9









#31
Naphthalene
Concen: 10.476 ng
RT: 8.234 min Scan# 1045
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:128 Resp: 187325
Ion Ratio Lower Upper
128 100
129 10.4 8.8 13.2
127 12.7 10.6 16.0



#32
Benzoic acid
Concen: 8.304 ng
RT: 7.928 min Scan# 993
Delta R.T. -0.047 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:122 Resp: 21735
Ion Ratio Lower Upper
122 100
105 129.6 114.0 154.0
77 100.1 90.3 130.3









#33
4-Chloroaniline
Concen: 9.857 ng
RT: 8.281 min Scan# 1053
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:	127	Resp:	69538
Ion	Ratio	Lower	Upper
127	100		
129	31.2	26.5	39.7
65	34.5	26.4	39.6
92	21.0	16.2	24.4



#34
Hexachlorobutadiene
Concen: 11.434 ng
RT: 8.345 min Scan# 1064
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:	225	Resp:	45806
Ion	Ratio	Lower	Upper
225	100		
223	64.6	49.2	73.8
227	60.7	51.7	77.5









#35
 Caprolactam
 Concen: 10.357 ng
 RT: 8.622 min Scan# 1111
 Delta R.T. -0.041 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:113 Resp: 13592
 Ion Ratio Lower Upper
 113 100
 55 169.1 128.2 168.2#
 56 141.9 100.7 140.7#



#36
 4-Chloro-3-methylphenol
 Concen: 10.404 ng
 RT: 8.751 min Scan# 1133
 Delta R.T. -0.012 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06

Tgt Ion:107 Resp: 53980
 Ion Ratio Lower Upper
 107 100
 144 22.3 19.4 29.0
 142 70.4 61.1 91.7









#37
2-Methylnaphthalene
Concen: 10.012 ng
RT: 8.928 min Scan# 1163
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:142 Resp: 121306
Ion Ratio Lower Upper
142 100
141 90.7 69.7 104.5



#38
1-Methylnaphthalene
Concen: 10.034 ng
RT: 9.028 min Scan# 1180
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:142 Resp: 117884
Ion Ratio Lower Upper
142 100
141 95.4 74.2 111.2





#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.975 min Scan# 1191

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:164 Resp: 189120

Ion Ratio Lower Upper

164 100

162 104.2 80.1 120.1

160 46.7 36.4 54.6



#40

1,2,4,5-Tetrachlorobenzene

Concen: 11.193 ng

RT: 9.092 min Scan# 1191

Delta R.T. 0.000 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Tgt Ion:216 Resp: 68691




Ion Ratio Lower Upper


216 100

214 76.6 62.2 93.4

179 20.6 16.4 24.6

108 17.5 14.6 21.8









#41
Hexachlorocyclopentadiene
Concen: 9.692 ng
RT: 9.075 min Scan# 1188
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:237 Resp: 26739
Ion Ratio Lower Upper
237 100
235 64.8 44.2 84.2
272 10.4 0.0 32.9



#42
2,4,6-Tribromophenol
Concen: 23.318 ng
RT: 10.763 min Scan# 1475
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:330 Resp: 37101
Ion Ratio Lower Upper
330 100
332 96.3 78.2 117.2
141 37.5 29.1 43.7









#43
2,4,6-Trichlorophenol
Concen: 11.646 ng
RT: 9.204 min Scan# 1210
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:196 Resp: 40545
Ion Ratio Lower Upper
196 100
198 91.8 76.5 114.7
200 30.9 24.2 36.2



#44
2,4,5-Trichlorophenol
Concen: 10.539 ng
RT: 9.239 min Scan# 1216
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:196 Resp: 41260
Ion Ratio Lower Upper
196 100
198 95.5 76.6 114.8
97 51.1 40.6 61.0
132 24.2 19.0 28.4









#45
2-Fluorobiphenyl
Concen: 21.991 ng
RT: 9.292 min Scan# 1225
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:172 Resp: 285868
Ion Ratio Lower Upper
172 100
171 34.8 27.8 41.8
170 23.3 18.7 28.1



#46
1,1'-Biphenyl
Concen: 10.193 ng
RT: 9.392 min Scan# 1242
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:154 Resp: 147107
Ion Ratio Lower Upper
154 100
153 39.1 20.3 60.3
76 10.4 0.0 30.9









#47
2-Chloronaphthalene
Concen: 10.428 ng
RT: 9.416 min Scan# 1246
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:162 Resp: 120731
Ion Ratio Lower Upper
162 100
127 40.8 32.6 48.8
164 31.1 26.0 39.0



#48
2-Nitroaniline
Concen: 9.913 ng
RT: 9.510 min Scan# 1262
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion: 65 Resp: 34846
Ion Ratio Lower Upper
65 100
92 62.9 57.4 86.0
138 80.7 85.4 128.0#









#49
Acenaphthylene
Concen: 10.238 ng
RT: 9.833 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:152 Resp: 180679
Ion Ratio Lower Upper
152 100
151 19.9 15.8 23.8
153 12.9 10.6 16.0



#50
Dimethylphthalate
Concen: 10.319 ng
RT: 9.686 min Scan# 1292
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:163 Resp: 135972
Ion Ratio Lower Upper
163 100
194 4.3 3.1 4.7
164 9.8 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 10.288 ng
RT: 9.751 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:165 Resp: 27111
Ion Ratio Lower Upper
165 100
63 80.7 50.1 75.1#
89 74.5 51.3 76.9



#52
Acenaphthene
Concen: 10.454 ng
RT: 10.010 min Scan# 1347
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:154 Resp: 115532
Ion Ratio Lower Upper
154 100
153 112.1 90.9 136.3
152 53.6 43.1 64.7









#53
3-Nitroaniline
Concen: 10.693 ng
RT: 9.922 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:138 Resp: 28953
Ion Ratio Lower Upper
138 100
108 10.7 9.4 14.2
92 140.1 104.8 157.2



#54
2,4-Dinitrophenol
Concen: 12.048 ng
RT: 10.028 min Scan# 1350
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:184 Resp: 10667
Ion Ratio Lower Upper
184 100
63 74.0 61.2 91.8
154 64.4 53.1 79.7









#55
Dibenzenofuran
Concen: 10.832 ng
RT: 10.180 min Scan# 1377
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:168 Resp: 172218
Ion Ratio Lower Upper
168 100
139 39.7 31.8 47.8
169 13.4 10.6 15.8



#56
4-Nitrophenol
Concen: 9.959 ng
RT: 10.075 min Scan# 1358
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:139 Resp: 18716
Ion Ratio Lower Upper
139 100
109 109.6 81.1 121.1
65 121.1 91.5 131.5









#57
2,4-Dinitrotoluene
Concen: 10.712 ng
RT: 10.157 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:165 Resp: 35515
Ion Ratio Lower Upper
165 100
63 47.7 45.3 67.9
89 78.5 71.0 106.4
182 2.4 2.1 3.1



#58
Fluorene
Concen: 11.333 ng
RT: 10.528 min Scan# 1435
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:166 Resp: 140625
Ion Ratio Lower Upper
166 100
165 93.7 75.7 113.5
167 12.1 10.9 16.3









#59
2,3,4,6-Tetrachlorophenol
Concen: 10.614 ng
RT: 10.292 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:232 Resp: 34605
Ion Ratio Lower Upper
232 100
131 45.6 34.8 52.2
130 1.9 1.8 2.6
166 27.6 23.3 34.9



#60
Diethylphthalate
Concen: 10.691 ng
RT: 10.392 min Scan# 1412
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:149 Resp: 133011
Ion Ratio Lower Upper
149 100
177 21.4 17.4 26.2
150 12.0 10.2 15.4









#61
4-Chlorophenyl-phenylether
Concen: 11.322 ng
RT: 10.516 min Scan# 1433
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:204 Resp: 72021
Ion Ratio Lower Upper
204 100
206 34.2 26.4 39.6
141 62.5 44.4 66.6



#62
4-Nitroaniline
Concen: 11.069 ng
RT: 10.533 min Scan# 1436
Delta R.T. -0.018 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:138 Resp: 29829
Ion Ratio Lower Upper
138 100
92 65.0 42.7 82.7
108 110.3 95.0 135.0





#63

Azobenzene

Concen: 10.685 ng

RT: 10.675 min Scan# 1460

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010

Tgt Ion: 77 Resp: 142944





Ion Ratio Lower Upper

77 100

182 19.8 2.6 42.6

105 17.8 0.0 39.1

51 33.4 13.2 53.2



#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.469 min Scan# 1595

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:188 Resp: 369363


Ion Ratio Lower Upper

188 100

94 7.0 5.1 7.7

80 8.8 5.9 8.9









#65
4,6-Dinitro-2-methylphenol
Concen: 11.449 ng
RT: 10.563 min Scan# 1441
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:198 Resp: 16642
Ion Ratio Lower Upper
198 100
51 44.3 19.7 59.7
105 43.0 21.9 61.9



#66
n-Nitrosodiphenylamine
Concen: 9.654 ng
RT: 10.633 min Scan# 1453
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:169 Resp: 113623
Ion Ratio Lower Upper
169 100
168 67.4 53.7 80.5
167 36.0 28.4 42.6





#67

4-Bromophenyl-phenylether

Concen: 9.717 ng

RT: 11.010 min Scan# 1518

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:248 Resp: 43990

Ion Ratio Lower Upper

248 100

250 97.9 78.6 117.8

141 70.0 47.1 70.7



#68

Hexachlorobenzene

Concen: 10.290 ng

RT: 11.069 min Scan# 1527

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:284 Resp: 49440


Ion Ratio Lower Upper

284 100

142 37.5 28.2 42.4

249 34.3 25.8 38.8





#69

Atrazine

Concen: 9.323 ng

RT: 11.163 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDIC010





Tgt Ion:200 Resp: 33785

Ion Ratio Lower Upper

200 100

173 21.7 4.4 44.4

215 49.5 29.3 69.3



#70

Pentachlorophenol

Concen: 8.362 ng

RT: 11.263 min Scan# 1560

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:266 Resp: 20614


Ion Ratio Lower Upper

266 100

268 56.5 48.0 72.0

264 58.0 51.4 77.0





#71

Phenanthrene

Concen: 10.058 ng

RT: 11.492 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:178 Resp: 200776

Ion Ratio Lower Upper

178 100

176 19.3 15.4 23.2

179 16.2 12.5 18.7



#72

Anthracene

Concen: 10.152 ng

RT: 11.545 min Scan# 1608

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:178 Resp: 199149


Ion Ratio Lower Upper

178 100

176 18.2 14.7 22.1

179 15.3 12.3 18.5









#73
 Carbazole
 Concen: 10.174 ng
 RT: 11.698 min Scan# 1635
 Delta R.T. -0.006 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:167 Resp: 170256
 Ion Ratio Lower Upper
 167 100
 166 21.2 17.4 26.2
 139 13.6 10.6 15.8



#74
 Di-n-butylphthalate
 Concen: 9.310 ng
 RT: 12.027 min Scan# 1690
 Delta R.T. -0.006 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06

Tgt Ion:149 Resp: 183581
 Ion Ratio Lower Upper
 149 100
 150 8.7 7.4 11.0
 104 6.0 4.7 7.1









#75
Fluoranthene
Concen: 10.686 ng
RT: 12.686 min Scan# 1802
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:202 Resp: 224769
Ion Ratio Lower Upper
202 100
101 8.4 0.0 28.5
203 17.9 0.0 37.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.127 min Scan# 2047
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:240 Resp: 286425
Ion Ratio Lower Upper
240 100
120 6.7 5.6 8.4
236 25.2 20.6 31.0









#77
Benzidine
Concen: 11.355 ng
RT: 12.810 min Scan# 1823
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDIC010


Tgt Ion:184 Resp: 60077
Ion Ratio Lower Upper
184 100
185 15.4 12.6 19.0
183 10.7 9.0 13.4



#78
Pyrene
Concen: 9.027 ng
RT: 12.921 min Scan# 1842
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:202 Resp: 228131
Ion Ratio Lower Upper
202 100
200 20.2 16.3 24.5
203 17.5 14.2 21.4









#79
 Terphenyl-d14
 Concen: 19.157 ng
 RT: 13.063 min Scan# 1866
 Delta R.T. -0.006 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06




Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010


Tgt Ion:244 Resp: 335552
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.7 8.5
 122 7.0 5.4 8.2



#80
 Butylbenzylphthalate
 Concen: 8.014 ng
 RT: 13.539 min Scan# 1947
 Delta R.T. 0.000 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06

Tgt Ion:149 Resp: 58356
 Ion Ratio Lower Upper
 149 100
 91 77.4 62.5 93.7
 206 22.2 16.1 24.1









#81
Benzo(a)anthracene
Concen: 9.782 ng
RT: 14.116 min Scan# 2045
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:228 Resp: 192047
Ion Ratio Lower Upper
228 100
226 25.6 21.0 31.4
229 19.2 15.5 23.3



#82
3,3'-Dichlorobenzidine
Concen: 10.588 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:252 Resp: 55160
Ion Ratio Lower Upper
252 100
254 64.7 54.3 81.5
126 10.2 6.3 9.5#





#83

Chrysene

Concen: 9.823 ng

RT: 14.151 min Scan# 2051

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:228 Resp: 189202

Ion Ratio Lower Upper

228 100

226 28.6 23.8 35.8

229 19.1 15.9 23.9



#84

Bis(2-ethylhexyl)phthalate

Concen: 7.077 ng

RT: 14.098 min Scan# 2042

Delta R.T. 0.000 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:149 Resp: 69552


Ion Ratio Lower Upper

149 100

167 25.2 21.7 32.5


279 4.0 3.5 5.3








#85
Di-n-octyl phthalate
Concen: 5.397 ng
RT: 14.721 min Scan# 2148
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06


Instrument :
BNA_F
ClientSampleId :
SSTDICC010





Tgt Ion:149 Resp: 79985
Ion Ratio Lower Upper
149 100
167 1.4 1.2 1.8
43 9.7 7.4 11.0




#86
Perylene-d12
Concen: 20.000 ng
RT: 15.645 min Scan# 2305
Delta R.T. 0.000 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06



Tgt Ion:264 Resp: 195637
Ion Ratio Lower Upper
264 100
260 23.9 19.0 28.4
265 22.1 17.0 25.4









#87
Indeno(1,2,3-cd)pyrene
Concen: 7.625 ng
RT: 17.192 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06




Instrument :
BNA_F
ClientSampleId :
SSTDICC010


Tgt Ion:276 Resp: 100197
Ion Ratio Lower Upper
276 100
138 15.6 13.2 19.8
277 25.1 19.6 29.4



#88
Benzo(b)fluoranthene
Concen: 9.671 ng
RT: 15.192 min Scan# 2228
Delta R.T. -0.006 min
Lab File: BF131505.D
Acq: 05 Dec 2022 17:06

Tgt Ion:252 Resp: 125696
Ion Ratio Lower Upper
252 100
253 21.9 18.0 27.0
125 6.4 5.0 7.6





#89

Benzo(k)fluoranthene

Concen: 11.067 ng

RT: 15.221 min Scan# 21

Delta R.T. -0.006 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06

Instrument :

BNA_F

ClientSampleId :

SSTDICC010





Tgt Ion:252 Resp: 147806

Ion Ratio Lower Upper

252 100

253 21.9 17.7 26.5

125 7.0 5.3 7.9



#90

Benzo(a)pyrene

Concen: 9.629 ng

RT: 15.580 min Scan# 2294

Delta R.T. 0.000 min

Lab File: BF131505.D

Acq: 05 Dec 2022 17:06




Tgt Ion:252 Resp: 102689


Ion Ratio Lower Upper

252 100

253 20.6 17.2 25.8

125 7.5 6.1 9.1









#91
 Dibenzo(a,h)anthracene
 Concen: 7.277 ng
 RT: 17.209 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06

Instrument :
 BNA_F
 ClientSampleId :
 SSTDICC010

Tgt Ion:278 Resp: 78942
 Ion Ratio Lower Upper
 278 100
 139 9.6 8.4 12.6
 279 26.0 18.8 28.2



#92
 Benzo(g,h,i)perylene
 Concen: 7.891 ng
 RT: 17.656 min Scan# 2647
 Delta R.T. -0.012 min
 Lab File: BF131505.D
 Acq: 05 Dec 2022 17:06

Tgt Ion:276 Resp: 85441
 Ion Ratio Lower Upper
 276 100
 277 20.3 19.0 28.4
 138 12.6 11.7 17.5

