

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120522\
 Data File : BF131512.D
 Acq On : 05 Dec 2022 21:22
 Operator : CG\JU
 Sample : PB149409BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB149409BL

Quant Time: Dec 06 02:15:01 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120522.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 06 01:30:30 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.922	152	124208	20.000	ng	0.00
21) Naphthalene-d8	8.210	136	457052	20.000	ng	0.00
39) Acenaphthene-d10	9.975	164	276656	20.000	ng	0.00
64) Phenanthrene-d10	11.469	188	564694	20.000	ng	0.00
76) Chrysene-d12	14.121	240	466167	20.000	ng	0.00
86) Perylene-d12	15.645	264	348528	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.545	112	1021703	140.470	ng	0.02
7) Phenol-d6	6.545	99	1240662	136.595	ng	0.00
23) Nitrobenzene-d5	7.492	82	785598	78.888	ng	0.00
42) 2,4,6-Tribromophenol	10.769	330	515291	163.579	ng	0.00
45) 2-Fluorobiphenyl	9.292	172	1765128	83.699	ng	0.00
79) Terphenyl-d14	13.068	244	2575988	83.450	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120522\
Data File : BF131512.D
Acq On : 05 Dec 2022 21:22
Operator : CG\JU
Sample : PB149409BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB149409BL


Quant Time: Dec 06 02:15:01 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120522.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 06 01:30:30 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.922 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22

Instrument :
BNA_F
ClientSampleId :
PB149409BL







Tgt Ion:152 Resp: 124208
Ion Ratio Lower Upper
152 100
150 154.3 121.9 182.9
115 57.2 50.4 75.6



#5
2-Fluorophenol
Concen: 140.470 ng
RT: 5.545 min Scan# 588
Delta R.T. 0.018 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22

Tgt Ion:112 Resp: 1021703
Ion Ratio Lower Upper
112 100
64 50.9 44.5 66.7
63 29.9 26.7 40.1









#7
Phenol-d6
Concen: 136.595 ng
RT: 6.545 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22




Instrument :
BNA_F
ClientSampleId :
PB149409BL


Tgt Ion: 99 Resp: 1240662
Ion Ratio Lower Upper
99 100
42 17.5 16.6 25.0
71 39.9 34.4 51.6



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.210 min Scan# 1041
Delta R.T. -0.006 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22

Tgt Ion:136 Resp: 457052
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 5.7 5.0 7.6
68 4.3 3.6 5.4









#23
Nitrobenzene-d5
Concen: 78.888 ng
RT: 7.492 min Scan# 919
Delta R.T. 0.000 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22




Instrument :
BNA_F
ClientSampleId :
PB149409BL


Tgt Ion: 82 Resp: 785598
Ion Ratio Lower Upper
82 100
128 44.9 29.7 44.5#
54 44.2 38.7 58.1



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.975 min Scan# 1341
Delta R.T. -0.005 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22


Tgt Ion:164 Resp: 276656
Ion Ratio Lower Upper
164 100
162 102.1 80.1 120.1
160 46.4 36.4 54.6








#42
2,4,6-Tribromophenol
Concen: 163.579 ng
RT: 10.769 min Scan# 1476
Delta R.T. -0.000 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22

Instrument :
BNA_F
ClientSampleId :
PB149409BL







Tgt Ion:330 Resp: 515291
Ion Ratio Lower Upper
330 100
332 96.1 78.2 117.2
141 30.4 29.1 43.7



#45
2-Fluorobiphenyl
Concen: 83.699 ng
RT: 9.292 min Scan# 1225
Delta R.T. 0.000 min
Lab File: BF131512.D
Acq: 05 Dec 2022 21:22

Tgt Ion:172 Resp: 1765128
Ion Ratio Lower Upper
172 100
171 35.0 27.8 41.8
170 23.3 18.7 28.1





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.469 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF131512.D

Acq: 05 Dec 2022 21:22

Instrument :

BNA_F

ClientSampleId :

PB149409BL





Tgt Ion:188 Resp: 564694

Ion Ratio Lower Upper

188 100

94 6.8 5.1 7.7

80 7.5 5.9 8.9



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.121 min Scan# 2046

Delta R.T. -0.006 min

Lab File: BF131512.D

Acq: 05 Dec 2022 21:22




Tgt Ion:240 Resp: 466167


Ion Ratio Lower Upper

240 100

120 7.6 5.6 8.4

236 25.0 20.6 31.0









#79
 Terphenyl-d14
 Concen: 83.450 ng
 RT: 13.068 min Scan# 1867
 Delta R.T. 0.000 min
 Lab File: BF131512.D
 Acq: 05 Dec 2022 21:22

Instrument :
 BNA_F
 ClientSampleId :
 PB149409BL

Tgt Ion:244 Resp: 2575988
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.7 8.5
 122 8.8 5.4 8.2#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.645 min Scan# 2305
 Delta R.T. 0.000 min
 Lab File: BF131512.D
 Acq: 05 Dec 2022 21:22

Tgt Ion:264 Resp: 348528
 Ion Ratio Lower Upper
 264 100
 260 22.6 19.0 28.4
 265 20.9 17.0 25.4

