

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120523\
 Data File : BF136412.D
 Acq On : 05 Dec 2023 18:12
 Operator : CG\JU
 Sample : PB156824BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB156824BL

Quant Time: Dec 05 18:50:53 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 05 18:10:13 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	155606	20.000	ng	0.00
21) Naphthalene-d8	8.075	136	680704	20.000	ng	0.00
39) Acenaphthene-d10	9.833	164	359053	20.000	ng	0.00
64) Phenanthrene-d10	11.321	188	722921	20.000	ng	0.00
76) Chrysene-d12	13.974	240	537847	20.000	ng	0.00
86) Perylene-d12	15.456	264	418799	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	1360440	129.117	ng	0.02
7) Phenol-d6	6.445	99	1653141	125.753	ng	0.00
23) Nitrobenzene-d5	7.363	82	1028280	81.664	ng	0.00
42) 2,4,6-Tribromophenol	10.627	330	574389	129.742	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	2098526	79.750	ng	0.00
79) Terphenyl-d14	12.927	244	2761165	67.665	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120523\
Data File : BF136412.D
Acq On : 05 Dec 2023 18:12
Operator : CG\JU
Sample : PB156824BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB156824BL

Quant Time: Dec 05 18:50:53 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120523.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 05 18:10:13 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.798 min Scan# 801
Delta R.T. -0.006 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12




Instrument :
BNA_F
ClientSampleId :
PB156824BL


Tgt Ion:152 Resp: 155606
Ion Ratio Lower Upper
152 100
150 161.2 126.4 189.6
115 64.7 48.2 72.4



#5
2-Fluorophenol
Concen: 129.117 ng
RT: 5.451 min Scan# 572
Delta R.T. 0.017 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12

Tgt Ion:112 Resp: 1360440
Ion Ratio Lower Upper
112 100
64 58.1 46.5 69.7
63 31.7 23.9 35.9









#7
Phenol-d6
Concen: 125.753 ng
RT: 6.445 min Scan# 741
Delta R.T. -0.000 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12

Instrument :
BNA_F
ClientSampleId :
PB156824BL

Tgt Ion: 99 Resp: 1653141




Ion	Ratio	Lower	Upper
99	100		
42	15.4	12.8	19.2
71	33.6	27.0	40.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12

Tgt Ion: 136 Resp: 680704

Ion	Ratio	Lower	Upper
136	100		
137	10.1	8.6	12.8
54	7.4	5.7	8.5
68	5.1	4.0	6.0





#23

Nitrobenzene-d5

Concen: 81.664 ng

RT: 7.363 min Scan# 89

Delta R.T. -0.006 min

Lab File: BF136412.D


Acq: 05 Dec 2023 18:12

Instrument :

BNA_F

ClientSampleId :

PB156824BL






Tgt Ion: 82 Resp: 1028280

Ion Ratio Lower Upper

82 100

128 44.8 36.3 54.5

54 48.8 39.0 58.6



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.833 min Scan# 1317

Delta R.T. -0.006 min

Lab File: BF136412.D

Acq: 05 Dec 2023 18:12




Tgt Ion:164 Resp: 359053


Ion Ratio Lower Upper

164 100

162 106.5 84.4 126.6


160 47.5 37.6 56.4








#42
2,4,6-Tribromophenol
Concen: 129.742 ng
RT: 10.627 min Scan# 1453
Delta R.T. -0.006 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12

Instrument :
BNA_F
ClientSampleId :
PB156824BL







Tgt Ion:330 Resp: 574389
Ion Ratio Lower Upper
330 100
332 94.8 76.4 114.6
141 27.5 23.4 35.2



#45
2-Fluorobiphenyl
Concen: 79.750 ng
RT: 9.157 min Scan# 1202
Delta R.T. -0.006 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12

Tgt Ion:172 Resp: 2098526
Ion Ratio Lower Upper
172 100
171 38.9 30.5 45.7
170 25.5 19.9 29.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.321 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12




Instrument :
BNA_F
ClientSampleId :
PB156824BL


Tgt Ion:188 Resp: 722921
Ion Ratio Lower Upper
188 100
94 9.7 7.2 10.8
80 10.3 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.974 min Scan# 2021
Delta R.T. -0.006 min
Lab File: BF136412.D
Acq: 05 Dec 2023 18:12


Tgt Ion:240 Resp: 537847
Ion Ratio Lower Upper
240 100
120 10.2 7.3 10.9
236 25.7 21.3 31.9








#79
 Terphenyl-d14
 Concen: 67.665 ng
 RT: 12.927 min Scan# 1843
 Delta R.T. 0.006 min
 Lab File: BF136412.D
 Acq: 05 Dec 2023 18:12

Instrument :
 BNA_F
 ClientSampleId :
 PB156824BL



Tgt Ion:244 Resp: 2761165
 Ion Ratio Lower Upper
 244 100
 212 6.1 5.0 7.4
 122 9.4 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.456 min Scan# 2273
 Delta R.T. 0.006 min
 Lab File: BF136412.D
 Acq: 05 Dec 2023 18:12

Tgt Ion:264 Resp: 418799
 Ion Ratio Lower Upper
 264 100
 260 22.7 19.2 28.8
 265 20.6 15.9 23.9

