

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120723\
 Data File : BF136451.D
 Acq On : 07 Dec 2023 17:25
 Operator : CG\JU
 Sample : 05599-01
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 LKWD-BACKFILL-01

Quant Time: Dec 08 00:41:02 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120523.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 06 09:40:27 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.798	152	94584	20.000	ng	0.00
21) Naphthalene-d8	8.075	136	327093	20.000	ng	0.00
39) Acenaphthene-d10	9.833	164	125203	20.000	ng	0.00
64) Phenanthrene-d10	11.322	188	207942	20.000	ng	0.00
76) Chrysene-d12	13.980	240	202635	20.000	ng	0.00
86) Perylene-d12	15.462	264	166117	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.445	112	512933	80.089	ng	0.01
7) Phenol-d6	6.445	99	618682	77.426	ng	0.00
23) Nitrobenzene-d5	7.357	82	381216	63.006	ng	-0.01
42) 2,4,6-Tribromophenol	10.627	330	114817	74.375	ng	0.00
45) 2-Fluorobiphenyl	9.157	172	685546	74.713	ng	0.00
79) Terphenyl-d14	12.921	244	718522	46.736	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF120723\
Data File : BF136451.D
Acq On : 07 Dec 2023 17:25
Operator : CG\JU
Sample : 05599-01
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
LKWD-BACKFILL-01

Quant Time: Dec 08 00:41:02 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120523.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 06 09:40:27 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.798 min Scan# 802
Delta R.T. -0.006 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25




Instrument :
BNA_F
ClientSampleId :
LKWD-BACKFILL-01

Tgt Ion:152 Resp: 94584
Ion Ratio Lower Upper
152 100
150 158.6 126.4 189.6
115 65.0 48.2 72.4



#5
2-Fluorophenol
Concen: 80.089 ng
RT: 5.445 min Scan# 571
Delta R.T. 0.012 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25

Tgt Ion:112 Resp: 512933
Ion Ratio Lower Upper
112 100
64 56.6 46.5 69.7
63 30.0 23.9 35.9









#7
Phenol-d6
Concen: 77.426 ng
RT: 6.445 min Scan# 741
Delta R.T. -0.000 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25

Instrument :
BNA_F
ClientSampleId :
LKWD-BACKFILL-01

Tgt Ion: 99 Resp: 618682




Ion	Ratio	Lower	Upper
99	100		
42	15.6	12.8	19.2
71	34.1	27.0	40.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25

Tgt Ion: 136 Resp: 327093

Ion	Ratio	Lower	Upper
136	100		
137	10.7	8.6	12.8
54	7.4	5.7	8.5
68	5.5	4.0	6.0









#23
Nitrobenzene-d5
Concen: 63.006 ng
RT: 7.357 min Scan# 898
Delta R.T. -0.012 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25




Instrument :
BNA_F
ClientSampleId :
LKWD-BACKFILL-01


Tgt Ion: 82 Resp: 381216
Ion Ratio Lower Upper
82 100
128 45.6 36.3 54.5
54 48.7 39.0 58.6



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.833 min Scan# 1317
Delta R.T. -0.006 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25

Tgt Ion: 164 Resp: 125203
Ion Ratio Lower Upper
164 100
162 103.7 84.4 126.6
160 45.1 37.6 56.4





#42

2,4,6-Tribromophenol

Concen: 74.375 ng

RT: 10.627 min Scan# 1452

Delta R.T. -0.006 min

Lab File: BF136451.D

Acq: 07 Dec 2023 17:25

Instrument :

BNA_F

ClientSampleId :

LKWD-BACKFILL-01





Tgt Ion:330 Resp: 114817

Ion Ratio Lower Upper

330 100

332 95.7 76.4 114.6

141 30.5 23.4 35.2



#45

2-Fluorobiphenyl

Concen: 74.713 ng

RT: 9.157 min Scan# 1202

Delta R.T. -0.006 min

Lab File: BF136451.D

Acq: 07 Dec 2023 17:25




Tgt Ion:172 Resp: 685546

Ion Ratio Lower Upper

172 100

171 35.9 30.5 45.7

170 23.4 19.9 29.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.322 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25




Instrument :
BNA_F
ClientSampleId :
LKWD-BACKFILL-01


Tgt Ion:188 Resp: 207942
Ion Ratio Lower Upper
188 100
94 9.4 7.2 10.8
80 9.7 7.2 10.8



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.980 min Scan# 2022
Delta R.T. -0.000 min
Lab File: BF136451.D
Acq: 07 Dec 2023 17:25

Tgt Ion:240 Resp: 202635
Ion Ratio Lower Upper
240 100
120 9.4 7.3 10.9
236 25.1 21.3 31.9









#79
 Terphenyl-d14
 Concen: 46.736 ng
 RT: 12.921 min Scan# 1842
 Delta R.T. -0.000 min
 Lab File: BF136451.D
 Acq: 07 Dec 2023 17:25

Instrument :
 BNA_F
 ClientSampleId :
 LKWD-BACKFILL-01

Tgt Ion:244 Resp: 718522
 Ion Ratio Lower Upper
 244 100
 212 6.0 5.0 7.4
 122 8.8 8.3 12.5



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.462 min Scan# 2274
 Delta R.T. 0.012 min
 Lab File: BF136451.D
 Acq: 07 Dec 2023 17:25

Tgt Ion:264 Resp: 166117
 Ion Ratio Lower Upper
 264 100
 260 24.8 19.2 28.8
 265 21.0 15.9 23.9

