

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF121019\
 Data File : BF118172.D
 Acq On : 10 Dec 2019 19:30
 Operator : JU
 Sample : K6204-14
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 K072-AA-WC-1

Quant Time: Dec 11 02:57:05 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF120619.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 06 17:34:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.87	152	73899	20.00	ng	0.00
21) Naphthalene-d8	8.16	136	272966	20.00	ng	0.00
39) Acenaphthene-d10	9.92	164	133436	20.00	ng	0.00
64) Phenanthrene-d10	11.41	188	221653	20.00	ng	0.00
76) Chrysene-d12	14.06	240	189404	20.00	ng	0.00
87) Perylene-d12	15.56	264	177157	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.49	112	568207	134.67	ng	0.01
7) Phenol-d6	6.50	99	630132	123.47	ng	0.00
23) Nitrobenzene-d5	7.43	82	447075	92.14	ng	0.00
42) 2,4,6-Tribromophenol	10.71	330	215179	132.74	ng	0.00
45) 2-Fluorobiphenyl	9.23	172	909000	103.66	ng	0.00
79) Terphenyl-d14	13.00	244	968610	87.94	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF121019\
Data File : BF118172.D
Acq On : 10 Dec 2019 19:30
Operator : JU
Sample : K6204-14
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
K072-AA-WC-1

Quant Time: Dec 11 02:57:05 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF120619.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 06 17:34:43 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.87 min Scan# 813
Delta R.T. -0.00 min
Lab File: BF118172.D
Acq: 10 Dec 2019 19:30

Instrument :
BNA_F
ClientSampleId :
K072-AA-WC-1

Tot Ion:152 Resp: 73899
Ion Ratio Lower Upper
152 100
150 154.1 128.3 192.5
115 60.1 51.1 76.7




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 134.670 ng
RT: 5.49 min Scan# 579
Delta R.T. 0.01 min
Lab File: BF118172.D
Acq: 10 Dec 2019 19:30

Tgt Ion:112 Resp: 568207
Ion Ratio Lower Upper
112 100
64 50.0 41.3 61.9
63 26.9 22.4 33.6



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 123.475 ng

RT: 6.50 min Scan# 750

Delta R.T. -0.00 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30

Instrument :

BNA_F

ClientSampleId :

K072-AA-WC-1


Tot Ion: 99 Resp: 630132

Ion Ratio Lower Upper




99 100

42 18.2 14.1 21.1

71 37.9 29.7 44.5



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.16 min Scan# 1032

Delta R.T. -0.00 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30

Tgt Ion: 136 Resp: 272966


Ion Ratio Lower Upper

136 100



137 10.4 9.0 13.6


54 6.1 5.0 7.6

68 4.3 3.8 5.8



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 92.141 ng

RT: 7.43 min Scan# 909

Delta R.T. -0.01 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30

Instrument :

BNA_F

ClientSampleId :

K072-AA-WC-1


Tot Ion: 82 Resp: 447075

Ion Ratio Lower Upper




82 100

128 50.2 39.1 58.7

54 48.1 38.2 57.2



Abundance Ion 82.00 (81.70 to 82.70): BF1
Ion 128.00 (127.70 to 128.70): BF1
Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.92 min Scan# 1331

Delta R.T. -0.01 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30


Tgt Ion:164 Resp: 133436

Ion Ratio Lower Upper



164 100


162 99.8 83.4 125.0

160 41.0 36.6 54.8



Abundance Ion 164.00 (163.70 to 164.70): BF1
Ion 162.00 (161.70 to 162.70): BF1
Ion 160.00 (159.70 to 160.70): BF1





#42

2,4,6-Tribromophenol

Concen: 132.744 ng

RT: 10.71 min Scan# 1466

Delta R.T. -0.01 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30

Instrument :

BNA_F

ClientSampleId :

K072-AA-WC-1


Tot Ion:330 Resp: 215179

Ion Ratio Lower Upper

330 100

332 98.0 78.1 117.1




141 33.2 26.9 40.3



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 103.658 ng

RT: 9.23 min Scan# 1215

Delta R.T. -0.01 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30


Tgt Ion:172 Resp: 909000

Ion Ratio Lower Upper

172 100

171 35.7 29.2 43.8



170 23.1 19.4 29.2




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.41 min Scan# 1585
Delta R.T. -0.00 min
Lab File: BF118172.D
Acq: 10 Dec 2019 19:30




Instrument :
BNA_F
ClientSampleId :
K072-AA-WC-1


Tot Ion:188 Resp: 221653
Ion Ratio Lower Upper
188 100
94 8.5 7.1 10.7
80 8.8 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.06 min Scan# 2036
Delta R.T. -0.01 min
Lab File: BF118172.D
Acq: 10 Dec 2019 19:30

Tgt Ion:240 Resp: 189404
Ion Ratio Lower Upper
240 100
120 9.9 7.1 10.7
236 27.6 21.0 31.6





#79

Terphenyl-d14

Concen: 87.942 ng

RT: 13.00 min Scan# 1855

Delta R.T. -0.01 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30

Instrument :

BNA_F

ClientSampleId :

K072-AA-WC-1


Tot Ion:244 Resp: 968610

Ion Ratio Lower Upper

244 100

212 6.6 5.9 8.9




122 11.4 9.0 13.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.56 min Scan# 2290

Delta R.T. 0.01 min

Lab File: BF118172.D

Acq: 10 Dec 2019 19:30


Tgt Ion:264 Resp: 177157

Ion Ratio Lower Upper

264 100

260 23.5 18.6 28.0

265 21.1 16.8 25.2



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

