

Data Path : Z:\HPCHEM1\BNA F\DATA\BF121217\
 Data File : BF101371.D
 Acq On : 13 Dec 2017 11:19
 Operator : SJ/JU
 Sample : I6763-06
 Misc :
 ALS Vial : 44 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 120517-JETT-F-U-S

Quant Time: Dec 13 12:09:49 2017
 Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 08 18:17:31 2017
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.82	152	38904	20.00	ng	0.00
21) Naphthalene-d8	8.10	136	132603	20.00	ng	0.00
38) Acenaphthene-d10	9.86	164	51885	20.00	ng	0.00
63) Phenanthrene-d10	11.36	188	92935	20.00	ng	0.00
75) Chrysene-d12	14.01	240	76335	20.00	ng	0.00
86) Perylene-d12	15.49	264	58896	20.00	ng	0.02
System Monitoring Compounds						
5) 2-Fluorophenol	5.45	112	99475	42.25	ng	0.00
7) Phenol-d6	6.46	99	84610	29.60	ng	0.00
23) Nitrobenzene-d5	7.39	82	182972	82.31	ng	0.00
41) 2,4,6-Tribromophenol	10.66	330	49393	79.25	ng	0.00
44) 2-Fluorobiphenyl	9.18	172	412676	108.82	ng	0.00
78) Terphenyl-d14	12.94	244	356954	102.28	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\HPCHEM1\BNA F\DATA\BF121217\
Data File : BF101371.D
Acq On : 13 Dec 2017 11:19
Operator : SJ/JU
Sample : I6763-06
Misc :
ALS Vial : 44 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
120517-JETT-F-U-S

Quant Time: Dec 13 12:09:49 2017
Quant Method : Z:\HPCHEM1\BNA F\METHODS\8270-BF113017.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 08 18:17:31 2017
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.82 min Scan# 805
Delta R.T. 0.00 min
Lab File: BF101371.D
Acq: 13 Dec 2017 11:19

Instrument :
BNA_F
ClientSampleId :
120517-JETT-F-U-S

Tot Ion:152 Resp: 38904
Ion Ratio Lower Upper
152 100
150 159.1 124.6 186.8
115 53.8 50.1 75.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 42.252 ng
RT: 5.45 min Scan# 571
Delta R.T. 0.01 min
Lab File: BF101371.D
Acq: 13 Dec 2017 11:19

Tgt Ion:112 Resp: 99475
Ion Ratio Lower Upper
112 100
64 54.6 47.9 71.9
63 29.4 23.7 35.5



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 29.601 ng

RT: 6.46 min Scan# 744

Delta R.T. 0.00 min

Lab File: BF101371.D

Acq: 13 Dec 2017 11:19

Instrument :

BNA_F

ClientSampleId :

120517-JETT-F-U-S


Tot Ion: 99 Resp: 84610

Ion Ratio Lower Upper




99 100

42 19.8 14.5 21.7

71 34.9 25.4 38.0



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.10 min Scan# 1023

Delta R.T. -0.01 min

Lab File: BF101371.D

Acq: 13 Dec 2017 11:19

Tgt Ion: 136 Resp: 132603


Ion Ratio Lower Upper

136 100



137 11.3 8.9 13.3


54 7.8 6.6 9.8

68 4.6 5.0 7.4#



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 82.312 ng
 RT: 7.39 min Scan# 902
 Delta R.T. -0.01 min
 Lab File: BF101371.D
 Acq: 13 Dec 2017 11:19

Instrument :
 BNA_F
 ClientSampleId :
 120517-JETT-F-U-S

Tot Ion: 82 Resp: 182972
 Ion Ratio Lower Upper
 82 100
 128 47.7 36.1 54.1
 54 51.4 41.4 62.2




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#38
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.86 min Scan# 1322
 Delta R.T. -0.01 min
 Lab File: BF101371.D
 Acq: 13 Dec 2017 11:19

Tgt Ion: 164 Resp: 51885
 Ion Ratio Lower Upper
 164 100
 162 102.8 86.1 129.1
 160 48.8 38.3 57.5



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E









#41
 2,4,6-Tribromophenol
 Concen: 79.246 ng
 RT: 10.66 min Scan# 1457
 Delta R.T. -0.01 min
 Lab File: BF101371.D
 Acq: 13 Dec 2017 11:19

Instrument :
 BNA_F
 ClientSampleId :
 120517-JETT-F-U-S

Tot Ion	330	Ratio	Lower	Upper
330	100			
332	95.1	77.0	115.6	
141	30.1	29.9	44.9	




Abundance Ion 329.80 (329.50 to 330.50): E
 Ion 331.80 (331.50 to 332.50): E
 Ion 141.00 (140.70 to 141.70): E






#44
 2-Fluorobiphenyl
 Concen: 108.822 ng
 RT: 9.18 min Scan# 1206
 Delta R.T. -0.01 min
 Lab File: BF101371.D
 Acq: 13 Dec 2017 11:19

Tgt Ion	172	Ratio	Lower	Upper
172	100			
171	36.1	29.7	44.5	
170	23.7	19.6	29.4	



Abundance Ion 172.00 (171.70 to 172.70): E
 Ion 171.00 (170.70 to 171.70): E
 Ion 170.00 (169.70 to 170.70): E









#63
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.36 min Scan# 1576
Delta R.T. 0.00 min
Lab File: BF101371.D
Acq: 13 Dec 2017 11:19

Instrument :
BNA_F
ClientSampleId :
120517-JETT-F-U-S

Tot Ion:188 Resp: 92935
Ion Ratio Lower Upper
188 100
94 6.8 8.5 12.7#
80 8.1 9.2 13.8#




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#75
Chrysene-d12
Concen: 20.000 ng
RT: 14.01 min Scan# 2027
Delta R.T. 0.01 min
Lab File: BF101371.D
Acq: 13 Dec 2017 11:19

Tgt Ion:240 Resp: 76335
Ion Ratio Lower Upper
240 100
120 8.9 9.5 14.3#
236 23.9 20.7 31.1



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E









#78
 Terphenyl-d14
 Concen: 102.280 ng
 RT: 12.94 min Scan# 1846
 Delta R.T. 0.01 min
 Lab File: BF101371.D
 Acq: 13 Dec 2017 11:19

Instrument :
 BNA_F
 ClientSampleId :
 120517-JETT-F-U-S

Tot Ion	Ratio	Lower	Upper
244	100		
212	6.8	5.4	8.0
122	9.4	11.0	16.4



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.49 min Scan# 2278
 Delta R.T. 0.02 min
 Lab File: BF101371.D
 Acq: 13 Dec 2017 11:19

Tgt Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.2	28.8
265	22.0	17.5	26.3

