

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF121422\  
 Data File : BF131635.D  
 Acq On : 14 Dec 2022 17:25  
 Operator : CG\JU  
 Sample : PB149592TB  
 Misc :  
 ALS Vial : 8 Sample Multiplier: 1

Instrument :  
 BNA\_F  
 ClientSampleId :  
 PB149592TB

Quant Time: Dec 15 01:55:55 2022  
 Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF120822.M  
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
 QLast Update : Wed Dec 14 03:22:29 2022  
 Response via : Initial Calibration

| Compound                    | R.T.   | QIon | Response | Conc    | Units | Dev(Min) |
|-----------------------------|--------|------|----------|---------|-------|----------|
| -----                       |        |      |          |         |       |          |
| Internal Standards          |        |      |          |         |       |          |
| 1) 1,4-Dichlorobenzene-d4   | 6.881  | 152  | 69269    | 20.000  | ng    | 0.00     |
| 21) Naphthalene-d8          | 8.169  | 136  | 255057   | 20.000  | ng    | # 0.00   |
| 39) Acenaphthene-d10        | 9.933  | 164  | 150720   | 20.000  | ng    | 0.00     |
| 64) Phenanthrene-d10        | 11.427 | 188  | 289885   | 20.000  | ng    | # 0.00   |
| 76) Chrysene-d12            | 14.080 | 240  | 171225   | 20.000  | ng    | # 0.00   |
| 86) Perylene-d12            | 15.586 | 264  | 140818   | 20.000  | ng    | 0.00     |
| System Monitoring Compounds |        |      |          |         |       |          |
| 5) 2-Fluorophenol           | 5.510  | 112  | 604714   | 145.640 | ng    | 0.01     |
| 7) Phenol-d6                | 6.516  | 99   | 798399   | 146.736 | ng    | 0.00     |
| 23) Nitrobenzene-d5         | 7.451  | 82   | 541843   | 80.317  | ng    | 0.00     |
| 42) 2,4,6-Tribromophenol    | 10.733 | 330  | 224145   | 133.854 | ng    | 0.00     |
| 45) 2-Fluorobiphenyl        | 9.251  | 172  | 965298   | 80.754  | ng    | 0.00     |
| 79) Terphenyl-d14           | 13.027 | 244  | 1111958  | 89.061  | ng    | 0.00     |


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA\_F\Data\BF121422\  
Data File : BF131635.D  
Acq On : 14 Dec 2022 17:25  
Operator : CG\JU  
Sample : PB149592TB  
Misc :  
ALS Vial : 8 Sample Multiplier: 1

Instrument :  
BNA\_F  
ClientSampleId :  
PB149592TB

Quant Time: Dec 15 01:55:55 2022  
Quant Method : Z:\svoasrv\HPCHEM1\BNA\_F\Methods\8270-BF120822.M  
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION  
QLast Update : Wed Dec 14 03:22:29 2022  
Response via : Initial Calibration









#1  
1,4-Dichlorobenzene-d4  
Concen: 20.000 ng  
RT: 6.881 min Scan# 81  
Delta R.T. -0.005 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25




Instrument :  
BNA\_F  
ClientSampleId :  
PB149592TB


Tgt Ion:152 Resp: 69269  
Ion Ratio Lower Upper  
152 100  
150 147.7 116.7 175.1  
115 67.0 54.6 82.0



#5  
2-Fluorophenol  
Concen: 145.640 ng  
RT: 5.510 min Scan# 582  
Delta R.T. 0.012 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25

Tgt Ion:112 Resp: 604714  
Ion Ratio Lower Upper  
112 100  
64 61.9 54.5 81.7  
63 35.5 31.9 47.9









#7  
Phenol-d6  
Concen: 146.736 ng  
RT: 6.516 min Scan# 71  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25




Instrument :  
BNA\_F  
ClientSampleId :  
PB149592TB


Tgt Ion: 99 Resp: 798399  
Ion Ratio Lower Upper  
99 100  
42 19.4 17.9 26.9  
71 42.6 37.2 55.8



#21  
Naphthalene-d8  
Concen: 20.000 ng  
RT: 8.169 min Scan# 1034  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25

Tgt Ion: 136 Resp: 255057  
Ion Ratio Lower Upper  
136 100  
137 11.0 8.1 12.1  
54 8.8 6.0 9.0  
68 6.3 3.8 5.8#









#23  
Nitrobenzene-d5  
Concen: 80.317 ng  
RT: 7.451 min Scan# 91  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25




Instrument :  
BNA\_F  
ClientSampleId :  
PB149592TB


Tgt Ion: 82 Resp: 541843  
Ion Ratio Lower Upper  
82 100  
128 35.7 26.1 39.1  
54 47.3 40.6 60.8



#39  
Acenaphthene-d10  
Concen: 20.000 ng  
RT: 9.933 min Scan# 1334  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25

Tgt Ion:164 Resp: 150720  
Ion Ratio Lower Upper  
164 100  
162 103.4 81.0 121.6  
160 44.9 35.0 52.6









#42  
2,4,6-Tribromophenol  
Concen: 133.854 ng  
RT: 10.733 min Scan# 1474  
Delta R.T. 0.000 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25




Instrument :  
BNA\_F  
ClientSampleId :  
PB149592TB


Tgt Ion:330 Resp: 224145  
Ion Ratio Lower Upper  
330 100  
332 97.2 78.3 117.5  
141 39.1 32.6 49.0



#45  
2-Fluorobiphenyl  
Concen: 80.754 ng  
RT: 9.251 min Scan# 1218  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25

Tgt Ion:172 Resp: 965298  
Ion Ratio Lower Upper  
172 100  
171 34.8 28.3 42.5  
170 23.3 19.3 28.9









#64  
Phenanthrene-d10  
Concen: 20.000 ng  
RT: 11.427 min Scan# 11  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25




Instrument :  
BNA\_F  
ClientSampleId :  
PB149592TB


Tgt Ion:188 Resp: 289885  
Ion Ratio Lower Upper  
188 100  
94 8.3 5.5 8.3#  
80 9.8 6.6 10.0



#76  
Chrysene-d12  
Concen: 20.000 ng  
RT: 14.080 min Scan# 2039  
Delta R.T. -0.006 min  
Lab File: BF131635.D  
Acq: 14 Dec 2022 17:25

Tgt Ion:240 Resp: 171225  
Ion Ratio Lower Upper  
240 100  
120 7.8 4.6 7.0#  
236 25.3 20.2 30.2









#79  
 Terphenyl-d14  
 Concen: 89.061 ng  
 RT: 13.027 min Scan# 11  
 Delta R.T. 0.000 min  
 Lab File: BF131635.D  
 Acq: 14 Dec 2022 17:25

Instrument :  
 BNA\_F  
 ClientSampleId :  
 PB149592TB

Tgt Ion:244 Resp: 1111958  
 Ion Ratio Lower Upper  
 244 100  
 212 8.0 6.5 9.7  
 122 9.0 7.1 10.7



#86  
 Perylene-d12  
 Concen: 20.000 ng  
 RT: 15.586 min Scan# 2295  
 Delta R.T. -0.006 min  
 Lab File: BF131635.D  
 Acq: 14 Dec 2022 17:25

Tgt Ion:264 Resp: 140818  
 Ion Ratio Lower Upper  
 264 100  
 260 23.3 20.6 30.8  
 265 21.4 16.8 25.2

