

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121522\
 Data File : BF131650.D
 Acq On : 15 Dec 2022 15:41
 Operator : CG\JU
 Sample : N6038-06
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RB-31-(6.5-8.5)

Quant Time: Dec 16 01:51:37 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 16 01:44:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	39301	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	147213	20.000	ng	0.00
39) Acenaphthene-d10	9.927	164	85801	20.000	ng	-0.01
64) Phenanthrene-d10	11.427	188	171520	20.000	ng	0.00
76) Chrysene-d12	14.074	240	91980	20.000	ng	# 0.00
86) Perylene-d12	15.580	264	87503	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.498	112	409008	173.619	ng	0.00
7) Phenol-d6	6.510	99	525371	170.184	ng	0.00
23) Nitrobenzene-d5	7.445	82	365322	93.821	ng	0.00
42) 2,4,6-Tribromophenol	10.727	330	149509	156.837	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	621982	91.402	ng	0.00
79) Terphenyl-d14	13.021	244	710396	105.919	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121522\
Data File : BF131650.D
Acq On : 15 Dec 2022 15:41
Operator : CG\JU
Sample : N6038-06
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RB-31-(6.5-8.5)

Quant Time: Dec 16 01:51:37 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 16 01:44:46 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.881 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF131650.D
Acq: 15 Dec 2022 15:41




Instrument :
BNA_F
ClientSampleId :
RB-31-(6.5-8.5)


Tgt Ion:152 Resp: 39301
Ion Ratio Lower Upper
152 100
150 147.6 116.7 175.1
115 62.2 54.6 82.0



#5
2-Fluorophenol
Concen: 173.619 ng
RT: 5.498 min Scan# 580
Delta R.T. 0.006 min
Lab File: BF131650.D
Acq: 15 Dec 2022 15:41

Tgt Ion:112 Resp: 409008
Ion Ratio Lower Upper
112 100
64 61.1 54.5 81.7
63 34.7 31.9 47.9









#7
Phenol-d6
Concen: 170.184 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF131650.D
Acq: 15 Dec 2022 15:41




Instrument :
BNA_F
ClientSampleId :
RB-31-(6.5-8.5)

Tgt Ion: 99 Resp: 525371
Ion Ratio Lower Upper
99 100
42 19.2 17.9 26.9
71 43.1 37.2 55.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF131650.D
Acq: 15 Dec 2022 15:41

Tgt Ion: 136 Resp: 147213
Ion Ratio Lower Upper
136 100
137 10.3 8.1 12.1
54 6.9 6.0 9.0
68 5.3 3.8 5.8





#23

Nitrobenzene-d5

Concen: 93.821 ng

RT: 7.445 min Scan# 91

Delta R.T. -0.006 min

Lab File: BF131650.D

Acq: 15 Dec 2022 15:41

Instrument :

BNA_F

ClientSampleId :

RB-31-(6.5-8.5)





Tgt Ion: 82 Resp: 365322

Ion Ratio Lower Upper

82 100

128 34.7 26.1 39.1

54 48.0 40.6 60.8



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.927 min Scan# 1333

Delta R.T. -0.012 min

Lab File: BF131650.D

Acq: 15 Dec 2022 15:41




Tgt Ion:164 Resp: 85801


Ion Ratio Lower Upper

164 100

162 103.1 81.0 121.6

160 44.1 35.0 52.6





#42

2,4,6-Tribromophenol

Concen: 156.837 ng

RT: 10.727 min Scan# 1469

Delta R.T. -0.006 min

Lab File: BF131650.D

Acq: 15 Dec 2022 15:41

Instrument :

BNA_F

ClientSampleId :

RB-31-(6.5-8.5)





Tgt Ion:330 Resp: 149509

Ion Ratio Lower Upper

330 100

332 98.1 78.3 117.5

141 40.0 32.6 49.0



#45

2-Fluorobiphenyl

Concen: 91.402 ng

RT: 9.251 min Scan# 1218

Delta R.T. -0.000 min

Lab File: BF131650.D

Acq: 15 Dec 2022 15:41




Tgt Ion:172 Resp: 621982


Ion Ratio Lower Upper

172 100

171 35.2 28.3 42.5

170 23.4 19.3 28.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.427 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF131650.D
Acq: 15 Dec 2022 15:41




Instrument :
BNA_F
ClientSampleId :
RB-31-(6.5-8.5)


Tgt Ion:188 Resp: 171520
Ion Ratio Lower Upper
188 100
94 6.8 5.5 8.3
80 7.9 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BF131650.D
Acq: 15 Dec 2022 15:41

Tgt Ion:240 Resp: 91980
Ion Ratio Lower Upper
240 100
120 9.1 4.6 7.0#
236 25.8 20.2 30.2









#79
 Terphenyl-d14
 Concen: 105.919 ng
 RT: 13.021 min Scan# 1863
 Delta R.T. -0.000 min
 Lab File: BF131650.D
 Acq: 15 Dec 2022 15:41

Instrument :
 BNA_F
 ClientSampleId :
 RB-31-(6.5-8.5)

Tgt Ion:244 Resp: 710396
 Ion Ratio Lower Upper
 244 100
 212 7.8 6.5 9.7
 122 7.6 7.1 10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.580 min Scan# 2294
 Delta R.T. -0.000 min
 Lab File: BF131650.D
 Acq: 15 Dec 2022 15:41

Tgt Ion:264 Resp: 87503
 Ion Ratio Lower Upper
 264 100
 260 23.8 20.6 30.8
 265 20.9 16.8 25.2

