

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121522\
 Data File : BF131651.D
 Acq On : 15 Dec 2022 16:13
 Operator : CG\JU
 Sample : N6038-08
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 RB-32-(7-9)

Quant Time: Dec 16 01:52:02 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Dec 16 01:44:46 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	63364	20.000	ng	0.00
21) Naphthalene-d8	8.169	136	234279	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	136737	20.000	ng	0.00
64) Phenanthrene-d10	11.427	188	266876	20.000	ng	0.00
76) Chrysene-d12	14.074	240	143079	20.000	ng	# 0.00
86) Perylene-d12	15.580	264	138400	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.492	112	452109	119.034	ng	0.00
7) Phenol-d6	6.510	99	581420	116.817	ng	0.00
23) Nitrobenzene-d5	7.445	82	408091	65.856	ng	0.00
42) 2,4,6-Tribromophenol	10.727	330	166861	109.836	ng	0.00
45) 2-Fluorobiphenyl	9.251	172	686918	63.342	ng	0.00
79) Terphenyl-d14	13.021	244	743485	71.263	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121522\
Data File : BF131651.D
Acq On : 15 Dec 2022 16:13
Operator : CG\JU
Sample : N6038-08
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
RB-32-(7-9)

Quant Time: Dec 16 01:52:02 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF120822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Dec 16 01:44:46 2022
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.881 min Scan# 81
 Delta R.T. -0.000 min
 Lab File: BF131651.D
 Acq: 15 Dec 2022 16:13




Instrument :
 BNA_F
 ClientSampleId :
 RB-32-(7-9)


Tgt Ion:152 Resp: 63364
 Ion Ratio Lower Upper
 152 100
 150 145.2 116.7 175.1
 115 60.7 54.6 82.0



#5
 2-Fluorophenol
 Concen: 119.034 ng
 RT: 5.492 min Scan# 579
 Delta R.T. -0.000 min
 Lab File: BF131651.D
 Acq: 15 Dec 2022 16:13

Tgt Ion:112 Resp: 452109
 Ion Ratio Lower Upper
 112 100
 64 66.7 54.5 81.7
 63 37.4 31.9 47.9









#7
Phenol-d6
Concen: 116.817 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF131651.D
Acq: 15 Dec 2022 16:13




Instrument :
BNA_F
ClientSampleId :
RB-32-(7-9)

Tgt Ion: 99 Resp: 581420
Ion Ratio Lower Upper
99 100
42 19.3 17.9 26.9
71 44.3 37.2 55.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.169 min Scan# 1034
Delta R.T. -0.006 min
Lab File: BF131651.D
Acq: 15 Dec 2022 16:13

Tgt Ion: 136 Resp: 234279
Ion Ratio Lower Upper
136 100
137 10.8 8.1 12.1
54 7.6 6.0 9.0
68 5.1 3.8 5.8









#23
Nitrobenzene-d5
Concen: 65.856 ng
RT: 7.445 min Scan# 911
Delta R.T. -0.006 min
Lab File: BF131651.D
Acq: 15 Dec 2022 16:13




Instrument :
BNA_F
ClientSampleId :
RB-32-(7-9)


Tgt Ion: 82 Resp: 408091
Ion Ratio Lower Upper
82 100
128 32.9 26.1 39.1
54 48.7 40.6 60.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.933 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF131651.D
Acq: 15 Dec 2022 16:13

Tgt Ion: 164 Resp: 136737
Ion Ratio Lower Upper
164 100
162 102.4 81.0 121.6
160 43.2 35.0 52.6









#42
 2,4,6-Tribromophenol
 Concen: 109.836 ng
 RT: 10.727 min Scan# 1474
 Delta R.T. -0.006 min
 Lab File: BF131651.D
 Acq: 15 Dec 2022 16:13




Instrument :
 BNA_F
 ClientSampleId :
 RB-32-(7-9)


Tgt Ion:330 Resp: 166861
 Ion Ratio Lower Upper
 330 100
 332 96.5 78.3 117.5
 141 39.5 32.6 49.0



#45
 2-Fluorobiphenyl
 Concen: 63.342 ng
 RT: 9.251 min Scan# 1218
 Delta R.T. -0.000 min
 Lab File: BF131651.D
 Acq: 15 Dec 2022 16:13

Tgt Ion:172 Resp: 686918
 Ion Ratio Lower Upper
 172 100
 171 34.9 28.3 42.5
 170 23.5 19.3 28.9









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.427 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF131651.D
Acq: 15 Dec 2022 16:13




Instrument :
BNA_F
ClientSampleId :
RB-32-(7-9)


Tgt Ion:188 Resp: 266876
Ion Ratio Lower Upper
188 100
94 7.4 5.5 8.3
80 8.8 6.6 10.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.074 min Scan# 2038
Delta R.T. -0.006 min
Lab File: BF131651.D
Acq: 15 Dec 2022 16:13

Tgt Ion:240 Resp: 143079
Ion Ratio Lower Upper
240 100
120 8.7 4.6 7.0#
236 27.2 20.2 30.2









#79
 Terphenyl-d14
 Concen: 71.263 ng
 RT: 13.021 min Scan# 1863
 Delta R.T. -0.000 min
 Lab File: BF131651.D
 Acq: 15 Dec 2022 16:13

Instrument :
 BNA_F
 ClientSampleId :
 RB-32-(7-9)

Tgt Ion:244 Resp: 743485
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.5 9.7
 122 7.6 7.1 10.7



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.580 min Scan# 2294
 Delta R.T. -0.000 min
 Lab File: BF131651.D
 Acq: 15 Dec 2022 16:13

Tgt Ion:264 Resp: 138400
 Ion Ratio Lower Upper
 264 100
 260 23.3 20.6 30.8
 265 22.1 16.8 25.2

