

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121720\
 Data File : BF122767.D
 Acq On : 17 Dec 2020 16:34
 Operator : JU/CG
 Sample : PB133586BL
 Misc :
 ALS Vial : 12 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB133586BL

Quant Time: Dec 17 16:59:42 2020
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Tue Dec 15 18:14:23 2020
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	182683	20.00	ng	0.00
21) Naphthalene-d8	8.098	136	714843	20.00	ng	-0.01
39) Acenaphthene-d10	9.857	164	380067	20.00	ng	0.00
64) Phenanthrene-d10	11.345	188	720454	20.00	ng	0.00
76) Chrysene-d12	13.986	240	670382	20.00	ng	0.00
86) Perylene-d12	15.439	264	623205	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.451	112	1248502	108.20	ng	0.02
7) Phenol-d6	6.451	99	1576641	103.02	ng	0.00
23) Nitrobenzene-d5	7.381	82	988509	69.28	ng	-0.01
42) 2,4,6-Tribromophenol	10.651	330	515765	103.67	ng	0.00
45) 2-Fluorobiphenyl	9.181	172	1807099	64.31	ng	0.00
79) Terphenyl-d14	12.933	244	2088518	54.53	ng	0.00
Target Compounds						
19) n-Nitroso-di-n-propyla...	7.381	70	131364	14.99	ng	Qvalue # 76
25) Isophorone	7.381	82	988497	40.23	ng	# 65
51) 2,6-Dinitrotoluene	9.857	165	47863	7.47	ng	# 31
57) 2,4-Dinitrotoluene	9.857	165	47863	5.61	ng	# 25
67) 4-Bromophenyl-phenylether	10.645	248	32255	3.30	ng	# 1


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF121720\
Data File : BF122767.D
Acq On : 17 Dec 2020 16:34
Operator : JU/CG
Sample : PB133586BL
Misc :
ALS Vial : 12 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB133586BL

Quant Time: Dec 17 16:59:42 2020
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF120520.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Tue Dec 15 18:14:23 2020
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.006 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34




Instrument :
BNA_F
ClientSampleId :
PB133586BL

Tgt Ion:152 Resp: 182683
Ion Ratio Lower Upper
152 100
150 154.4 125.8 188.6
115 60.4 49.3 73.9



#5
2-Fluorophenol
Concen: 108.20 ng
RT: 5.451 min Scan# 572
Delta R.T. 0.018 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Tgt Ion:112 Resp: 1248502
Ion Ratio Lower Upper
112 100
64 53.4 46.9 70.3
63 27.7 24.5 36.7









#7
Phenol-d6
Concen: 103.02 ng
RT: 6.451 min Scan# 742
Delta R.T. -0.006 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34




Instrument :
BNA_F
ClientSampleId :
PB133586BL


Tgt Ion: 99 Resp: 1576641
Ion Ratio Lower Upper
99 100
42 16.8 13.8 20.6
71 35.0 26.9 40.3



#19
n-Nitroso-di-n-propylamine
Concen: 14.99 ng
RT: 7.381 min Scan# 900
Delta R.T. 0.141 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34


Tgt Ion: 70 Resp: 131364
Ion Ratio Lower Upper
70 100
42 42.5 43.0 64.4#
101 0.0 7.9 11.9#
130 2.4 18.5 27.7#








#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.098 min Scan# 1022
Delta R.T. -0.012 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Instrument :
BNA_F
ClientSampleId :
PB133586BL






Tgt	Ion:136	Resp:	714843
Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.8	13.2
54	7.3	5.5	8.3
68	6.3	4.6	6.8



#23
Nitrobenzene-d5
Concen: 69.28 ng
RT: 7.381 min Scan# 900
Delta R.T. -0.012 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34


Tgt Ion: 82	Resp: 988509
Ion Ratio	Lower Upper
82 100	
128 46.1	37.0 55.4
54 46.4	38.4 57.6








#25
Isophorone
Concen: 40.23 ng
RT: 7.381 min Scan# 900
Delta R.T. -0.265 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Instrument :
BNA_F
ClientSampleId :
PB133586BL







Tgt Ion: 82 Resp: 988497
Ion Ratio Lower Upper
82 100
95 0.0 5.8 8.6#
138 0.0 14.6 21.8#



#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.857 min Scan# 1321
Delta R.T. -0.006 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Tgt Ion: 164 Resp: 380067
Ion Ratio Lower Upper
164 100
162 101.9 80.8 121.2
160 45.0 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 103.67 ng
RT: 10.651 min Scan# 1456
Delta R.T. -0.000 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34




Instrument :
BNA_F
ClientSampleId :
PB133586BL


Tgt Ion: 330 Resp: 515765
Ion Ratio Lower Upper
330 100
332 96.5 77.5 116.3
141 27.6 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 64.31 ng
RT: 9.181 min Scan# 1206
Delta R.T. -0.006 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Tgt Ion: 172 Resp: 1807099
Ion Ratio Lower Upper
172 100
171 36.9 29.6 44.4
170 24.5 19.5 29.3









#51
2,6-Dinitrotoluene
Concen: 7.47 ng
RT: 9.857 min Scan# 1321
Delta R.T. 0.212 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34




Instrument :
BNA_F
ClientSampleId :
PB133586BL


Tgt Ion:165 Resp: 47863
Ion Ratio Lower Upper
165 100
63 0.9 36.6 55.0#
89 1.5 39.4 59.0#



#57
2,4-Dinitrotoluene
Concen: 5.61 ng
RT: 9.857 min Scan# 1321
Delta R.T. -0.194 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Tgt Ion:165 Resp: 47863
Ion Ratio Lower Upper
165 100
63 0.9 34.3 51.5#
89 1.5 55.2 82.8#
182 0.0 2.2 3.2#









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.345 min Scan# 1574
Delta R.T. -0.000 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34




Instrument :
BNA_F
ClientSampleId :
PB133586BL


Tgt Ion:188 Resp: 720454
Ion Ratio Lower Upper
188 100
94 8.8 7.4 11.2
80 9.1 8.2 12.4



#67
4-Bromophenyl-phenylether
Concen: 3.30 ng
RT: 10.645 min Scan# 1455
Delta R.T. -0.247 min
Lab File: BF122767.D
Acq: 17 Dec 2020 16:34

Tgt Ion:248 Resp: 32255
Ion Ratio Lower Upper
248 100
250 193.5 76.8 115.2#
141 441.1 59.8 89.8#





#76

Chrysene-d12

Concen: 20.00 ng

RT: 13.986 min Scan# 2023

Delta R.T. -0.000 min

Lab File: BF122767.D

Acq: 17 Dec 2020 16:34

Tgt Ion:240 Resp: 670382

Ion Ratio Lower Upper

240 100

120 9.8 8.6 12.8





236 25.7 20.3 30.5

Instrument :

BNA_F

ClientSampleId :

PB133586BL



#79

Terphenyl-d14

Concen: 54.53 ng

RT: 12.933 min Scan# 1844

Delta R.T. -0.000 min

Lab File: BF122767.D

Acq: 17 Dec 2020 16:34




Tgt Ion:244 Resp: 2088518


Ion Ratio Lower Upper

244 100

212 7.4 5.7 8.5

122 10.9 8.3 12.5





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.439 min Scan# 2270
 Delta R.T. -0.000 min
 Lab File: BF122767.D
 Acq: 17 Dec 2020 16:34

Instrument :
 BNA_F
 ClientSampleId :
 PB133586BL

Tgt Ion:264 Resp: 623205
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.6 28.0
 265 22.3 17.0 25.6

