

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF121918\
 Data File : BF111626.D
 Acq On : 20 Dec 2018 8:16
 Operator : JU/SJ
 Sample : J6465-03 10X
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EB03_12-14

Quant Time: Dec 20 10:21:47 2018
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF121918.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 19 17:39:39 2018
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.90	152	174668	20.00	ng	0.00
21) Naphthalene-d8	8.17	136	628599	20.00	ng	0.00
39) Acenaphthene-d10	9.93	164	297793	20.00	ng	0.00
64) Phenanthrene-d10	11.42	188	528388	20.00	ng	0.00
76) Chrysene-d12	14.04	240	486901	20.00	ng	0.00
87) Perylene-d12	15.52	264	321644	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.50	112	115029	11.23	ng	-0.01
7) Phenol-d6	6.51	99	146345	11.22	ng	-0.01
23) Nitrobenzene-d5	7.45	82	76712	7.10	ng	-0.01
42) 2,4,6-Tribromophenol	10.71	330	33945	9.65	ng	-0.01
45) 2-Fluorobiphenyl	9.25	172	164878	8.07	ng	0.00
79) Terphenyl-d14	12.99	244	170916	6.66	ng	0.00


Target Compounds Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF121918\
Data File : BF111626.D
Acq On : 20 Dec 2018 8:16
Operator : JU/SJ
Sample : J6465-03 10X
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EB03_12-14

Quant Time: Dec 20 10:21:47 2018
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF121918.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 19 17:39:39 2018
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.90 min Scan# 818
Delta R.T. -0.00 min
Lab File: BF111626.D
Acq: 20 Dec 2018 8:16

Instrument :
BNA_F
ClientSampleId :
EB03_12-14

Tot Ion:152 Resp: 174668
Ion Ratio Lower Upper
152 100
150 155.3 126.6 189.8
115 58.1 50.7 76.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 11.225 ng
RT: 5.50 min Scan# 581
Delta R.T. -0.01 min
Lab File: BF111626.D
Acq: 20 Dec 2018 8:16

Tgt Ion:112 Resp: 115029
Ion Ratio Lower Upper
112 100
64 63.5 51.8 77.6
63 33.2 26.8 40.2



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 11.222 ng

RT: 6.51 min Scan# 752

Delta R.T. -0.01 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16

Instrument :

BNA_F

ClientSampleId :

EB03_12-14


Tot Ion: 99 Resp: 146345

Ion Ratio Lower Upper

99 100

42 20.2 17.4 26.0

71 32.6 26.1 39.1






Abundance

Ion 99.00 (98.70 to 99.70): BF1

Ion 42.00 (41.70 to 42.70): BF1

Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 8.17 min Scan# 1035

Delta R.T. -0.01 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16

Tgt Ion: 136 Resp: 628599


Ion Ratio Lower Upper

136 100

137 11.4 9.1 13.7

54 9.6 7.7 11.5

68 6.2 4.9 7.3





Abundance


Ion 136.00 (135.70 to 136.70): E

Ion 137.00 (136.70 to 137.70): E

Ion 54.00 (53.70 to 54.70): BF1

Ion 68.00 (67.70 to 68.70): BF1





#23

Nitrobenzene-d5

Concen: 7.103 ng

RT: 7.45 min Scan# 911

Delta R.T. -0.01 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16

Instrument :

BNA_F

ClientSampleId :

EB03_12-14


Tot Ion: 82 Resp: 76712

Ion Ratio Lower Upper

82 100

128 39.9 37.4 56.2




54 58.4 47.6 71.4



Abundance Ion 82.00 (81.70 to 82.70): BF1

Ion 128.00 (127.70 to 128.70): BF1

Ion 54.00 (53.70 to 54.70): BF1



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.93 min Scan# 1334

Delta R.T. -0.00 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16


Tgt Ion:164 Resp: 297793

Ion Ratio Lower Upper

164 100

162 103.8 81.4 122.0



160 44.2 35.7 53.5




Abundance Ion 164.00 (163.70 to 164.70): E

Ion 162.00 (161.70 to 162.70): E

Ion 160.00 (159.70 to 160.70): E









#42
 2,4,6-Tribromophenol
 Concen: 9.647 ng
 RT: 10.71 min Scan# 1466
 Delta R.T. -0.01 min
 Lab File: BF111626.D
 Acq: 20 Dec 2018 8:16




Instrument :
 BNA_F
 ClientSampleId :
 EB03_12-14


Tot Ion	Ratio	Lower	Upper
330	100		
332	97.0	76.0	114.0
141	29.6	31.0	46.6#



#45
 2-Fluorobiphenyl
 Concen: 8.070 ng
 RT: 9.25 min Scan# 1218
 Delta R.T. -0.01 min
 Lab File: BF111626.D
 Acq: 20 Dec 2018 8:16

Tgt Ion	Ratio	Lower	Upper
172	100		
171	34.2	33.0	49.4
170	22.8	22.3	33.5





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.42 min Scan# 1586

Delta R.T. -0.00 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16

Instrument :

BNA_F

ClientSampleId :

EB03_12-14


Tot Ion:188 Resp: 528388

Ion Ratio Lower Upper

188 100

94 8.4 9.6 14.4#




80 8.5 9.8 14.6#



Abundance Ion 188.00 (187.70 to 188.70): E

Ion 94.00 (93.70 to 94.70): BF1

Ion 80.00 (79.70 to 80.70): BF1



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.04 min Scan# 2033

Delta R.T. -0.01 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16


Tgt Ion:240 Resp: 486901

Ion Ratio Lower Upper

240 100

120 10.2 12.2 18.2#



236 24.8 20.2 30.2




Abundance Ion 240.00 (239.70 to 240.70): E

Ion 120.00 (119.70 to 120.70): E

Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 6.657 ng

RT: 12.99 min Scan# 1854

Delta R.T. -0.01 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16

Instrument :

BNA_F

ClientSampleId :

EB03_12-14


Tot Ion:244 Resp: 170916

Ion Ratio Lower Upper

244 100

212 6.4 5.7 8.5




122 10.7 13.1 19.7#



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.52 min Scan# 2284

Delta R.T. 0.01 min

Lab File: BF111626.D

Acq: 20 Dec 2018 8:16


Tgt Ion:264 Resp: 321644

Ion Ratio Lower Upper

264 100

260 23.2 18.3 27.5

265 22.4 17.7 26.5



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

