

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122021\
 Data File : BF126274.D
 Acq On : 20 Dec 2021 13:00
 Operator : JU/CG
 Sample : M5168-05RE
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-C

Quant Time: Dec 20 14:29:17 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 16 12:22:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	170767	20.000	ng	0.00
21) Naphthalene-d8	8.098	136	693327	20.000	ng	# 0.00
39) Acenaphthene-d10	9.851	164	311968	20.000	ng	0.00
64) Phenanthrene-d10	11.333	188	444831	20.000	ng	# 0.00
76) Chrysene-d12	13.968	240	257296	20.000	ng	# 0.00
86) Perylene-d12	15.415	264	251066	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	740825	63.887	ng	0.00
7) Phenol-d6	6.439	99	1401122	95.160	ng	0.00
23) Nitrobenzene-d5	7.375	82	956010	74.679	ng	0.00
42) 2,4,6-Tribromophenol	10.639	330	124660	49.722	ng	0.00
45) 2-Fluorobiphenyl	9.175	172	1288439	72.436	ng	0.00
79) Terphenyl-d14	12.921	244	853478	57.655	ng	0.00
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	7.375	70	119954	13.271	ng	# 55
25) Isophorone	7.375	82	923138	38.186	ng	# 59
51) 2,6-Dinitrotoluene	9.851	165	40884	9.558	ng	# 28
52) Acenaphthene	9.880	154	37838	2.200	ng	97
71) Phenanthrene	11.357	178	588986	25.654	ng	98
72) Anthracene	11.410	178	77389	3.358	ng	99
75) Fluoranthene	12.545	202	217926	10.535	ng	93
78) Pyrene	12.774	202	329784	13.951	ng	99
81) Benzo(a)anthracene	13.957	228	90763	5.955	ng	99
83) Chrysene	13.992	228	86242	5.446	ng	99
88) Benzo(b)fluoranthene	14.998	252	77688	5.150	ng	# 93
89) Benzo(k)fluoranthene	14.998	252	77688	5.383	ng	# 92
90) Benzo(a)pyrene	15.351	252	48282	3.851	ng	# 93


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122021\
Data File : BF126274.D
Acq On : 20 Dec 2021 13:00
Operator : JU/CG
Sample : M5168-05RE
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-01-C

Quant Time: Dec 20 14:29:17 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 16 12:22:48 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.000 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion:152 Resp: 170767
Ion Ratio Lower Upper
152 100
150 156.6 117.6 176.4
115 67.3 47.1 70.7



#5
2-Fluorophenol
Concen: 63.887 ng
RT: 5.428 min Scan# 568
Delta R.T. 0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion:112 Resp: 740825
Ion Ratio Lower Upper
112 100
64 58.8 44.2 66.2
63 27.8 26.2 39.2









#7
Phenol-d6
Concen: 95.160 ng
RT: 6.439 min Scan# 741
Delta R.T. -0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion: 99 Resp: 1401122
Ion Ratio Lower Upper
99 100
42 17.6 23.5 35.3#
71 30.1 25.6 38.4



#19
n-Nitroso-di-n-propylamine
Concen: 13.271 ng
RT: 7.375 min Scan# 899
Delta R.T. 0.135 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion: 70 Resp: 119954
Ion Ratio Lower Upper
70 100
42 47.2 72.2 108.2#
101 0.0 7.8 11.8#
130 2.3 21.8 32.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.098 min Scan# 1022
Delta R.T. 0.000 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Instrument :
BNA_F
ClientSampleId :
SB-01-C

Tgt Ion:136 Resp: 693327




Ion	Ratio	Lower	Upper
136	100		
137	11.1	9.8	14.6
54	9.0	6.4	9.6
68	7.4	3.3	4.9




#23
Nitrobenzene-d5
Concen: 74.679 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion: 82 Resp: 956010

Ion	Ratio	Lower	Upper
82	100		
128	41.9	40.6	60.8
54	51.5	49.6	74.4









#25
Isophorone
Concen: 38.186 ng
RT: 7.375 min Scan# 89
Delta R.T. -0.271 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion: 82 Resp: 923138
Ion Ratio Lower Upper
82 100
95 0.0 6.5 9.7#
138 0.0 18.4 27.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.851 min Scan# 1320
Delta R.T. -0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion:164 Resp: 311968
Ion Ratio Lower Upper
164 100
162 101.7 81.3 121.9
160 45.9 38.0 57.0





#42

2,4,6-Tribromophenol

Concen: 49.722 ng

RT: 10.639 min Scan# 1454

Delta R.T. 0.000 min

Lab File: BF126274.D

Acq: 20 Dec 2021 13:00

Instrument :

BNA_F

ClientSampleId :

SB-01-C





Tgt Ion:330 Resp: 124660

Ion Ratio Lower Upper

330 100

332 96.1 76.2 114.4

141 38.2 44.6 66.8#



#45

2-Fluorobiphenyl

Concen: 72.436 ng

RT: 9.175 min Scan# 1205

Delta R.T. -0.006 min

Lab File: BF126274.D

Acq: 20 Dec 2021 13:00




Tgt Ion:172 Resp: 1288439


Ion Ratio Lower Upper

172 100

171 34.6 26.5 39.7

170 23.9 18.8 28.2





#51

2,6-Dinitrotoluene

Concen: 9.558 ng

RT: 9.851 min Scan# 1

Delta R.T. 0.212 min

Lab File: BF126274.D

Acq: 20 Dec 2021 13:00

Instrument :

BNA_F

ClientSampleId :

SB-01-C





Tgt Ion:165 Resp: 40884

Ion Ratio Lower Upper

165 100

63 0.8 42.6 63.8#

89 1.4 40.6 60.8#



#52

Acenaphthene

Concen: 2.200 ng

RT: 9.880 min Scan# 1325

Delta R.T. -0.012 min

Lab File: BF126274.D

Acq: 20 Dec 2021 13:00




Tgt Ion:154 Resp: 37838


Ion Ratio Lower Upper

154 100

153 115.0 89.4 134.2

152 49.3 40.5 60.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.333 min Scan# 1572
Delta R.T. 0.000 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion:188 Resp: 444831
Ion Ratio Lower Upper
188 100
94 14.9 6.7 10.1#
80 16.1 7.5 11.3#



#71
Phenanthrene
Concen: 25.654 ng
RT: 11.357 min Scan# 1576
Delta R.T. -0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion:178 Resp: 588986
Ion Ratio Lower Upper
178 100
176 19.0 14.7 22.1
179 15.2 11.5 17.3





#72

Anthracene

Concen: 3.358 ng

RT: 11.410 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF126274.D

Acq: 20 Dec 2021 13:00

Instrument :

BNA_F

ClientSampleId :

SB-01-C





Tgt Ion:178 Resp: 77389

Ion Ratio Lower Upper

178 100

176 18.4 14.3 21.5

179 15.3 12.2 18.4



#75

Fluoranthene

Concen: 10.535 ng

RT: 12.545 min Scan# 1778

Delta R.T. 0.000 min

Lab File: BF126274.D

Acq: 20 Dec 2021 13:00




Tgt Ion:202 Resp: 217926


Ion Ratio Lower Upper

202 100

101 17.0 0.0 30.7

203 16.8 0.0 36.3









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.968 min Scan# 20
Delta R.T. 0.000 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion:240 Resp: 257296
Ion Ratio Lower Upper
240 100
120 17.5 10.8 16.2#
236 25.4 21.6 32.4



#78
Pyrene
Concen: 13.951 ng
RT: 12.774 min Scan# 1817
Delta R.T. 0.000 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion:202 Resp: 329784
Ion Ratio Lower Upper
202 100
200 19.8 15.3 22.9
203 16.4 13.4 20.0









#79
 Terphenyl-d14
 Concen: 57.655 ng
 RT: 12.921 min Scan# 1842
 Delta R.T. 0.000 min
 Lab File: BF126274.D
 Acq: 20 Dec 2021 13:00




Instrument :
 BNA_F
 ClientSampleId :
 SB-01-C


Tgt Ion:244 Resp: 853478
 Ion Ratio Lower Upper
 244 100
 212 6.2 5.9 8.9
 122 15.7 9.0 13.4#



#81
 Benzo(a)anthracene
 Concen: 5.955 ng
 RT: 13.957 min Scan# 2018
 Delta R.T. 0.000 min
 Lab File: BF126274.D
 Acq: 20 Dec 2021 13:00

Tgt Ion:228 Resp: 90763
 Ion Ratio Lower Upper
 228 100
 226 27.5 21.6 32.4
 229 20.3 15.6 23.4









#83
Chrysene
Concen: 5.446 ng
RT: 13.992 min Scan# 20
Delta R.T. -0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion:228	Resp:	86242
Ion Ratio	Lower	Upper
228	100	
226	28.9	22.6 34.0
229	19.8	15.9 23.9



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.415 min Scan# 2266
Delta R.T. 0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion:264	Resp:	251066
Ion Ratio	Lower	Upper
264	100	
260	23.1	19.6 29.4
265	21.8	17.2 25.8









#88
Benzo(b)fluoranthene
Concen: 5.150 ng
RT: 14.998 min Scan# 2195
Delta R.T. 0.006 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00




Instrument :
BNA_F
ClientSampleId :
SB-01-C


Tgt Ion:252 Resp: 77688
Ion Ratio Lower Upper
252 100
253 21.7 16.8 25.2
125 18.4 9.8 14.8#



#89
Benzo(k)fluoranthene
Concen: 5.383 ng
RT: 14.998 min Scan# 2195
Delta R.T. -0.024 min
Lab File: BF126274.D
Acq: 20 Dec 2021 13:00

Tgt Ion:252 Resp: 77688
Ion Ratio Lower Upper
252 100
253 21.7 17.8 26.8
125 18.4 7.2 10.8#





#90

Benzo(a)pyrene

Concen: 3.851 ng

RT: 15.351 min Scan# 21

Delta R.T. 0.000 min

Lab File: BF126274.D


Acq: 20 Dec 2021 13:00

Instrument :

BNA_F

ClientSampleId :

SB-01-C



Tgt Ion:252 Resp: 48282

Ion Ratio Lower Upper

252 100

253 21.0 18.4 27.6

125 17.1 9.9 14.9#

