

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122021\
 Data File : BF126282.D
 Acq On : 20 Dec 2021 17:13
 Operator : JU/CG
 Sample : M5122-02
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :

Quant Time: Dec 21 05:10:36 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Dec 16 12:22:48 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	146282	20.000	ng	0.00
21) Naphthalene-d8	8.098	136	545742	20.000	ng	# 0.00
39) Acenaphthene-d10	9.851	164	221999	20.000	ng	0.00
64) Phenanthrene-d10	11.333	188	327680	20.000	ng	# 0.00
76) Chrysene-d12	13.968	240	285335	20.000	ng	# 0.00
86) Perylene-d12	15.421	264	309966	20.000	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.434	112	1204014	121.210	ng	0.01
7) Phenol-d6	6.445	99	1419181	112.520	ng	0.00
23) Nitrobenzene-d5	7.375	82	905620	89.873	ng	0.00
42) 2,4,6-Tribromophenol	10.639	330	208240	116.721	ng	0.00
45) 2-Fluorobiphenyl	9.175	172	1141954	90.219	ng	0.00
79) Terphenyl-d14	12.921	244	950747	57.915	ng	0.00
Target Compounds						
						Qvalue
19) n-Nitroso-di-n-propyla...	7.375	70	115469	14.913	ng	# 55
25) Isophorone	7.375	82	884574	46.486	ng	# 59
51) 2,6-Dinitrotoluene	9.851	165	28156	9.250	ng	# 26
57) 2,4-Dinitrotoluene	9.851	165	28156	7.252	ng	# 18
67) 4-Bromophenyl-phenylether	10.639	248	11126	3.618	ng	# 1
71) Phenanthrene	11.357	178	92146	5.448	ng	98
75) Fluoranthene	12.545	202	213352	14.001	ng	93
78) Pyrene	12.774	202	194628	7.424	ng	99
81) Benzo(a)anthracene	13.962	228	97662	5.778	ng	96
83) Chrysene	13.998	228	115577	6.582	ng	98
84) Bis(2-ethylhexyl)phtha...	13.962	149	363790	26.390	ng	100
87) Indeno(1,2,3-cd)pyrene	16.839	276	57151	2.764	ng	94
88) Benzo(b)fluoranthene	14.998	252	251983	13.530	ng	# 94
89) Benzo(k)fluoranthene	14.998	252	251983	14.143	ng	# 93
90) Benzo(a)pyrene	15.357	252	108381	7.002	ng	# 95
92) Benzo(g,h,i)perylene	17.268	276	54938	3.159	ng	92


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122021\
Data File : BF126282.D
Acq On : 20 Dec 2021 17:13
Operator : JU/CG
Sample : M5122-02
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :


Quant Time: Dec 21 05:10:36 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Dec 16 12:22:48 2021
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:152 Resp: 146282
Ion Ratio Lower Upper
152 100
150 158.0 117.6 176.4
115 67.7 47.1 70.7



#5
2-Fluorophenol
Concen: 121.210 ng
RT: 5.434 min Scan# 569
Delta R.T. 0.012 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:112 Resp: 1204014
Ion Ratio Lower Upper
112 100
64 62.7 44.2 66.2
63 30.1 26.2 39.2








#7
Phenol-d6
Concen: 112.520 ng
RT: 6.445 min Scan# 741
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :



Tgt Ion: 99 Resp: 1419181




Ion	Ratio	Lower	Upper
99	100		
42	16.5	23.5	35.3#
71	29.8	25.6	38.4




#19
n-Nitroso-di-n-propylamine
Concen: 14.913 ng
RT: 7.375 min Scan# 899
Delta R.T. 0.135 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Tgt Ion: 70 Resp: 115469


Ion	Ratio	Lower	Upper
70	100		
42	47.2	72.2	108.2#
101	0.0	7.8	11.8#
130	2.2	21.8	32.6#








#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.098 min Scan# 1022
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:	136	Resp:	545742
Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.8	14.6
54	9.3	6.4	9.6
68	7.1	3.3	4.9



#23
Nitrobenzene-d5
Concen: 89.873 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.006 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:	82	Resp:	905620
Ion	Ratio	Lower	Upper
82	100		
128	41.6	40.6	60.8
54	51.3	49.6	74.4








#25
Isophorone
Concen: 46.486 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.271 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion: 82 Resp: 884574
Ion Ratio Lower Upper
82 100
95 0.0 6.5 9.7#
138 0.0 18.4 27.6#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.851 min Scan# 1320
Delta R.T. -0.006 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:164 Resp: 221999
Ion Ratio Lower Upper
164 100
162 101.0 81.3 121.9
160 44.4 38.0 57.0








#42
2,4,6-Tribromophenol
Concen: 116.721 ng
RT: 10.639 min Scan# 1454
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:330 Resp: 208240
Ion Ratio Lower Upper
330 100
332 94.2 76.2 114.4
141 35.3 44.6 66.8#




#45
2-Fluorobiphenyl
Concen: 90.219 ng
RT: 9.175 min Scan# 1205
Delta R.T. -0.006 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13




Tgt Ion:172 Resp: 1141954
Ion Ratio Lower Upper
172 100
171 34.9 26.5 39.7
170 23.3 18.8 28.2








#51
2,6-Dinitrotoluene
Concen: 9.250 ng
RT: 9.851 min Scan# 11
Delta R.T. 0.212 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:165 Resp: 28156
Ion Ratio Lower Upper
165 100
63 0.0 42.6 63.8#
89 0.0 40.6 60.8#



#57
2,4-Dinitrotoluene
Concen: 7.252 ng
RT: 9.851 min Scan# 1320
Delta R.T. -0.188 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Tgt Ion:165 Resp: 28156
Ion Ratio Lower Upper
165 100
63 0.0 40.9 61.3#
89 0.0 59.7 89.5#
182 0.0 0.0 0.0









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.333 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13




Instrument :
BNA_F
ClientSampleId :


Tgt Ion:188 Resp: 327680
Ion Ratio Lower Upper
188 100
94 15.4 6.7 10.1#
80 15.9 7.5 11.3#



#67
4-Bromophenyl-phenylether
Concen: 3.618 ng
RT: 10.639 min Scan# 1454
Delta R.T. -0.247 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:248 Resp: 11126
Ion Ratio Lower Upper
248 100
250 195.5 74.2 111.4#
141 572.8 60.4 90.6#








#71
Phenanthrene
Concen: 5.448 ng
RT: 11.357 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:178 Resp: 92146
Ion Ratio Lower Upper
178 100
176 17.4 14.7 22.1
179 15.0 11.5 17.3



#75
Fluoranthene
Concen: 14.001 ng
RT: 12.545 min Scan# 1778
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:202 Resp: 213352
Ion Ratio Lower Upper
202 100
101 16.3 0.0 30.7
203 17.1 0.0 36.3








#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.968 min Scan# 20
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:240 Resp: 285335
Ion Ratio Lower Upper
240 100
120 18.8 10.8 16.2#
236 25.3 21.6 32.4



#78
Pyrene
Concen: 7.424 ng
RT: 12.774 min Scan# 1817
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:202 Resp: 194628
Ion Ratio Lower Upper
202 100
200 20.1 15.3 22.9
203 16.9 13.4 20.0








#79
 Terphenyl-d14
 Concen: 57.915 ng
 RT: 12.921 min Scan# 1842
 Delta R.T. 0.000 min
 Lab File: BF126282.D
 Acq: 20 Dec 2021 17:13


Instrument :
 BNA_F
 ClientSampleId :





Tgt Ion:244 Resp: 950747
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.9 8.9
 122 16.3 9.0 13.4#




#81
 Benzo(a)anthracene
 Concen: 5.778 ng
 RT: 13.962 min Scan# 2019
 Delta R.T. 0.006 min
 Lab File: BF126282.D
 Acq: 20 Dec 2021 17:13




Tgt Ion:228 Resp: 97662
 Ion Ratio Lower Upper
 228 100
 226 29.4 21.6 32.4
 229 20.4 15.6 23.4








#83
Chrysene
Concen: 6.582 ng
RT: 13.998 min Scan# 2025
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Instrument :
BNA_F
ClientSampleId :





Tgt Ion:228 Resp: 115577
Ion Ratio Lower Upper
228 100
226 29.1 22.6 34.0
229 20.7 15.9 23.9




#84
Bis(2-ethylhexyl)phthalate
Concen: 26.390 ng
RT: 13.962 min Scan# 2019
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13




Tgt Ion:149 Resp: 363790
Ion Ratio Lower Upper
149 100
167 26.8 21.4 32.0
279 2.9 2.6 4.0








#86
Perylene-d12
Concen: 20.000 ng
RT: 15.421 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :



Tgt Ion:264 Resp: 309966




Ion	Ratio	Lower	Upper
264	100		
260	24.2	19.6	29.4
265	22.5	17.2	25.8




#87
Indeno(1,2,3-cd)pyrene
Concen: 2.764 ng
RT: 16.839 min Scan# 2508
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Tgt Ion:276 Resp: 57151


Ion	Ratio	Lower	Upper
276	100		
138	33.0	24.1	36.1
277	26.6	18.8	28.2








#88
Benzo(b)fluoranthene
Concen: 13.530 ng
RT: 14.998 min Scan# 2195
Delta R.T. 0.006 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13

Instrument :
BNA_F
ClientSampleId :







Tgt Ion:252 Resp: 251983
Ion Ratio Lower Upper
252 100
253 22.8 16.8 25.2
125 16.5 9.8 14.8#



#89
Benzo(k)fluoranthene
Concen: 14.143 ng
RT: 14.998 min Scan# 2195
Delta R.T. -0.023 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Tgt Ion:252 Resp: 251983
Ion Ratio Lower Upper
252 100
253 22.8 17.8 26.8
125 16.5 7.2 10.8#








#90
Benzo(a)pyrene
Concen: 7.002 ng
RT: 15.357 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13


Instrument :
BNA_F
ClientSampleId :



Tgt Ion:252 Resp: 108381
Ion Ratio Lower Upper
252 100
253 22.1 18.4 27.6
125 17.1 9.9 14.9#



#92
Benzo(g,h,i)perylene
Concen: 3.159 ng
RT: 17.268 min Scan# 2581
Delta R.T. 0.000 min
Lab File: BF126282.D
Acq: 20 Dec 2021 17:13



Tgt Ion:276 Resp: 54938
Ion Ratio Lower Upper
276 100
277 22.5 22.0 33.0
138 31.0 22.2 33.4

