

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122321\
 Data File : BF126352.D
 Acq On : 23 Dec 2021 19:17
 Operator : JU/CG
 Sample : M5191-01
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TP-(0-3.5)-12-21-2021

Quant Time: Dec 27 06:51:48 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 22 13:00:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.816	152	92086	20.000	ng	0.00
21) Naphthalene-d8	8.098	136	326808	20.000	ng	# 0.00
39) Acenaphthene-d10	9.851	164	141893	20.000	ng	0.00
64) Phenanthrene-d10	11.339	188	257511	20.000	ng	# 0.00
76) Chrysene-d12	13.980	240	204905	20.000	ng	# 0.00
86) Perylene-d12	15.433	264	163038	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	521562	83.409	ng	0.00
7) Phenol-d6	6.439	99	678863	85.501	ng	0.00
23) Nitrobenzene-d5	7.375	82	400728	66.409	ng	0.00
42) 2,4,6-Tribromophenol	10.639	330	91124	79.911	ng	0.00
45) 2-Fluorobiphenyl	9.175	172	541293	66.907	ng	0.00
79) Terphenyl-d14	12.927	244	601441	51.018	ng	0.00
Target Compounds						Qvalue
19) n-Nitroso-di-n-propyla...	7.375	70	50821	10.426	ng	# 54
25) Isophorone	7.375	82	400720	35.166	ng	# 59
31) Naphthalene	8.122	128	40792	2.669	ng	95
37) 2-Methylnaphthalene	8.810	142	20788	2.209	ng	99
49) Acenaphthylene	9.710	152	38949	3.229	ng	# 96
51) 2,6-Dinitrotoluene	9.851	165	19831	10.193	ng	# 27
52) Acenaphthene	9.886	154	37742	4.825	ng	99
55) Dibenzofuran	10.057	168	50409	4.733	ng	93
58) Fluorene	10.398	166	87135	11.302	ng	97
67) 4-Bromophenyl-phenylether	10.639	248	5098	2.109	ng	# 1
71) Phenanthrene	11.368	178	890495	67.000	ng	98
72) Anthracene	11.416	178	260271	19.510	ng	99
73) Carbazole	11.568	167	86866	6.914	ng	98
75) Fluoranthene	12.557	202	988620	82.558	ng	93
78) Pyrene	12.786	202	817026	43.401	ng	97
81) Benzo(a)anthracene	13.974	228	406661	33.505	ng	99
83) Chrysene	14.009	228	327660	25.983	ng	97
84) Bis(2-ethylhexyl)phtha...	13.974	149	114298	11.546	ng	# 65
85) Di-n-octyl phthalate	14.586	149	211609	11.991	ng	# 91
87) Indeno(1,2,3-cd)pyrene	16.868	276	119973	11.032	ng	99
88) Benzo(b)fluoranthene	15.015	252	476384	48.629	ng	# 93
89) Benzo(k)fluoranthene	15.015	252	476384	50.835	ng	# 92
90) Benzo(a)pyrene	15.374	252	233843	28.721	ng	# 95
91) Dibenzo(a,h)anthracene	16.880	278	32476	3.674	ng	# 78
92) Benzo(g,h,i)perylene	17.298	276	104381	11.412	ng	94


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122321\
Data File : BF126352.D
Acq On : 23 Dec 2021 19:17
Operator : JU/CG
Sample : M5191-01
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021

Quant Time: Dec 27 06:51:48 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 22 13:00:11 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.816 min Scan# 804
Delta R.T. -0.000 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:152 Resp: 92086
Ion Ratio Lower Upper
152 100
150 158.1 117.6 176.4
115 65.7 47.1 70.7



#5
2-Fluorophenol
Concen: 83.409 ng
RT: 5.422 min Scan# 567
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:112 Resp: 521562
Ion Ratio Lower Upper
112 100
64 61.3 44.2 66.2
63 28.0 26.2 39.2









#7
Phenol-d6
Concen: 85.501 ng
RT: 6.439 min Scan# 741
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion: 99 Resp: 678863
Ion Ratio Lower Upper
99 100
42 17.4 23.5 35.3#
71 29.8 25.6 38.4



#19
n-Nitroso-di-n-propylamine
Concen: 10.426 ng
RT: 7.375 min Scan# 899
Delta R.T. 0.141 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion: 70 Resp: 50821
Ion Ratio Lower Upper
70 100
42 45.5 72.2 108.2#
101 0.0 7.8 11.8#
130 2.0 21.8 32.6#









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.098 min Scan# 1022
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:	136	Resp:	326808
Ion	Ratio	Lower	Upper
136	100		
137	10.5	9.8	14.6
54	8.6	6.4	9.6
68	6.8	3.3	4.9



#23
Nitrobenzene-d5
Concen: 66.409 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:	82	Resp:	400728
Ion	Ratio	Lower	Upper
82	100		
128	44.9	40.6	60.8
54	51.5	49.6	74.4









#25
Isophorone
Concen: 35.166 ng
RT: 7.375 min Scan# 899
Delta R.T. -0.265 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion: 82 Resp: 400720
Ion Ratio Lower Upper
82 100
95 0.1 6.5 9.7#
138 0.0 18.4 27.6#



#31
Naphthalene
Concen: 2.669 ng
RT: 8.122 min Scan# 1026
Delta R.T. -0.000 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion: 128 Resp: 40792
Ion Ratio Lower Upper
128 100
129 9.9 9.4 14.0
127 11.9 10.9 16.3









#37
2-Methylnaphthalene
Concen: 2.209 ng
RT: 8.810 min Scan# 1144
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:142 Resp: 20788
Ion Ratio Lower Upper
142 100
141 89.7 71.2 106.8



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.851 min Scan# 1320
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17


Tgt Ion:164 Resp: 141893
Ion Ratio Lower Upper
164 100
162 101.3 81.3 121.9
160 43.9 38.0 57.0








#42
 2,4,6-Tribromophenol
 Concen: 79.911 ng
 RT: 10.639 min Scan# 1454
 Delta R.T. -0.006 min
 Lab File: BF126352.D
 Acq: 23 Dec 2021 19:17


Instrument :
 BNA_F
 ClientSampleId :
 TP-(0-3.5)-12-21-2021





Tgt Ion:330 Resp: 91124
 Ion Ratio Lower Upper
 330 100
 332 97.0 76.2 114.4
 141 36.0 44.6 66.8#




#45
 2-Fluorobiphenyl
 Concen: 66.907 ng
 RT: 9.175 min Scan# 1205
 Delta R.T. -0.006 min
 Lab File: BF126352.D
 Acq: 23 Dec 2021 19:17



Tgt Ion:172 Resp: 541293
 Ion Ratio Lower Upper
 172 100
 171 34.4 26.5 39.7
 170 22.4 18.8 28.2









#49
Acenaphthylene
Concen: 3.229 ng
RT: 9.710 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:152 Resp: 38949
Ion Ratio Lower Upper
152 100
151 19.3 15.7 23.5
153 16.3 9.8 14.8#



#51
2,6-Dinitrotoluene
Concen: 10.193 ng
RT: 9.851 min Scan# 1320
Delta R.T. 0.212 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:165 Resp: 19831
Ion Ratio Lower Upper
165 100
63 0.0 42.6 63.8#
89 1.9 40.6 60.8#









#52
Acenaphthene
Concen: 4.825 ng
RT: 9.886 min Scan# 1326
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:154 Resp: 37742
Ion Ratio Lower Upper
154 100
153 112.8 89.4 134.2
152 50.7 40.5 60.7



#55
Dibenzofuran
Concen: 4.733 ng
RT: 10.057 min Scan# 1355
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:168 Resp: 50409
Ion Ratio Lower Upper
168 100
139 35.3 32.7 49.1
169 15.1 11.2 16.8









#58
Fluorene
Concen: 11.302 ng
RT: 10.398 min Scan# 1414
Delta R.T. -0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:166 Resp: 87135
Ion Ratio Lower Upper
166 100
165 100.6 78.1 117.1
167 14.2 11.1 16.7



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.339 min Scan# 1573
Delta R.T. -0.000 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:188 Resp: 257511
Ion Ratio Lower Upper
188 100
94 13.0 6.7 10.1#
80 13.3 7.5 11.3#









#67
4-Bromophenyl-phenylether
Concen: 2.109 ng
RT: 10.639 min Scan# 1496
Delta R.T. -0.247 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:248 Resp: 5098
Ion Ratio Lower Upper
248 100
250 196.1 74.2 111.4#
141 571.0 60.4 90.6#



#71
Phenanthrene
Concen: 67.000 ng
RT: 11.368 min Scan# 1578
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:178 Resp: 890495
Ion Ratio Lower Upper
178 100
176 19.1 14.7 22.1
179 15.5 11.5 17.3









#72
 Anthracene
 Concen: 19.510 ng
 RT: 11.416 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF126352.D
 Acq: 23 Dec 2021 19:17




Instrument :
 BNA_F
 ClientSampleId :
 TP-(0-3.5)-12-21-2021


Tgt Ion:178 Resp: 260271
 Ion Ratio Lower Upper
 178 100
 176 18.1 14.3 21.5
 179 15.6 12.2 18.4



#73
 Carbazole
 Concen: 6.914 ng
 RT: 11.568 min Scan# 1612
 Delta R.T. -0.000 min
 Lab File: BF126352.D
 Acq: 23 Dec 2021 19:17

Tgt Ion:167 Resp: 86866
 Ion Ratio Lower Upper
 167 100
 166 22.5 17.4 26.0
 139 12.3 11.0 16.4









#75
Fluoranthene
Concen: 82.558 ng
RT: 12.557 min Scan# 1
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:202 Resp: 988620
Ion Ratio Lower Upper
202 100
101 15.4 0.0 30.7
203 18.0 0.0 36.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.980 min Scan# 2022
Delta R.T. -0.000 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:240 Resp: 204905
Ion Ratio Lower Upper
240 100
120 17.1 10.8 16.2#
236 24.4 21.6 32.4









#78
Pyrene
Concen: 43.401 ng
RT: 12.786 min Scan# 1819
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:202 Resp: 817026
Ion Ratio Lower Upper
202 100
200 20.6 15.3 22.9
203 17.7 13.4 20.0



#79
Terphenyl-d14
Concen: 51.018 ng
RT: 12.927 min Scan# 1843
Delta R.T. -0.000 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:244 Resp: 601441
Ion Ratio Lower Upper
244 100
212 6.3 5.9 8.9
122 15.1 9.0 13.4#









#81
Benzo(a)anthracene
Concen: 33.505 ng
RT: 13.974 min Scan# 20
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:228 Resp: 406661
Ion Ratio Lower Upper
228 100
226 27.4 21.6 32.4
229 20.4 15.6 23.4



#83
Chrysene
Concen: 25.983 ng
RT: 14.009 min Scan# 2027
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:228 Resp: 327660
Ion Ratio Lower Upper
228 100
226 29.5 22.6 34.0
229 21.6 15.9 23.9









#84
Bis(2-ethylhexyl)phthalate
Concen: 11.546 ng
RT: 13.974 min Scan# 2019
Delta R.T. 0.012 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:149 Resp: 114298
Ion Ratio Lower Upper
149 100
167 6.7 21.4 32.0#
279 0.9 2.6 4.0#



#85
Di-n-octyl phthalate
Concen: 11.991 ng
RT: 14.586 min Scan# 2125
Delta R.T. 0.012 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:149 Resp: 211609
Ion Ratio Lower Upper
149 100
167 3.3 1.0 1.6#
43 15.9 9.9 14.9#









#86
Perylene-d12
Concen: 20.000 ng
RT: 15.433 min Scan# 21
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021

Tgt Ion:264 Resp: 163038




Ion	Ratio	Lower	Upper
264	100		
260	24.0	19.6	29.4
265	22.3	17.2	25.8




#87
Indeno(1,2,3-cd)pyrene
Concen: 11.032 ng
RT: 16.868 min Scan# 2513
Delta R.T. 0.006 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:276 Resp: 119973

Ion	Ratio	Lower	Upper
276	100		
138	30.4	24.1	36.1
277	22.7	18.8	28.2









#88
Benzo(b)fluoranthene
Concen: 48.629 ng
RT: 15.015 min Scan# 2198
Delta R.T. 0.012 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:252 Resp: 476384
Ion Ratio Lower Upper
252 100
253 23.0 16.8 25.2
125 17.2 9.8 14.8#



#89
Benzo(k)fluoranthene
Concen: 50.835 ng
RT: 15.015 min Scan# 2198
Delta R.T. -0.018 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17

Tgt Ion:252 Resp: 476384
Ion Ratio Lower Upper
252 100
253 23.0 17.8 26.8
125 17.2 7.2 10.8#









#90
Benzo(a)pyrene
Concen: 28.721 ng
RT: 15.374 min Scan# 21
Delta R.T. 0.012 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17




Instrument :
BNA_F
ClientSampleId :
TP-(0-3.5)-12-21-2021


Tgt Ion:252 Resp: 233843
Ion Ratio Lower Upper
252 100
253 22.8 18.4 27.6
125 18.0 9.9 14.9#



#91
Dibenzo(a,h)anthracene
Concen: 3.674 ng
RT: 16.880 min Scan# 2515
Delta R.T. -0.000 min
Lab File: BF126352.D
Acq: 23 Dec 2021 19:17


Tgt Ion:278 Resp: 32476
Ion Ratio Lower Upper
278 100
139 36.2 14.9 22.3#
279 29.4 19.7 29.5





#92
 Benzo(g,h,i)perylene
 Concen: 11.412 ng
 RT: 17.298 min Scan# 2586
 Delta R.T. -0.000 min
 Lab File: BF126352.D
 Acq: 23 Dec 2021 19:17

Instrument :
 BNA_F
 ClientSampleId :
 TP-(0-3.5)-12-21-2021



Tgt Ion:	276	Resp:	104381
Ion	Ratio	Lower	Upper
276	100		
277	26.7	22.0	33.0
138	32.9	22.2	33.4

