

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122721\
 Data File : BF126361.D
 Acq On : 27 Dec 2021 18:04
 Operator : JU/CG
 Sample : M5218-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-C2

Quant Time: Dec 27 18:30:39 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 22 13:00:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.810	152	107792	20.000	ng	0.00
21) Naphthalene-d8	8.092	136	441449	20.000	ng	#-0.01
39) Acenaphthene-d10	9.845	164	190625	20.000	ng	-0.01
64) Phenanthrene-d10	11.327	188	265845	20.000	ng	#-0.01
76) Chrysene-d12	13.968	240	192902	20.000	ng	-0.01
86) Perylene-d12	15.415	264	215724	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.416	112	449472	61.407	ng	-0.01
7) Phenol-d6	6.434	99	701212	75.448	ng	-0.01
23) Nitrobenzene-d5	7.369	82	429304	52.669	ng	-0.01
42) 2,4,6-Tribromophenol	10.633	330	74355	48.536	ng	-0.01
45) 2-Fluorobiphenyl	9.169	172	653351	60.113	ng	-0.01
79) Terphenyl-d14	12.915	244	440995	39.735	ng	-0.01
Target Compounds						
						Qvalue
10) Phenol	6.445	94	23924	2.293	ng	87
71) Phenanthrene	11.351	178	83061	6.054	ng	98
75) Fluoranthene	12.539	202	42791	3.461	ng	90
78) Pyrene	12.768	202	73722	4.160	ng	99
81) Benzo(a)anthracene	13.957	228	24384	2.134	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122721\
Data File : BF126361.D
Acq On : 27 Dec 2021 18:04
Operator : JU/CG
Sample : M5218-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-01-C2

Quant Time: Dec 27 18:30:39 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 22 13:00:11 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.810 min Scan# 804
Delta R.T. -0.006 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04




Instrument :
BNA_F
ClientSampleId :
SB-01-C2


Tgt Ion:152 Resp: 107792
Ion Ratio Lower Upper
152 100
150 159.8 117.6 176.4
115 63.4 47.1 70.7



#5
2-Fluorophenol
Concen: 61.407 ng
RT: 5.416 min Scan# 566
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion:112 Resp: 449472
Ion Ratio Lower Upper
112 100
64 60.1 44.2 66.2
63 27.7 26.2 39.2









#7
Phenol-d6
Concen: 75.448 ng
RT: 6.434 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04




Instrument :
BNA_F
ClientSampleId :
SB-01-C2


Tgt Ion: 99 Resp: 701212
Ion Ratio Lower Upper
99 100
42 17.0 23.5 35.3#
71 29.5 25.6 38.4



#10
Phenol
Concen: 2.293 ng
RT: 6.445 min Scan# 741
Delta R.T. -0.018 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion: 94 Resp: 23924
Ion Ratio Lower Upper
94 100
65 24.4 9.3 49.3
66 30.0 20.3 60.3









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.092 min Scan# 1021
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Instrument :
BNA_F
ClientSampleId :
SB-01-C2

Tgt Ion:136 Resp: 441449




Ion	Ratio	Lower	Upper
136	100		
137	10.6	9.8	14.6
54	8.3	6.4	9.6
68	6.1	3.3	4.9




#23
Nitrobenzene-d5
Concen: 52.669 ng
RT: 7.369 min Scan# 898
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion: 82 Resp: 429304

Ion	Ratio	Lower	Upper
82	100		
128	45.9	40.6	60.8
54	49.5	49.6	74.4









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.845 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04




Instrument :
BNA_F
ClientSampleId :
SB-01-C2


Tgt Ion:164 Resp: 190625
Ion Ratio Lower Upper
164 100
162 99.8 81.3 121.9
160 43.6 38.0 57.0



#42
2,4,6-Tribromophenol
Concen: 48.536 ng
RT: 10.633 min Scan# 1453
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion:330 Resp: 74355
Ion Ratio Lower Upper
330 100
332 91.3 76.2 114.4
141 32.7 44.6 66.8#









#45
2-Fluorobiphenyl
Concen: 60.113 ng
RT: 9.169 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04




Instrument :
BNA_F
ClientSampleId :
SB-01-C2


Tgt Ion:172 Resp: 653351
Ion Ratio Lower Upper
172 100
171 33.9 26.5 39.7
170 22.7 18.8 28.2



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.327 min Scan# 1571
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion:188 Resp: 265845
Ion Ratio Lower Upper
188 100
94 13.5 6.7 10.1#
80 15.4 7.5 11.3#









#71
Phenanthrene
Concen: 6.054 ng
RT: 11.351 min Scan# 11
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04




Instrument :
BNA_F
ClientSampleId :
SB-01-C2


Tgt Ion:178 Resp: 83061
Ion Ratio Lower Upper
178 100
176 17.8 14.7 22.1
179 16.0 11.5 17.3



#75
Fluoranthene
Concen: 3.461 ng
RT: 12.539 min Scan# 1777
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion:202 Resp: 42791
Ion Ratio Lower Upper
202 100
101 18.3 0.0 30.7
203 17.9 0.0 36.3









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.968 min Scan# 20
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04




Instrument :
BNA_F
ClientSampleId :
SB-01-C2


Tgt Ion:240 Resp: 192902
Ion Ratio Lower Upper
240 100
120 15.7 10.8 16.2
236 24.2 21.6 32.4



#78
Pyrene
Concen: 4.160 ng
RT: 12.768 min Scan# 1816
Delta R.T. -0.012 min
Lab File: BF126361.D
Acq: 27 Dec 2021 18:04

Tgt Ion:202 Resp: 73722
Ion Ratio Lower Upper
202 100
200 18.8 15.3 22.9
203 16.2 13.4 20.0









#79
 Terphenyl-d14
 Concen: 39.735 ng
 RT: 12.915 min Scan# 1842
 Delta R.T. -0.012 min
 Lab File: BF126361.D
 Acq: 27 Dec 2021 18:04




Instrument :
 BNA_F
 ClientSampleId :
 SB-01-C2


Tgt Ion:244 Resp: 440995
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.9 8.9
 122 15.4 9.0 13.4#



#81
 Benzo(a)anthracene
 Concen: 2.134 ng
 RT: 13.957 min Scan# 2018
 Delta R.T. -0.012 min
 Lab File: BF126361.D
 Acq: 27 Dec 2021 18:04

Tgt Ion:228 Resp: 24384
 Ion Ratio Lower Upper
 228 100
 226 29.2 21.6 32.4
 229 20.6 15.6 23.4





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.415 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BF126361.D
 Acq: 27 Dec 2021 18:04

Instrument :
 BNA_F
 ClientSampleId :
 SB-01-C2

Tgt Ion:264 Resp: 215724

Ion	Ratio	Lower	Upper
264	100		
260	22.2	19.6	29.4
265	21.1	17.2	25.8

