

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122821\
 Data File : BF126383.D
 Acq On : 28 Dec 2021 16:05
 Operator : JU/CG
 Sample : M5239-03
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SASP2-123-1-10-37

Quant Time: Dec 29 08:22:43 2021
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Dec 22 13:00:11 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.810	152	109416	20.000	ng	0.00
21) Naphthalene-d8	8.092	136	486755	20.000	ng	#-0.01
39) Acenaphthene-d10	9.845	164	218223	20.000	ng	-0.01
64) Phenanthrene-d10	11.333	188	308583	20.000	ng	# 0.00
76) Chrysene-d12	13.968	240	237814	20.000	ng	#-0.01
86) Perylene-d12	15.415	264	200510	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.422	112	859094	115.627	ng	0.00
7) Phenol-d6	6.439	99	1075436	113.995	ng	0.00
23) Nitrobenzene-d5	7.369	82	623734	69.400	ng	-0.01
42) 2,4,6-Tribromophenol	10.633	330	179490	102.347	ng	-0.01
45) 2-Fluorobiphenyl	9.169	172	879135	70.657	ng	-0.01
79) Terphenyl-d14	12.921	244	663002	48.457	ng	0.00
Target Compounds						
60) Diethylphthalate	10.263	149	31101	2.239	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF122821\
Data File : BF126383.D
Acq On : 28 Dec 2021 16:05
Operator : JU/CG
Sample : M5239-03
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SASP2-123-1-10-37

Quant Time: Dec 29 08:22:43 2021
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF121521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Dec 22 13:00:11 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.810 min Scan# 804
Delta R.T. -0.006 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05




Instrument :
BNA_F
ClientSampleId :
SASP2-123-1-10-37

Tgt Ion:152 Resp: 109416
Ion Ratio Lower Upper
152 100
150 158.5 117.6 176.4
115 66.9 47.1 70.7



#5
2-Fluorophenol
Concen: 115.627 ng
RT: 5.422 min Scan# 567
Delta R.T. -0.006 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05

Tgt Ion:112 Resp: 859094
Ion Ratio Lower Upper
112 100
64 62.3 44.2 66.2
63 29.8 26.2 39.2









#7
Phenol-d6
Concen: 113.995 ng
RT: 6.439 min Scan# 741
Delta R.T. -0.006 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05




Instrument :
BNA_F
ClientSampleId :
SASP2-123-1-10-37


Tgt Ion: 99 Resp: 1075436
Ion Ratio Lower Upper
99 100
42 17.8 23.5 35.3#
71 31.3 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.092 min Scan# 1021
Delta R.T. -0.012 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05

Tgt Ion: 136 Resp: 486755
Ion Ratio Lower Upper
136 100
137 11.0 9.8 14.6
54 8.9 6.4 9.6
68 6.6 3.3 4.9#





#23

Nitrobenzene-d5

Concen: 69.400 ng

RT: 7.369 min Scan# 89

Delta R.T. -0.012 min

Lab File: BF126383.D

Acq: 28 Dec 2021 16:05

Instrument :

BNA_F

ClientSampleId :

SASP2-123-1-10-37





Tgt Ion: 82 Resp: 623734

Ion Ratio Lower Upper

82 100

128 42.7 40.6 60.8

54 52.0 49.6 74.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.845 min Scan# 1319

Delta R.T. -0.012 min

Lab File: BF126383.D

Acq: 28 Dec 2021 16:05




Tgt Ion: 164 Resp: 218223


Ion Ratio Lower Upper

164 100

162 98.0 81.3 121.9

160 44.9 38.0 57.0





#42

2,4,6-Tribromophenol

Concen: 102.347 ng

RT: 10.633 min Scan# 1454

Delta R.T. -0.012 min

Lab File: BF126383.D


Acq: 28 Dec 2021 16:05

Instrument :

BNA_F

ClientSampleId :

SASP2-123-1-10-37






Tgt Ion:330 Resp: 179490

Ion Ratio Lower Upper

330 100

332 94.8 76.2 114.4

141 32.8 44.6 66.8#



#45

2-Fluorobiphenyl

Concen: 70.657 ng

RT: 9.169 min Scan# 1204

Delta R.T. -0.012 min

Lab File: BF126383.D

Acq: 28 Dec 2021 16:05




Tgt Ion:172 Resp: 879135


Ion Ratio Lower Upper

172 100

171 34.2 26.5 39.7

170 23.9 18.8 28.2









#60
Diethylphthalate
Concen: 2.239 ng
RT: 10.263 min Scan# 1390
Delta R.T. -0.018 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05




Instrument :
BNA_F
ClientSampleId :
SASP2-123-1-10-37


Tgt Ion:149 Resp: 31101
Ion Ratio Lower Upper
149 100
177 21.0 16.5 24.7
150 12.5 10.1 15.1



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.333 min Scan# 1572
Delta R.T. -0.006 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05

Tgt Ion:188 Resp: 308583
Ion Ratio Lower Upper
188 100
94 12.8 6.7 10.1#
80 13.5 7.5 11.3#









#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.968 min Scan# 20
Delta R.T. -0.012 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05




Instrument :
BNA_F
ClientSampleId :
SASP2-123-1-10-37


Tgt Ion:240 Resp: 237814
Ion Ratio Lower Upper
240 100
120 18.0 10.8 16.2#
236 24.3 21.6 32.4



#79
Terphenyl-d14
Concen: 48.457 ng
RT: 12.921 min Scan# 1842
Delta R.T. -0.006 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05


Tgt Ion:244 Resp: 663002
Ion Ratio Lower Upper
244 100
212 6.1 5.9 8.9
122 12.7 9.0 13.4





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.415 min Scan# 21
Delta R.T. -0.012 min
Lab File: BF126383.D
Acq: 28 Dec 2021 16:05

Instrument :
BNA_F
ClientSampleId :
SASP2-123-1-10-37



Tgt Ion:264 Resp: 200510

Ion	Ratio	Lower	Upper
264	100		
260	23.3	19.6	29.4
265	21.3	17.2	25.8

