

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF011823\
 Data File : BF132134.D
 Acq On : 18 Jan 2023 23:47
 Operator : CG\JU
 Sample : 01159-05
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-6

Quant Time: Jan 19 05:24:40 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011823.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jan 19 00:42:19 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.096	152	213362	20.000	ng	0.00
21) Naphthalene-d8	8.378	136	772149	20.000	ng	-0.01
39) Acenaphthene-d10	10.142	164	425279	20.000	ng	-0.01
64) Phenanthrene-d10	11.642	188	837818	20.000	ng	0.00
76) Chrysene-d12	14.307	240	566078	20.000	ng	0.00
86) Perylene-d12	15.907	264	438278	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.737	112	1353357	112.850	ng	0.02
7) Phenol-d6	6.707	99	1634108	105.476	ng	0.00
23) Nitrobenzene-d5	7.660	82	1289484	88.644	ng	0.00
42) 2,4,6-Tribromophenol	10.942	330	621089	133.479	ng	0.00
45) 2-Fluorobiphenyl	9.460	172	2079700	85.085	ng	0.00
79) Terphenyl-d14	13.242	244	2545637	72.965	ng	0.00


Target Compounds Qvalue


 (#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF011823\
Data File : BF132134.D
Acq On : 18 Jan 2023 23:47
Operator : CG\JU
Sample : 01159-05
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-6

Quant Time: Jan 19 05:24:40 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011823.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jan 19 00:42:19 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 7.096 min Scan# 71
Delta R.T. -0.005 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47




Instrument :
BNA_F
ClientSampleId :
MH-6


Tgt Ion:152 Resp: 213362
Ion Ratio Lower Upper
152 100
150 157.7 123.3 184.9
115 62.6 45.8 68.6



#5
2-Fluorophenol
Concen: 112.850 ng
RT: 5.737 min Scan# 493
Delta R.T. 0.018 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47

Tgt Ion:112 Resp: 1353357
Ion Ratio Lower Upper
112 100
64 65.0 51.0 76.6
63 37.1 28.7 43.1









#7
Phenol-d6
Concen: 105.476 ng
RT: 6.707 min Scan# 61
Delta R.T. -0.006 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47

Instrument :
BNA_F
ClientSampleId :
MH-6

Tgt Ion: 99 Resp: 1634108




Ion	Ratio	Lower	Upper
99	100		
42	21.6	17.2	25.8
71	39.9	31.0	46.6




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.378 min Scan# 942
Delta R.T. -0.012 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47

Tgt Ion: 136 Resp: 772149

Ion	Ratio	Lower	Upper
136	100		
137	11.3	8.4	12.6
54	9.6	6.6	10.0
68	6.1	4.6	7.0









#23
Nitrobenzene-d5
Concen: 88.644 ng
RT: 7.660 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47




Instrument :
BNA_F
ClientSampleId :
MH-6


Tgt Ion: 82 Resp: 1289484
Ion Ratio Lower Upper
82 100
128 40.7 32.0 48.0
54 54.2 45.1 67.7



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.142 min Scan# 1242
Delta R.T. -0.012 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47

Tgt Ion: 164 Resp: 425279
Ion Ratio Lower Upper
164 100
162 100.6 82.3 123.5
160 47.7 37.3 55.9









#42
2,4,6-Tribromophenol
Concen: 133.479 ng
RT: 10.942 min Scan# 1378
Delta R.T. -0.006 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47




Instrument :
BNA_F
ClientSampleId :
MH-6


Tgt Ion:330 Resp: 621089
Ion Ratio Lower Upper
330 100
332 96.4 77.1 115.7
141 33.1 28.2 42.4



#45
2-Fluorobiphenyl
Concen: 85.085 ng
RT: 9.460 min Scan# 1126
Delta R.T. -0.006 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47

Tgt Ion:172 Resp: 2079700
Ion Ratio Lower Upper
172 100
171 36.2 29.0 43.4
170 24.7 19.7 29.5









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.642 min Scan# 14
Delta R.T. -0.006 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47




Instrument :
BNA_F
ClientSampleId :
MH-6


Tgt Ion:188 Resp: 837818
Ion Ratio Lower Upper
188 100
94 9.4 7.8 11.6
80 10.4 8.2 12.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.307 min Scan# 1950
Delta R.T. -0.006 min
Lab File: BF132134.D
Acq: 18 Jan 2023 23:47


Tgt Ion:240 Resp: 566078
Ion Ratio Lower Upper
240 100
120 9.3 8.2 12.4
236 25.4 21.2 31.8








#79
 Terphenyl-d14
 Concen: 72.965 ng
 RT: 13.242 min Scan# 1769
 Delta R.T. -0.006 min
 Lab File: BF132134.D
 Acq: 18 Jan 2023 23:47

Instrument :
 BNA_F
 ClientSampleId :
 MH-6



Tgt Ion:244 Resp: 2545637
 Ion Ratio Lower Upper
 244 100
 212 8.7 6.9 10.3
 122 10.0 7.0 10.6



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.907 min Scan# 2222
 Delta R.T. -0.006 min
 Lab File: BF132134.D
 Acq: 18 Jan 2023 23:47

Tgt Ion:264 Resp: 438278
 Ion Ratio Lower Upper
 264 100
 260 23.9 19.1 28.7
 265 21.9 17.5 26.3

