

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012422\
 Data File : BF126633.D
 Acq On : 24 Jan 2022 12:38
 Operator : CG/JU
 Sample : PB142183BL
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB142183BL

Quant Time: Jan 24 13:29:14 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 19 07:04:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	135758	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	536077	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	305561	20.000	ng	0.00
64) Phenanthrene-d10	11.498	188	540620	20.000	ng	0.00
76) Chrysene-d12	14.145	240	444260	20.000	ng	# 0.00
86) Perylene-d12	15.680	264	343733	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.592	112	1234380	119.648	ng	0.01
7) Phenol-d6	6.581	99	1648720	115.022	ng	0.00
23) Nitrobenzene-d5	7.528	82	1271588	92.844	ng	0.00
42) 2,4,6-Tribromophenol	10.798	330	389275	136.130	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1633848	81.890	ng	0.00
79) Terphenyl-d14	13.092	244	1982333	74.841	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012422\
Data File : BF126633.D
Acq On : 24 Jan 2022 12:38
Operator : CG/JU
Sample : PB142183BL
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB142183BL

Quant Time: Jan 24 13:29:14 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 19 07:04:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38




Instrument :
BNA_F
ClientSampleId :
PB142183BL


Tgt Ion:152 Resp: 135758
Ion Ratio Lower Upper
152 100
150 154.6 128.1 192.1
115 70.4 56.7 85.1



#5
2-Fluorophenol
Concen: 119.648 ng
RT: 5.592 min Scan# 596
Delta R.T. 0.012 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38


Tgt Ion:112 Resp: 1234380
Ion Ratio Lower Upper
112 100
64 68.9 49.5 74.3
63 36.4 23.9 35.9#








#7
Phenol-d6
Concen: 115.022 ng
RT: 6.581 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38

Instrument :
BNA_F
ClientSampleId :
PB142183BL






Tgt Ion: 99 Resp: 1648720
Ion Ratio Lower Upper
99 100
42 17.2 14.2 21.4
71 43.2 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38

Tgt Ion: 136 Resp: 536077
Ion Ratio Lower Upper
136 100
137 10.5 8.6 13.0
54 9.1 7.8 11.6
68 8.4 6.3 9.5









#23
Nitrobenzene-d5
Concen: 92.844 ng
RT: 7.528 min Scan# 91
Delta R.T. -0.006 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38




Instrument :
BNA_F
ClientSampleId :
PB142183BL


Tgt Ion: 82 Resp: 1271588
Ion Ratio Lower Upper
82 100
128 31.2 32.7 49.1#
54 41.2 41.7 62.5#



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38


Tgt Ion:164 Resp: 305561
Ion Ratio Lower Upper
164 100
162 100.3 81.4 122.0
160 43.0 36.6 54.8








#42
2,4,6-Tribromophenol
Concen: 136.130 ng
RT: 10.798 min Scan# 1481
Delta R.T. -0.000 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38


Instrument :
BNA_F
ClientSampleId :
PB142183BL





Tgt Ion:330 Resp: 389275
Ion Ratio Lower Upper
330 100
332 97.9 76.0 114.0
141 36.5 30.1 45.1




#45
2-Fluorobiphenyl
Concen: 81.890 ng
RT: 9.322 min Scan# 1230
Delta R.T. -0.006 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38



Tgt Ion:172 Resp: 1633848
Ion Ratio Lower Upper
172 100
171 35.2 28.3 42.5
170 24.2 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.498 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38




Instrument :
BNA_F
ClientSampleId :
PB142183BL

Tgt Ion:188 Resp: 540620
Ion Ratio Lower Upper
188 100
94 12.9 10.1 15.1
80 14.5 11.8 17.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.145 min Scan# 2050
Delta R.T. -0.006 min
Lab File: BF126633.D
Acq: 24 Jan 2022 12:38


Tgt Ion:240 Resp: 444260
Ion Ratio Lower Upper
240 100
120 12.3 14.4 21.6#
236 25.1 20.5 30.7








#79
 Terphenyl-d14
 Concen: 74.841 ng
 RT: 13.092 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF126633.D
 Acq: 24 Jan 2022 12:38

Instrument :
 BNA_F
 ClientSampleId :
 PB142183BL



Tgt Ion:244 Resp: 1982333
 Ion Ratio Lower Upper
 244 100
 212 7.5 5.0 7.4#
 122 10.4 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.680 min Scan# 2311
 Delta R.T. 0.006 min
 Lab File: BF126633.D
 Acq: 24 Jan 2022 12:38

Tgt Ion:264 Resp: 343733
 Ion Ratio Lower Upper
 264 100
 260 23.2 19.2 28.8
 265 20.9 17.4 26.2

