

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012422\
 Data File : BF126643.D
 Acq On : 24 Jan 2022 17:10
 Operator : CG/JU
 Sample : N1210-08
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20220030-KEANSBURG-1-MODIFIED-ELUTRIATE

Quant Time: Jan 25 03:13:30 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Jan 19 07:04:14 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	108085	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	415538	20.000	ng	0.00
39) Acenaphthene-d10	10.004	164	229668	20.000	ng	0.00
64) Phenanthrene-d10	11.498	188	397751	20.000	ng	0.00
76) Chrysene-d12	14.145	240	283392	20.000	ng	# 0.00
86) Perylene-d12	15.674	264	230278	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	439204	53.472	ng	0.00
7) Phenol-d6	6.569	99	403542	35.361	ng	-0.01
23) Nitrobenzene-d5	7.522	82	936389	88.202	ng	-0.01
42) 2,4,6-Tribromophenol	10.792	330	234625	109.162	ng	0.00
45) 2-Fluorobiphenyl	9.322	172	1197371	79.844	ng	0.00
79) Terphenyl-d14	13.086	244	1192385	70.572	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF012422\
Data File : BF126643.D
Acq On : 24 Jan 2022 17:10
Operator : CG/JU
Sample : N1210-08
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20220030-KEANSBURG-1-MODIFIED-ELUTRIATE

Quant Time: Jan 25 03:13:30 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF011822.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Jan 19 07:04:14 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 81
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10




Instrument :
BNA_F
ClientSampleId :
20220030-KEANSBURG-1-MODIFIED-ELUTRIATE


Tgt Ion:152 Resp: 108085
Ion Ratio Lower Upper
152 100
150 157.6 128.1 192.1
115 72.1 56.7 85.1



#5
2-Fluorophenol
Concen: 53.472 ng
RT: 5.575 min Scan# 593
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10

Tgt Ion:112 Resp: 439204
Ion Ratio Lower Upper
112 100
64 68.8 49.5 74.3
63 35.4 23.9 35.9









#7
Phenol-d6
Concen: 35.361 ng
RT: 6.569 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10




Instrument :
BNA_F
ClientSampleId :
20220030-KEANSBURG-1-MODIFIED-ELUTRIATE


Tgt Ion: 99 Resp: 403542
Ion Ratio Lower Upper
99 100
42 14.9 14.2 21.4
71 39.5 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1047
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10

Tgt Ion:136 Resp: 415538
Ion Ratio Lower Upper
136 100
137 10.4 8.6 13.0
54 8.6 7.8 11.6
68 7.7 6.3 9.5









#23
Nitrobenzene-d5
Concen: 88.202 ng
RT: 7.522 min Scan# 91
Delta R.T. -0.012 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10




Instrument :
BNA_F
ClientSampleId :
20220030-KEANSBURG-1-MODIFIED-ELUTRIATE


Tgt Ion: 82 Resp: 936389
Ion Ratio Lower Upper
82 100
128 29.3 32.7 49.1#
54 41.8 41.7 62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.004 min Scan# 1346
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10


Tgt Ion:164 Resp: 229668
Ion Ratio Lower Upper
164 100
162 101.6 81.4 122.0
160 44.0 36.6 54.8








#42
2,4,6-Tribromophenol
Concen: 109.162 ng
RT: 10.792 min Scan# 1481
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10


Instrument :
BNA_F
ClientSampleId :
20220030-KEANSBURG-1-MODIFIED-ELUTRIATE





Tgt Ion:330 Resp: 234625
Ion Ratio Lower Upper
330 100
332 96.4 76.0 114.0
141 39.1 30.1 45.1




#45
2-Fluorobiphenyl
Concen: 79.844 ng
RT: 9.322 min Scan# 1230
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10



Tgt Ion:172 Resp: 1197371
Ion Ratio Lower Upper
172 100
171 35.0 28.3 42.5
170 23.7 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.498 min Scan# 1
Delta R.T. -0.000 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10




Instrument :
BNA_F
ClientSampleId :
20220030-KEANSBURG-1-MODIFIED-ELUTRIATE


Tgt Ion:188 Resp: 397751
Ion Ratio Lower Upper
188 100
94 11.3 10.1 15.1
80 12.7 11.8 17.6



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.145 min Scan# 2050
Delta R.T. -0.006 min
Lab File: BF126643.D
Acq: 24 Jan 2022 17:10


Tgt Ion:240 Resp: 283392
Ion Ratio Lower Upper
240 100
120 10.8 14.4 21.6#
236 25.3 20.5 30.7








#79
 Terphenyl-d14
 Concen: 70.572 ng
 RT: 13.086 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF126643.D
 Acq: 24 Jan 2022 17:10

Instrument :
 BNA_F
 ClientSampleId :
 20220030-KEANSBURG-1-MODIFIED-ELUTRIATE



Tgt Ion:244 Resp: 1192385
 Ion Ratio Lower Upper
 244 100
 212 7.4 5.0 7.4
 122 11.0 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.674 min Scan# 2310
 Delta R.T. -0.000 min
 Lab File: BF126643.D
 Acq: 24 Jan 2022 17:10

Tgt Ion:264 Resp: 230278
 Ion Ratio Lower Upper
 264 100
 260 22.5 19.2 28.8
 265 21.2 17.4 26.2

