

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020123\
 Data File : BF132262.D
 Acq On : 01 Feb 2023 16:11
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040

Quant Time: Feb 02 00:54:30 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 01 05:24:37 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.072	152	196528	20.000	ng	0.00
21) Naphthalene-d8	8.360	136	698525	20.000	ng	0.00
39) Acenaphthene-d10	10.125	164	332258	20.000	ng	0.00
64) Phenanthrene-d10	11.619	188	601038	20.000	ng	0.00
76) Chrysene-d12	14.283	240	390297	20.000	ng	# 0.00
86) Perylene-d12	15.865	264	355725	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.684	112	951161	77.795	ng	0.00
7) Phenol-d6	6.684	99	1153021	76.493	ng	0.00
23) Nitrobenzene-d5	7.637	82	965125	76.886	ng	0.00
42) 2,4,6-Tribromophenol	10.913	330	275152	80.529	ng	0.00
45) 2-Fluorobiphenyl	9.436	172	1586161	73.721	ng	0.00
79) Terphenyl-d14	13.213	244	1627711	80.673	ng	0.00
Target Compounds						
						Qvalue
2) 1,4-Dioxane	2.984	88	238361	41.433	ng	98
3) Pyridine	3.749	79	619556	39.697	ng	98
4) n-Nitrosodimethylamine	3.707	42	189283	37.902	ng	95
6) Aniline	6.731	93	786049	38.429	ng	98
8) 2-Chlorophenol	6.854	128	500987	39.563	ng	97
9) Benzaldehyde	6.625	77	324245	37.731	ng	98
10) Phenol	6.695	94	599746	38.441	ng	98
11) bis(2-Chloroethyl)ether	6.801	93	491933	38.312	ng	96
12) 1,3-Dichlorobenzene	7.013	146	530054	39.577	ng	98
13) 1,4-Dichlorobenzene	7.090	146	532455	39.828	ng	99
14) 1,2-Dichlorobenzene	7.243	146	488156	39.153	ng	99
15) Benzyl Alcohol	7.201	79	418521	38.052	ng	98
16) 2,2'-oxybis(1-Chloropr...	7.337	45	495143	36.601	ng	98
17) 2-Methylphenol	7.307	107	427564	38.572	ng	99
18) Hexachloroethane	7.584	117	194468	38.775	ng	93
19) n-Nitroso-di-n-propyla...	7.478	70	299305	34.957	ng	98
20) 3+4-Methylphenols	7.460	107	546142	38.603	ng	99
22) Acetophenone	7.478	105	627299	38.186	ng	98
24) Nitrobenzene	7.654	77	498359	38.861	ng	97
25) Isophorone	7.890	82	893422	37.499	ng	98
26) 2-Nitrophenol	7.966	139	264951	42.416	ng	98
27) 2,4-Dimethylphenol	7.995	122	438770	40.131	ng	98
28) bis(2-Chloroethoxy)met...	8.095	93	562618	38.427	ng	100
29) 2,4-Dichlorophenol	8.207	162	393279	40.514	ng	97
30) 1,2,4-Trichlorobenzene	8.295	180	418462	40.256	ng	98
31) Naphthalene	8.378	128	1344573	39.105	ng	99
32) Benzoic acid	8.090	122	264102	32.633	ng	93
33) 4-Chloroaniline	8.425	127	598065	39.226	ng	98
34) Hexachlorobutadiene	8.489	225	237299	40.607	ng	98
35) Caprolactam	8.795	113	129948	39.268	ng	93
36) 4-Chloro-3-methylphenol	8.889	107	407944	39.009	ng	99
37) 2-Methylnaphthalene	9.072	142	904549	38.838	ng	100
38) 1-Methylnaphthalene	9.172	142	844538	39.020	ng	100
40) 1,2,4,5-Tetrachloroben...	9.236	216	382039	40.859	ng	99
41) Hexachlorocyclopentadiene	9.225	237	228424	41.873	ng	99
43) 2,4,6-Trichlorophenol	9.342	196	273817	40.968	ng	100

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020123\
 Data File : BF132262.D
 Acq On : 01 Feb 2023 16:11
 Operator : CG\JU
 Sample : SSTDCCC040
 Misc :
 ALS Vial : 2 Sample Multiplier: 1


Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Quant Time: Feb 02 00:54:30 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 01 05:24:37 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)
44) 2,4,5-Trichlorophenol	9.384	196	318317	41.378	ng	98
46) 1,1'-Biphenyl	9.536	154	1023870	39.971	ng	99
47) 2-Chloronaphthalene	9.566	162	781727	40.068	ng	99
48) 2-Nitroaniline	9.654	65	226477	39.032	ng	92
49) Acenaphthylene	9.984	152	1265606	39.748	ng	100
50) Dimethylphthalate	9.831	163	916485	39.433	ng	98
51) 2,6-Dinitrotoluene	9.895	165	213622	41.155	ng	93
52) Acenaphthene	10.160	154	785209	39.389	ng	98
53) 3-Nitroaniline	10.066	138	255222	40.545	ng	96
54) 2,4-Dinitrophenol	10.166	184	110858	39.178	ng	# 8
55) Dibenzofuran	10.331	168	1096304	39.141	ng	97
56) 4-Nitrophenol	10.207	139	193823	40.918	ng	92
57) 2,4-Dinitrotoluene	10.301	165	278732	41.338	ng	93
58) Fluorene	10.672	166	827830	38.404	ng	99
59) 2,3,4,6-Tetrachlorophenol	10.442	232	229117	40.853	ng	99
60) Diethylphthalate	10.536	149	913958	39.529	ng	99
61) 4-Chlorophenyl-phenyle...	10.660	204	399553	39.057	ng	96
62) 4-Nitroaniline	10.683	138	238060	39.437	ng	98
63) Azobenzene	10.825	77	843107	37.436	ng	97
65) 4,6-Dinitro-2-methylph...	10.707	198	152174	44.610	ng	90
66) n-Nitrosodiphenylamine	10.778	169	748029	39.745	ng	100
67) 4-Bromophenyl-phenylether	11.154	248	247936	40.285	ng	94
68) Hexachlorobenzene	11.225	284	266150	40.459	ng	96
69) Atrazine	11.301	200	227739	42.069	ng	97
70) Pentachlorophenol	11.413	266	191170	42.296	ng	100
71) Phenanthrene	11.648	178	1234133	39.294	ng	99
72) Anthracene	11.695	178	1253960	39.231	ng	99
73) Carbazole	11.848	167	1143700	39.906	ng	100
74) Di-n-butylphthalate	12.172	149	1359504	40.124	ng	100
75) Fluoranthene	12.842	202	1272368	39.699	ng	98
77) Benzidine	12.960	184	516027	37.817	ng	100
78) Pyrene	13.077	202	1289152	41.066	ng	99
80) Butylbenzylphthalate	13.683	149	588068	42.401	ng	94
81) Benzo(a)anthracene	14.271	228	1084469	39.727	ng	99
82) 3,3'-Dichlorobenzidine	14.230	252	341482	39.276	ng	100
83) Chrysene	14.313	228	1018336	39.839	ng	99
84) Bis(2-ethylhexyl)phtha...	14.242	149	776384	41.414	ng	99
85) Di-n-octyl phthalate	14.877	149	1120957	36.660	ng	99
87) Indeno(1,2,3-cd)pyrene	17.518	276	975362	41.265	ng	99
88) Benzo(b)fluoranthene	15.389	252	892151	39.456	ng	99
89) Benzo(k)fluoranthene	15.424	252	879109	40.731	ng	99
90) Benzo(a)pyrene	15.801	252	841549	39.968	ng	99
91) Dibenzo(a,h)anthracene	17.536	278	792074	41.680	ng	98
92) Benzo(g,h,i)perylene	18.024	276	799574	40.727	ng	98

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Quant Time: Feb 02 00:54:30 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 01 05:24:37 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.072 min Scan# 71
 Delta R.T. -0.000 min
 Lab File: BF132262.D
 Acq: 01 Feb 2023 16:11




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:152 Resp: 196528
 Ion Ratio Lower Upper
 152 100
 150 153.6 124.2 186.2
 115 57.8 47.3 70.9



#2
 1,4-Dioxane
 Concen: 41.433 ng
 RT: 2.984 min Scan# 25
 Delta R.T. 0.023 min
 Lab File: BF132262.D
 Acq: 01 Feb 2023 16:11

Tgt Ion: 88 Resp: 238361
 Ion Ratio Lower Upper
 88 100
 58 61.7 50.2 75.2
 43 19.8 16.9 25.3









#3
Pyridine
Concen: 39.697 ng
RT: 3.749 min Scan# 11
Delta R.T. 0.018 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 619556
Ion Ratio Lower Upper
79 100
52 54.9 45.6 68.4
51 26.6 21.5 32.3



#4
n-Nitrosodimethylamine
Concen: 37.902 ng
RT: 3.707 min Scan# 148
Delta R.T. 0.018 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 42 Resp: 189283
Ion Ratio Lower Upper
42 100
74 188.8 144.6 217.0
44 6.6 5.1 7.7









#5
2-Fluorophenol
Concen: 77.795 ng
RT: 5.684 min Scan# 484
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:112 Resp: 951161
Ion Ratio Lower Upper
112 100
64 47.4 40.0 60.0
63 24.5 20.5 30.7



#6
Aniline
Concen: 38.429 ng
RT: 6.731 min Scan# 662
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 93 Resp: 786049
Ion Ratio Lower Upper
93 100
66 34.5 28.8 43.2
65 17.2 14.2 21.4









#7
Phenol-d6
Concen: 76.493 ng
RT: 6.684 min Scan# 61
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 99 Resp: 1153021
Ion Ratio Lower Upper
99 100
42 11.8 10.1 15.1
71 29.9 24.2 36.4



#8
2-Chlorophenol
Concen: 39.563 ng
RT: 6.854 min Scan# 683
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 128 Resp: 500987
Ion Ratio Lower Upper
128 100
130 32.7 13.3 53.3
64 36.9 20.1 60.1









#9
Benzaldehyde
Concen: 37.731 ng
RT: 6.625 min Scan# 644
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77 Resp: 324245
Ion Ratio Lower Upper
77 100
105 109.6 86.8 126.8
106 105.6 83.8 123.8



#10
Phenol
Concen: 38.441 ng
RT: 6.695 min Scan# 656
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 94 Resp: 599746
Ion Ratio Lower Upper
94 100
65 24.1 5.1 45.1
66 32.1 13.0 53.0









#11
bis(2-Chloroethyl)ether
Concen: 38.312 ng
RT: 6.801 min Scan# 61
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 93 Resp: 491933
Ion Ratio Lower Upper
93 100
63 62.4 46.7 86.7
95 33.7 13.4 53.4



#12
1,3-Dichlorobenzene
Concen: 39.577 ng
RT: 7.013 min Scan# 710
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:146 Resp: 530054
Ion Ratio Lower Upper
146 100
148 64.3 51.8 77.8
75 26.2 23.5 35.3









#13
1,4-Dichlorobenzene
Concen: 39.828 ng
RT: 7.090 min Scan# 711
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:146 Resp: 532455
Ion Ratio Lower Upper
146 100
148 65.1 52.4 78.6
111 41.0 34.0 51.0



#14
1,2-Dichlorobenzene
Concen: 39.153 ng
RT: 7.243 min Scan# 749
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:146 Resp: 488156
Ion Ratio Lower Upper
146 100
148 64.6 51.4 77.0
111 44.7 37.1 55.7









#15
Benzyl Alcohol
Concen: 38.052 ng
RT: 7.201 min Scan# 742
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 79 Resp: 418521
Ion Ratio Lower Upper
79 100
108 83.7 64.6 97.0
77 62.7 50.1 75.1



#16
2,2'-oxybis(1-Chloropropane)
Concen: 36.601 ng
RT: 7.337 min Scan# 765
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11


Tgt Ion: 45 Resp: 495143
Ion Ratio Lower Upper
45 100
77 18.8 0.0 38.0
79 14.5 0.0 33.8








#17
2-Methylphenol
Concen: 38.572 ng
RT: 7.307 min Scan# 70
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040







Tgt Ion:107 Resp: 427564
Ion Ratio Lower Upper
107 100
108 115.5 91.8 137.6
77 41.6 34.2 51.2
79 40.7 33.7 50.5



#18
Hexachloroethane
Concen: 38.775 ng
RT: 7.584 min Scan# 807
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:117 Resp: 194468
Ion Ratio Lower Upper
117 100
119 98.0 76.7 115.1
201 85.0 76.6 114.8









#19
n-Nitroso-di-n-propylamine
Concen: 34.957 ng
RT: 7.478 min Scan# 789
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	70	Resp:	299305
Ion	Ratio	Lower	Upper
70	100		
42	41.7	33.4	50.0
101	11.3	8.2	12.4
130	25.5	18.4	27.6



#20
3+4-Methylphenols
Concen: 38.603 ng
RT: 7.460 min Scan# 786
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:	107	Resp:	546142
Ion	Ratio	Lower	Upper
107	100		
108	92.5	71.6	111.6
77	33.4	13.4	53.4
79	27.4	7.7	47.7









#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.360 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:136 Resp: 698525
Ion Ratio Lower Upper
136 100
137 11.0 8.8 13.2
54 5.6 4.9 7.3
68 5.7 4.7 7.1



#22
Acetophenone
Concen: 38.186 ng
RT: 7.478 min Scan# 789
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:105 Resp: 627299
Ion Ratio Lower Upper
105 100
71 6.9 5.8 8.6
51 18.9 16.2 24.2
120 22.8 18.0 27.0









#23
Nitrobenzene-d5
Concen: 76.886 ng
RT: 7.637 min Scan# 816
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 965125
Ion Ratio Lower Upper
82 100
128 48.7 37.0 55.4
54 38.7 31.5 47.3



#24
Nitrobenzene
Concen: 38.861 ng
RT: 7.654 min Scan# 819
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 77 Resp: 498359
Ion Ratio Lower Upper
77 100
123 51.6 39.5 59.3
65 12.0 9.8 14.8









#25
Isophorone
Concen: 37.499 ng
RT: 7.890 min Scan# 859
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 82 Resp: 893422
Ion Ratio Lower Upper
82 100
95 7.4 5.6 8.4
138 20.0 15.0 22.6



#26
2-Nitrophenol
Concen: 42.416 ng
RT: 7.966 min Scan# 872
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 139 Resp: 264951
Ion Ratio Lower Upper
139 100
109 28.6 23.0 34.6
65 43.3 36.6 55.0









#27
2,4-Dimethylphenol
Concen: 40.131 ng
RT: 7.995 min Scan# 81
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:122 Resp: 438770
Ion Ratio Lower Upper
122 100
107 113.1 91.9 137.9
121 58.2 47.8 71.8



#28
bis(2-Chloroethoxy)methane
Concen: 38.427 ng
RT: 8.095 min Scan# 894
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion: 93 Resp: 562618
Ion Ratio Lower Upper
93 100
95 33.4 26.6 40.0
123 11.8 9.5 14.3





#29

2,4-Dichlorophenol

Concen: 40.514 ng

RT: 8.207 min Scan# 913

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 393279

Ion Ratio Lower Upper

162 100

164 64.2 46.4 86.4

98 34.9 17.8 57.8



#30

1,2,4-Trichlorobenzene

Concen: 40.256 ng

RT: 8.295 min Scan# 928

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:180 Resp: 418462


Ion Ratio Lower Upper

180 100

182 95.3 74.6 112.0

145 30.7 25.3 37.9









#31
Naphthalene
Concen: 39.105 ng
RT: 8.378 min Scan# 943
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:128 Resp: 1344573
Ion Ratio Lower Upper
128 100
129 11.9 9.0 13.4
127 13.4 10.5 15.7



#32
Benzoic acid
Concen: 32.633 ng
RT: 8.090 min Scan# 893
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:122 Resp: 264102
Ion Ratio Lower Upper
122 100
105 119.4 106.3 146.3
77 83.5 70.6 110.6









#33
4-Chloroaniline
Concen: 39.226 ng
RT: 8.425 min Scan# 91
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:	127	Resp:	598065
Ion	Ratio	Lower	Upper
127	100		
129	33.3	26.6	39.8
65	22.9	20.2	30.2
92	17.7	14.2	21.4



#34
Hexachlorobutadiene
Concen: 40.607 ng
RT: 8.489 min Scan# 961
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:	225	Resp:	237299
Ion	Ratio	Lower	Upper
225	100		
223	63.7	50.6	75.8
227	62.6	51.7	77.5









#35
Caprolactam
Concen: 39.268 ng
RT: 8.795 min Scan# 1013
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:113 Resp: 129948
Ion Ratio Lower Upper
113 100
55 127.9 114.7 154.7
56 91.4 81.1 121.1



#36
4-Chloro-3-methylphenol
Concen: 39.009 ng
RT: 8.889 min Scan# 1029
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:107 Resp: 407944
Ion Ratio Lower Upper
107 100
144 25.2 20.5 30.7
142 78.9 63.6 95.4





#37

2-Methylnaphthalene

Concen: 38.838 ng

RT: 9.072 min Scan# 1060

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :





SSTDCCC040

Tgt Ion:142 Resp: 904549

Ion Ratio Lower Upper

142 100

141 87.8 70.1 105.1



#38

1-Methylnaphthalene

Concen: 39.020 ng

RT: 9.172 min Scan# 1077

Delta R.T. -0.000 min

Lab File: BF132262.D




Acq: 01 Feb 2023 16:11


Tgt Ion:142 Resp: 844538

Ion Ratio Lower Upper

142 100

141 91.1 72.6 108.8









#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.125 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:164 Resp: 332258
Ion Ratio Lower Upper
164 100
162 101.8 82.0 123.0
160 46.6 37.1 55.7



#40
1,2,4,5-Tetrachlorobenzene
Concen: 40.859 ng
RT: 9.236 min Scan# 1088
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:216 Resp: 382039
Ion Ratio Lower Upper
216 100
214 79.1 63.6 95.4
179 22.7 18.3 27.5
108 21.0 17.7 26.5









#41
Hexachlorocyclopentadiene
Concen: 41.873 ng
RT: 9.225 min Scan# 1086
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:237 Resp: 228424
Ion Ratio Lower Upper
237 100
235 62.4 43.5 83.5
272 13.3 0.0 33.6



#42
2,4,6-Tribromophenol
Concen: 80.529 ng
RT: 10.913 min Scan# 1373
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:330 Resp: 275152
Ion Ratio Lower Upper
330 100
332 95.2 77.9 116.9
141 36.2 31.0 46.4









#43
2,4,6-Trichlorophenol
Concen: 40.968 ng
RT: 9.342 min Scan# 1106
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:196 Resp: 273817
Ion Ratio Lower Upper
196 100
198 95.4 75.9 113.9
200 30.7 24.7 37.1



#44
2,4,5-Trichlorophenol
Concen: 41.378 ng
RT: 9.384 min Scan# 1113
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:196 Resp: 318317
Ion Ratio Lower Upper
196 100
198 96.3 77.0 115.4
97 47.7 41.2 61.8
132 27.9 23.4 35.2









#45
2-Fluorobiphenyl
Concen: 73.721 ng
RT: 9.436 min Scan# 1122
Delta R.T. -0.001 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:172 Resp: 1586161
Ion Ratio Lower Upper
172 100
171 35.6 28.6 43.0
170 24.1 19.7 29.5



#46
1,1'-Biphenyl
Concen: 39.971 ng
RT: 9.536 min Scan# 1139
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:154 Resp: 1023870
Ion Ratio Lower Upper
154 100
153 40.3 19.9 59.9
76 12.5 0.0 34.0





#47

2-Chloronaphthalene

Concen: 40.068 ng

RT: 9.566 min Scan# 1144

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:162 Resp: 781727

Ion Ratio Lower Upper

162 100

127 41.2 33.3 49.9

164 33.8 26.8 40.2



#48

2-Nitroaniline

Concen: 39.032 ng

RT: 9.654 min Scan# 1159

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion: 65 Resp: 226477


Ion Ratio Lower Upper

65 100

92 82.8 61.0 91.4

138 128.0 95.0 142.4





#49

Acenaphthylene

Concen: 39.748 ng

RT: 9.984 min Scan# 1189

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:152 Resp: 1265606

Ion Ratio Lower Upper

152 100

151 20.0 15.9 23.9

153 13.8 10.9 16.3



#50

Dimethylphthalate

Concen: 39.433 ng

RT: 9.831 min Scan# 1189

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:163 Resp: 916485


Ion Ratio Lower Upper

163 100

194 3.8 3.0 4.4

164 10.6 7.9 11.9









#51
2,6-Dinitrotoluene
Concen: 41.155 ng
RT: 9.895 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 213622
Ion Ratio Lower Upper
165 100
63 46.8 41.5 62.3
89 54.7 48.1 72.1



#52
Acenaphthene
Concen: 39.389 ng
RT: 10.160 min Scan# 1245
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:154 Resp: 785209
Ion Ratio Lower Upper
154 100
153 108.7 88.3 132.5
152 51.9 42.7 64.1









#53
3-Nitroaniline
Concen: 40.545 ng
RT: 10.066 min Scan# 1229
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:138 Resp: 255222
Ion Ratio Lower Upper
138 100
108 9.8 7.6 11.4
92 115.1 88.3 132.5



#54
2,4-Dinitrophenol
Concen: 39.178 ng
RT: 10.166 min Scan# 1246
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:184 Resp: 110858
Ion Ratio Lower Upper
184 100
63 65.4 41.6 62.4#
154 192.0 57.0 85.6#









#55
Dibenzenofuran
Concen: 39.141 ng
RT: 10.331 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:168 Resp: 1096304
Ion Ratio Lower Upper
168 100
139 40.7 34.2 51.4
169 13.4 11.2 16.8



#56
4-Nitrophenol
Concen: 40.918 ng
RT: 10.207 min Scan# 1253
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:139 Resp: 193823
Ion Ratio Lower Upper
139 100
109 66.8 43.3 83.3
65 80.7 52.3 92.3









#57
2,4-Dinitrotoluene
Concen: 41.338 ng
RT: 10.301 min Scan# 1269
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:165 Resp: 278732
Ion Ratio Lower Upper
165 100
63 34.6 30.9 46.3
89 69.1 60.1 90.1
182 2.3 1.9 2.9



#58
Fluorene
Concen: 38.404 ng
RT: 10.672 min Scan# 1332
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:166 Resp: 827830
Ion Ratio Lower Upper
166 100
165 96.8 78.0 117.0
167 13.8 10.8 16.2









#59
2,3,4,6-Tetrachlorophenol
Concen: 40.853 ng
RT: 10.442 min Scan# 1293
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:232 Resp: 229117
Ion Ratio Lower Upper
232 100
131 49.7 40.6 61.0
130 2.4 1.9 2.9
166 32.8 25.8 38.8



#60
Diethylphthalate
Concen: 39.529 ng
RT: 10.536 min Scan# 1309
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:149 Resp: 913958
Ion Ratio Lower Upper
149 100
177 21.9 17.1 25.7
150 12.6 9.9 14.9









#61
4-Chlorophenyl-phenylether
Concen: 39.057 ng
RT: 10.660 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:204 Resp: 399553
Ion Ratio Lower Upper
204 100
206 32.7 26.8 40.2
141 68.6 51.4 77.0



#62
4-Nitroaniline
Concen: 39.437 ng
RT: 10.683 min Scan# 1334
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:138 Resp: 238060
Ion Ratio Lower Upper
138 100
92 48.7 27.7 67.7
108 70.6 48.5 88.5









#63
Azobenzene
Concen: 37.436 ng
RT: 10.825 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion: 77	Resp: 843107
Ion Ratio	Lower Upper
77 100	
182 27.3	4.5 44.5
105 23.9	2.7 42.7
51 22.2	2.8 42.8



#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.619 min Scan# 1493
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:188	Resp: 601038
Ion Ratio	Lower Upper
188 100	
94 11.2	8.2 12.2
80 11.2	8.3 12.5









#65
4,6-Dinitro-2-methylphenol
Concen: 44.610 ng
RT: 10.707 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:198 Resp: 152174
Ion Ratio Lower Upper
198 100
51 39.5 13.1 53.1
105 51.6 26.0 66.0



#66
n-Nitrosodiphenylamine
Concen: 39.745 ng
RT: 10.778 min Scan# 1350
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:169 Resp: 748029
Ion Ratio Lower Upper
169 100
168 65.8 52.6 79.0
167 36.8 29.5 44.3









#67
4-Bromophenyl-phenylether
Concen: 40.285 ng
RT: 11.154 min Scan# 1414
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:248 Resp: 247936
Ion Ratio Lower Upper
248 100
250 96.9 78.6 117.8
141 86.8 61.6 92.4



#68
Hexachlorobenzene
Concen: 40.459 ng
RT: 11.225 min Scan# 1426
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:284 Resp: 266150
Ion Ratio Lower Upper
284 100
142 36.2 32.2 48.4
249 30.3 25.0 37.6





#69

Atrazine

Concen: 42.069 ng

RT: 11.301 min Scan# 1439

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:200 Resp: 227739

Ion Ratio Lower Upper

200 100

173 26.9 5.1 45.1

215 45.5 27.6 67.6



#70

Pentachlorophenol

Concen: 42.296 ng

RT: 11.413 min Scan# 1458

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:266 Resp: 191170


Ion Ratio Lower Upper

266 100

268 65.9 53.0 79.4

264 63.1 50.5 75.7









#71
Phenanthrene
Concen: 39.294 ng
RT: 11.648 min Scan# 1498
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:178 Resp: 1234133
Ion Ratio Lower Upper
178 100
176 19.9 16.2 24.4
179 15.8 12.8 19.2



#72
Anthracene
Concen: 39.231 ng
RT: 11.695 min Scan# 1506
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:178 Resp: 1253960
Ion Ratio Lower Upper
178 100
176 19.6 15.4 23.2
179 16.1 12.8 19.2









#73
 Carbazole
 Concen: 39.906 ng
 RT: 11.848 min Scan# 1532
 Delta R.T. -0.000 min
 Lab File: BF132262.D
 Acq: 01 Feb 2023 16:11




Instrument :
 BNA_F
 ClientSampleId :
 SSTDCCC040


Tgt Ion:167 Resp: 1143700
 Ion Ratio Lower Upper
 167 100
 166 21.5 17.4 26.0
 139 14.3 11.4 17.2



#74
 Di-n-butylphthalate
 Concen: 40.124 ng
 RT: 12.172 min Scan# 1587
 Delta R.T. -0.000 min
 Lab File: BF132262.D
 Acq: 01 Feb 2023 16:11

Tgt Ion:149 Resp: 1359504
 Ion Ratio Lower Upper
 149 100
 150 9.7 7.8 11.8
 104 5.1 4.3 6.5









#75
Fluoranthene
Concen: 39.699 ng
RT: 12.842 min Scan# 1702
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:202 Resp: 1272368
Ion Ratio Lower Upper
202 100
101 13.8 0.0 32.7
203 18.5 0.0 37.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.283 min Scan# 1946
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:240 Resp: 390297
Ion Ratio Lower Upper
240 100
120 13.6 8.8 13.2#
236 26.0 21.0 31.6









#77
Benzidine
Concen: 37.817 ng
RT: 12.960 min Scan# 1721
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:184 Resp: 516027
Ion Ratio Lower Upper
184 100
185 15.7 12.6 18.8
183 11.1 8.9 13.3



#78
Pyrene
Concen: 41.066 ng
RT: 13.077 min Scan# 1741
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:202 Resp: 1289152
Ion Ratio Lower Upper
202 100
200 22.0 17.3 25.9
203 18.3 14.4 21.6





#79

Terphenyl-d14

Concen: 80.673 ng

RT: 13.213 min Scan# 1

Delta R.T. -0.000 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:244 Resp: 1627711

Ion Ratio Lower Upper

244 100

212 7.9 6.4 9.6

122 12.2 10.5 15.7



#80

Butylbenzylphthalate

Concen: 42.401 ng

RT: 13.683 min Scan# 1844

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:149 Resp: 588068


Ion Ratio Lower Upper

149 100

91 73.7 55.0 82.6

206 17.8 15.9 23.9









#81
Benzo(a)anthracene
Concen: 39.727 ng
RT: 14.271 min Scan# 1944
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 1084469
Ion Ratio Lower Upper
228 100
226 27.8 22.0 33.0
229 20.5 15.8 23.6



#82
3,3'-Dichlorobenzidine
Concen: 39.276 ng
RT: 14.230 min Scan# 1937
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:252 Resp: 341482
Ion Ratio Lower Upper
252 100
254 64.5 51.6 77.4
126 12.2 10.5 15.7









#83
Chrysene
Concen: 39.839 ng
RT: 14.313 min Scan# 1951
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11




Instrument :
BNA_F
ClientSampleId :
SSTDCCC040


Tgt Ion:228 Resp: 1018336
Ion Ratio Lower Upper
228 100
226 30.9 24.9 37.3
229 20.1 16.4 24.6



#84
Bis(2-ethylhexyl)phthalate
Concen: 41.414 ng
RT: 14.242 min Scan# 1939
Delta R.T. -0.000 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:149 Resp: 776384
Ion Ratio Lower Upper
149 100
167 26.5 20.7 31.1
279 3.5 2.7 4.1





#85

Di-n-octyl phthalate

Concen: 36.660 ng

RT: 14.877 min Scan# 2047

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:149 Resp: 1120957

Ion Ratio Lower Upper

149 100

167 1.5 1.2 1.8

43 6.9 5.9 8.9



#86

Perylene-d12

Concen: 20.000 ng

RT: 15.865 min Scan# 2215

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:264 Resp: 355725


Ion Ratio Lower Upper

264 100

260 23.7 19.0 28.4

265 21.9 17.4 26.2





#87

Indeno(1,2,3-cd)pyrene

Concen: 41.265 ng

RT: 17.518 min Scan# 2496

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:276 Resp: 975362

Ion Ratio Lower Upper

276 100

138 28.7 23.3 34.9

277 24.8 20.0 30.0



#88

Benzo(b)fluoranthene

Concen: 39.456 ng

RT: 15.389 min Scan# 2134

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:252 Resp: 892151


Ion Ratio Lower Upper

252 100

253 22.5 18.1 27.1

125 12.4 9.6 14.4





#89

Benzo(k)fluoranthene

Concen: 40.731 ng

RT: 15.424 min Scan# 2141

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11

Instrument :

BNA_F

ClientSampleId :

SSTDCCC040





Tgt Ion:252 Resp: 879109

Ion Ratio Lower Upper

252 100

253 22.5 18.2 27.2

125 11.8 9.0 13.6



#90

Benzo(a)pyrene

Concen: 39.968 ng

RT: 15.801 min Scan# 2204

Delta R.T. -0.006 min

Lab File: BF132262.D

Acq: 01 Feb 2023 16:11




Tgt Ion:252 Resp: 841549


Ion Ratio Lower Upper

252 100

253 21.9 17.8 26.8

125 12.8 10.2 15.4









#91
Dibenzo(a,h)anthracene
Concen: 41.680 ng
RT: 17.536 min Scan# 2499
Delta R.T. -0.012 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Instrument :
BNA_F
ClientSampleId :
SSTDCCC040

Tgt Ion:278 Resp: 792074
Ion Ratio Lower Upper
278 100
139 18.4 14.2 21.2
279 23.6 19.6 29.4



#92
Benzo(g,h,i)perylene
Concen: 40.727 ng
RT: 18.024 min Scan# 2582
Delta R.T. -0.006 min
Lab File: BF132262.D
Acq: 01 Feb 2023 16:11

Tgt Ion:276 Resp: 799574
Ion Ratio Lower Upper
276 100
277 23.5 19.4 29.2
138 23.9 20.3 30.5

