

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020123\
 Data File : BF132268.D
 Acq On : 01 Feb 2023 19:31
 Operator : CG\JU
 Sample : 01333-04
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-11

Quant Time: Feb 02 00:56:29 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Feb 01 05:24:37 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	7.066	152	178241	20.000	ng	0.00
21) Naphthalene-d8	8.354	136	681515	20.000	ng	0.00
39) Acenaphthene-d10	10.119	164	334315	20.000	ng	0.00
64) Phenanthrene-d10	11.619	188	554439	20.000	ng	0.00
76) Chrysene-d12	14.277	240	326145	20.000	ng	-0.01
86) Perylene-d12	15.865	264	340836	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.690	112	931232	83.980	ng	0.00
7) Phenol-d6	6.678	99	1137238	83.187	ng	0.00
23) Nitrobenzene-d5	7.631	82	686456	56.051	ng	0.00
42) 2,4,6-Tribromophenol	10.913	330	260653	75.816	ng	0.00
45) 2-Fluorobiphenyl	9.431	172	1203203	55.578	ng	0.00
79) Terphenyl-d14	13.207	244	1011916	60.018	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.242	149	44890	2.866	ng	Qvalue # 97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020123\
Data File : BF132268.D
Acq On : 01 Feb 2023 19:31
Operator : CG\JU
Sample : 01333-04
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-11

Quant Time: Feb 02 00:56:29 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF013123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Feb 01 05:24:37 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 7.066 min Scan# 71
 Delta R.T. -0.006 min
 Lab File: BF132268.D
 Acq: 01 Feb 2023 19:31




Instrument :
 BNA_F
 ClientSampleId :
 MH-11


Tgt Ion:152 Resp: 178241
 Ion Ratio Lower Upper
 152 100
 150 154.7 124.2 186.2
 115 61.3 47.3 70.9



#5
 2-Fluorophenol
 Concen: 83.980 ng
 RT: 5.690 min Scan# 485
 Delta R.T. 0.006 min
 Lab File: BF132268.D
 Acq: 01 Feb 2023 19:31

Tgt Ion:112 Resp: 931232
 Ion Ratio Lower Upper
 112 100
 64 47.2 40.0 60.0
 63 24.3 20.5 30.7









#7
Phenol-d6
Concen: 83.187 ng
RT: 6.678 min Scan# 61
Delta R.T. -0.006 min
Lab File: BF132268.D
Acq: 01 Feb 2023 19:31




Instrument :
BNA_F
ClientSampleId :
MH-11


Tgt Ion: 99 Resp: 1137238
Ion Ratio Lower Upper
99 100
42 12.5 10.1 15.1
71 30.6 24.2 36.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.354 min Scan# 938
Delta R.T. -0.006 min
Lab File: BF132268.D
Acq: 01 Feb 2023 19:31

Tgt Ion:136 Resp: 681515
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 5.9 4.9 7.3
68 5.7 4.7 7.1









#23
Nitrobenzene-d5
Concen: 56.051 ng
RT: 7.631 min Scan# 816
Delta R.T. -0.006 min
Lab File: BF132268.D
Acq: 01 Feb 2023 19:31




Instrument :
BNA_F
ClientSampleId :
MH-11


Tgt Ion: 82 Resp: 686456
Ion Ratio Lower Upper
82 100
128 49.7 37.0 55.4
54 37.6 31.5 47.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.119 min Scan# 1238
Delta R.T. -0.006 min
Lab File: BF132268.D
Acq: 01 Feb 2023 19:31

Tgt Ion: 164 Resp: 334315
Ion Ratio Lower Upper
164 100
162 101.2 82.0 123.0
160 45.6 37.1 55.7





#42

2,4,6-Tribromophenol

Concen: 75.816 ng

RT: 10.913 min Scan# 1374

Delta R.T. -0.006 min

Lab File: BF132268.D

Acq: 01 Feb 2023 19:31

Instrument :

BNA_F

ClientSampleId :

MH-11





Tgt Ion:330 Resp: 260653

Ion Ratio Lower Upper

330 100

332 95.0 77.9 116.9

141 36.6 31.0 46.4



#45

2-Fluorobiphenyl

Concen: 55.578 ng

RT: 9.431 min Scan# 1121

Delta R.T. -0.006 min

Lab File: BF132268.D

Acq: 01 Feb 2023 19:31




Tgt Ion:172 Resp: 1203203


Ion Ratio Lower Upper

172 100

171 35.3 28.6 43.0

170 24.2 19.7 29.5





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.619 min Scan# 1493

Delta R.T. -0.006 min

Lab File: BF132268.D

Acq: 01 Feb 2023 19:31

Instrument :

BNA_F

ClientSampleId :

MH-11





Tgt Ion:188 Resp: 554439

Ion Ratio Lower Upper

188 100

94 9.5 8.2 12.2

80 9.7 8.3 12.5



#76

Chrysene-d12

Concen: 20.000 ng

RT: 14.277 min Scan# 1945

Delta R.T. -0.012 min

Lab File: BF132268.D

Acq: 01 Feb 2023 19:31




Tgt Ion:240 Resp: 326145


Ion Ratio Lower Upper

240 100

120 13.1 8.8 13.2

236 25.8 21.0 31.6





#79

Terphenyl-d14

Concen: 60.018 ng

RT: 13.207 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF132268.D

Acq: 01 Feb 2023 19:31

Instrument :

BNA_F

ClientSampleId :

MH-11





Tgt Ion:244 Resp: 1011916

Ion Ratio Lower Upper

244 100

212 7.4 6.4 9.6

122 13.1 10.5 15.7



#84

Bis(2-ethylhexyl)phthalate

Concen: 2.866 ng

RT: 14.242 min Scan# 1939

Delta R.T. -0.000 min

Lab File: BF132268.D

Acq: 01 Feb 2023 19:31




Tgt Ion:149 Resp: 44890


Ion Ratio Lower Upper

149 100

167 27.3 20.7 31.1


279 4.7 2.7 4.1#





#86
Perylene-d12
Concen: 20.000 ng
RT: 15.865 min Scan# 21
Delta R.T. -0.006 min
Lab File: BF132268.D
Acq: 01 Feb 2023 19:31

Instrument :
BNA_F
ClientSampleId :
MH-11



Tgt Ion:264 Resp: 340836

Ion	Ratio	Lower	Upper
264	100		
260	23.5	19.0	28.4
265	21.4	17.4	26.2

