

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020921\
 Data File : BF123164.D
 Acq On : 9 Feb 2021 14:51
 Operator : JU/CG
 Sample : M1340-01
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 CHRT-26586

Quant Time: Feb 09 15:29:56 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jan 29 12:29:00 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.892	152	169785	20.00	ng	0.00
21) Naphthalene-d8	8.175	136	663792	20.00	ng	0.00
39) Acenaphthene-d10	9.939	164	336277	20.00	ng	0.00
64) Phenanthrene-d10	11.433	188	594085	20.00	ng	0.00
76) Chrysene-d12	14.086	240	468490	20.00	ng	0.00
86) Perylene-d12	15.580	264	422391	20.00	ng	0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	1191343	108.24	ng	0.01
7) Phenol-d6	6.522	99	1562973	104.76	ng	0.00
23) Nitrobenzene-d5	7.457	82	997348	75.62	ng	0.00
42) 2,4,6-Tribromophenol	10.733	330	422897	115.85	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	1936005	85.58	ng	0.00
79) Terphenyl-d14	13.033	244	2340606	98.16	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.063	149	52053	2.57	ng	Qvalue # 94

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF020921\
Data File : BF123164.D
Acq On : 9 Feb 2021 14:51
Operator : JU/CG
Sample : M1340-01
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
CHRT-26586

Quant Time: Feb 09 15:29:56 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jan 29 12:29:00 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.892 min Scan# 817
Delta R.T. 0.000 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51




Instrument :
BNA_F
ClientSampleId :
CHRT-26586


Tgt Ion:152 Resp: 169785
Ion Ratio Lower Upper
152 100
150 155.0 125.8 188.6
115 61.1 49.3 73.9



#5
2-Fluorophenol
Concen: 108.24 ng
RT: 5.516 min Scan# 583
Delta R.T. 0.012 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51

Tgt Ion:112 Resp: 1191343
Ion Ratio Lower Upper
112 100
64 56.5 46.9 70.3
63 30.1 24.5 36.7









#7
Phenol-d6
Concen: 104.76 ng
RT: 6.522 min Scan# 754
Delta R.T. 0.006 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51

Instrument :
BNA_F
ClientSampleId :
CHRT-26586

Tgt Ion: 99 Resp: 1562973




Ion	Ratio	Lower	Upper
99	100		
42	17.2	13.8	20.6
71	34.3	26.9	40.3




#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.175 min Scan# 1035
Delta R.T. -0.006 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51

Tgt Ion: 136 Resp: 663792

Ion	Ratio	Lower	Upper
136	100		
137	11.4	8.8	13.2
54	8.0	5.5	8.3
68	5.8	4.6	6.8





#23

Nitrobenzene-d5

Concen: 75.62 ng

RT: 7.457 min Scan# 913

Delta R.T. -0.006 min

Lab File: BF123164.D

Acq: 9 Feb 2021 14:51

Instrument :

BNA_F

ClientSampleId :

CHRT-26586





Tgt Ion: 82 Resp: 997348

Ion Ratio Lower Upper

82 100

128 46.8 37.0 55.4

54 46.5 38.4 57.6



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.939 min Scan# 1335

Delta R.T. 0.000 min

Lab File: BF123164.D

Acq: 9 Feb 2021 14:51




Tgt Ion:164 Resp: 336277


Ion Ratio Lower Upper

164 100

162 102.7 80.8 121.2

160 43.7 35.4 53.0









#42
2,4,6-Tribromophenol
Concen: 115.85 ng
RT: 10.733 min Scan# 1470
Delta R.T. -0.000 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51




Instrument :
BNA_F
ClientSampleId :
CHRT-26586


Tgt Ion:330 Resp: 422897
Ion Ratio Lower Upper
330 100
332 95.4 77.5 116.3
141 31.0 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 85.58 ng
RT: 9.257 min Scan# 1219
Delta R.T. -0.006 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51

Tgt Ion:172 Resp: 1936005
Ion Ratio Lower Upper
172 100
171 37.0 29.6 44.4
170 24.3 19.5 29.3





#64

Phenanthrene-d10

Concen: 20.00 ng

RT: 11.433 min Scan# 1589

Delta R.T. 0.000 min

Lab File: BF123164.D

Acq: 9 Feb 2021 14:51

Instrument :

BNA_F

ClientSampleId :

CHRT-26586





Tgt Ion:188 Resp: 594085

Ion Ratio Lower Upper

188 100

94 10.6 7.4 11.2

80 11.7 8.2 12.4



#76

Chrysene-d12

Concen: 20.00 ng

RT: 14.086 min Scan# 2040

Delta R.T. -0.000 min

Lab File: BF123164.D

Acq: 9 Feb 2021 14:51




Tgt Ion:240 Resp: 468490


Ion Ratio Lower Upper

240 100

120 10.1 8.6 12.8

236 25.7 20.3 30.5









#79
Terphenyl-d14
Concen: 98.16 ng
RT: 13.033 min Scan# 1861
Delta R.T. 0.006 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51




Instrument :
BNA_F
ClientSampleId :
CHRT-26586


Tgt Ion:244 Resp: 2340606
Ion Ratio Lower Upper
244 100
212 7.3 5.7 8.5
122 10.2 8.3 12.5



#84
Bis(2-ethylhexyl)phthalate
Concen: 2.57 ng
RT: 14.063 min Scan# 2036
Delta R.T. -0.000 min
Lab File: BF123164.D
Acq: 9 Feb 2021 14:51

Tgt Ion:149 Resp: 52053
Ion Ratio Lower Upper
149 100
167 30.3 21.4 32.2
279 5.8 3.4 5.0#





#86

Perylene-d12

Concen: 20.00 ng

RT: 15.580 min Scan# 2294

Delta R.T. 0.012 min

Lab File: BF123164.D

Acq: 9 Feb 2021 14:51




Tgt Ion:264 Resp: 422391

Ion Ratio Lower Upper

264 100

260 23.5 18.6 28.0

265 21.8 17.0 25.6



Instrument :

BNA_F

ClientSampleId :

CHRT-26586