

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021121\
 Data File : BF123190.D
 Acq On : 11 Feb 2021 17:35
 Operator : JU/CG
 Sample : M1367-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 EXTERIOR-CONCRETE-2

Quant Time: Feb 11 18:03:53 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Feb 11 14:10:38 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.881	152	139129	20.00	ng	0.00
21) Naphthalene-d8	8.163	136	537586	20.00	ng	0.00
39) Acenaphthene-d10	9.922	164	282145	20.00	ng	0.00
64) Phenanthrene-d10	11.416	188	491449	20.00	ng	0.00
76) Chrysene-d12	14.063	240	354882	20.00	ng	-0.01
86) Perylene-d12	15.545	264	344995	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.493	112	237337	26.31	ng	0.00
7) Phenol-d6	6.504	99	821558	67.20	ng	0.00
23) Nitrobenzene-d5	7.440	82	619818	58.03	ng	0.00
42) 2,4,6-Tribromophenol	10.716	330	6866	2.24	ng	0.00
45) 2-Fluorobiphenyl	9.245	172	1155115	60.86	ng	0.00
79) Terphenyl-d14	13.004	244	1133988	62.78	ng	0.00
Target Compounds						
50) Dimethylphthalate	9.634	163	45639	2.06	ng	Qvalue 100


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF021121\
Data File : BF123190.D
Acq On : 11 Feb 2021 17:35
Operator : JU/CG
Sample : M1367-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
EXTERIOR-CONCRETE-2

Quant Time: Feb 11 18:03:53 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF012721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Feb 11 14:10:38 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.881 min Scan# 815
Delta R.T. -0.006 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35




Instrument :
BNA_F
ClientSampleId :
EXTERIOR-CONCRETE-2


Tgt Ion:152 Resp: 139129
Ion Ratio Lower Upper
152 100
150 155.0 125.8 188.6
115 60.4 49.3 73.9



#5
2-Fluorophenol
Concen: 26.31 ng
RT: 5.493 min Scan# 579
Delta R.T. -0.006 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35

Tgt Ion:112 Resp: 237337
Ion Ratio Lower Upper
112 100
64 57.5 46.9 70.3
63 29.5 24.5 36.7









#7
Phenol-d6
Concen: 67.20 ng
RT: 6.504 min Scan# 751
Delta R.T. -0.006 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35




Instrument :
BNA_F
ClientSampleId :
EXTERIOR-CONCRETE-2


Tgt Ion: 99 Resp: 821558
Ion Ratio Lower Upper
99 100
42 17.3 13.8 20.6
71 35.7 26.9 40.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.163 min Scan# 1033
Delta R.T. -0.006 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35

Tgt Ion: 136 Resp: 537586
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 7.9 5.5 8.3
68 5.7 4.6 6.8





#23

Nitrobenzene-d5

Concen: 58.03 ng

RT: 7.440 min Scan# 910

Delta R.T. -0.006 min

Lab File: BF123190.D

Acq: 11 Feb 2021 17:35

Tgt Ion: 82 Resp: 619818





Ion	Ratio	Lower	Upper
82	100		
128	43.3	37.0	55.4
54	48.7	38.4	57.6

Instrument :

BNA_F

ClientSampleId :

EXTERIOR-CONCRETE-2



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.922 min Scan# 1332




Delta R.T. -0.006 min


Lab File: BF123190.D

Acq: 11 Feb 2021 17:35

Tgt Ion:164 Resp: 282145

Ion	Ratio	Lower	Upper
164	100		
162	102.1	80.8	121.2
160	43.2	35.4	53.0









#42
2,4,6-Tribromophenol
Concen: 2.24 ng
RT: 10.716 min Scan# 1467
Delta R.T. -0.006 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35




Instrument :
BNA_F
ClientSampleId :
EXTERIOR-CONCRETE-2


Tgt Ion: 330 Resp: 6866
Ion Ratio Lower Upper
330 100
332 97.1 77.5 116.3
141 33.5 23.8 35.8



#45
2-Fluorobiphenyl
Concen: 60.86 ng
RT: 9.245 min Scan# 1217
Delta R.T. -0.000 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35

Tgt Ion: 172 Resp: 1155115
Ion Ratio Lower Upper
172 100
171 36.7 29.6 44.4
170 24.0 19.5 29.3









#50
Dimethylphthalate
Concen: 2.06 ng
RT: 9.634 min Scan# 1283
Delta R.T. -0.018 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35




Instrument :
BNA_F
ClientSampleId :
EXTERIOR-CONCRETE-2


Tgt Ion:163 Resp: 45639
Ion Ratio Lower Upper
163 100
194 4.1 3.4 5.0
164 10.0 8.1 12.1



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.416 min Scan# 1586
Delta R.T. -0.000 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35

Tgt Ion:188 Resp: 491449
Ion Ratio Lower Upper
188 100
94 8.8 7.4 11.2
80 9.2 8.2 12.4









#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.063 min Scan# 2036
Delta R.T. -0.012 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35




Instrument :
BNA_F
ClientSampleId :
EXTERIOR-CONCRETE-2


Tgt Ion:240 Resp: 354882
Ion Ratio Lower Upper
240 100
120 9.9 8.6 12.8
236 24.7 20.3 30.5



#79
Terphenyl-d14
Concen: 62.78 ng
RT: 13.004 min Scan# 1856
Delta R.T. -0.006 min
Lab File: BF123190.D
Acq: 11 Feb 2021 17:35


Tgt Ion:244 Resp: 1133988
Ion Ratio Lower Upper
244 100
212 6.9 5.7 8.5
122 11.0 8.3 12.5





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.545 min Scan# 2288
 Delta R.T. -0.006 min
 Lab File: BF123190.D
 Acq: 11 Feb 2021 17:35

Instrument :
 BNA_F
 ClientSampleId :
 EXTERIOR-CONCRETE-2



Tgt Ion:264 Resp: 344995
 Ion Ratio Lower Upper
 264 100
 260 24.3 18.6 28.0
 265 21.0 17.0 25.6

