

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022021\
 Data File : BF123242.D
 Acq On : 20 Feb 2021 11:42
 Operator : JU/CG
 Sample : PB134747TB
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB134747TB

Quant Time: Feb 22 03:15:18 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF021921.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Feb 19 16:08:53 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.857	152	139127	20.00	ng	0.00
21) Naphthalene-d8	8.139	136	556277	20.00	ng	0.00
39) Acenaphthene-d10	9.898	164	368199	20.00	ng	0.00
64) Phenanthrene-d10	11.392	188	553736	20.00	ng	0.00
76) Chrysene-d12	14.039	240	484829	20.00	ng	0.00
86) Perylene-d12	15.515	264	472509	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	1213344	125.53	ng	0.01
7) Phenol-d6	6.487	99	1555264	118.44	ng	0.00
23) Nitrobenzene-d5	7.416	82	1026133	84.44	ng	-0.01
42) 2,4,6-Tribromophenol	10.692	330	365593	97.51	ng	0.00
45) 2-Fluorobiphenyl	9.222	172	1967410	76.75	ng	0.00
79) Terphenyl-d14	12.986	244	1843188	73.10	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF022021\
Data File : BF123242.D
Acq On : 20 Feb 2021 11:42
Operator : JU/CG
Sample : PB134747TB
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB134747TB

Quant Time: Feb 22 03:15:18 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF021921.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Feb 19 16:08:53 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.857 min Scan# 811
Delta R.T. 0.000 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42




Instrument :
BNA_F
ClientSampleId :
PB134747TB


Tgt Ion:152 Resp: 139127
Ion Ratio Lower Upper
152 100
150 154.0 125.8 188.6
115 67.2 49.3 73.9



#5
2-Fluorophenol
Concen: 125.53 ng
RT: 5.487 min Scan# 578
Delta R.T. 0.012 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42

Tgt Ion:112 Resp: 1213344
Ion Ratio Lower Upper
112 100
64 63.5 46.9 70.3
63 34.0 24.5 36.7









#7
Phenol-d6
Concen: 118.44 ng
RT: 6.487 min Scan# 748
Delta R.T. -0.006 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42




Instrument :
BNA_F
ClientSampleId :
PB134747TB


Tgt Ion: 99 Resp: 1555264
Ion Ratio Lower Upper
99 100
42 19.5 13.8 20.6
71 38.9 26.9 40.3



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.139 min Scan# 1029
Delta R.T. -0.006 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42

Tgt Ion: 136 Resp: 556277
Ion Ratio Lower Upper
136 100
137 11.2 8.8 13.2
54 8.2 5.5 8.3
68 6.1 4.6 6.8





#23

Nitrobenzene-d5

Concen: 84.44 ng

RT: 7.416 min Scan# 906

Delta R.T. -0.012 min

Lab File: BF123242.D

Acq: 20 Feb 2021 11:42

Tgt Ion: 82 Resp: 1026133





Ion	Ratio	Lower	Upper
82	100		
128	38.7	37.0	55.4
54	50.4	38.4	57.6

Instrument :

BNA_F

ClientSampleId :

PB134747TB



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.898 min Scan# 1328




Delta R.T. -0.006 min


Lab File: BF123242.D

Acq: 20 Feb 2021 11:42

Tgt Ion:164 Resp: 368199

Ion	Ratio	Lower	Upper
164	100		
162	103.3	80.8	121.2
160	47.2	35.4	53.0









#42
2,4,6-Tribromophenol
Concen: 97.51 ng
RT: 10.692 min Scan# 1463
Delta R.T. -0.006 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42




Instrument :
BNA_F
ClientSampleId :
PB134747TB


Tgt Ion:330 Resp: 365593
Ion Ratio Lower Upper
330 100
332 97.0 77.5 116.3
141 39.8 23.8 35.8#



#45
2-Fluorobiphenyl
Concen: 76.75 ng
RT: 9.222 min Scan# 1213
Delta R.T. 0.000 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42

Tgt Ion:172 Resp: 1967410
Ion Ratio Lower Upper
172 100
171 36.6 29.6 44.4
170 24.2 19.5 29.3









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.392 min Scan# 1582
Delta R.T. 0.000 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42




Instrument :
BNA_F
ClientSampleId :
PB134747TB


Tgt Ion:188 Resp: 553736
Ion Ratio Lower Upper
188 100
94 8.9 7.4 11.2
80 10.1 8.2 12.4



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.039 min Scan# 2032
Delta R.T. -0.006 min
Lab File: BF123242.D
Acq: 20 Feb 2021 11:42

Tgt Ion:240 Resp: 484829
Ion Ratio Lower Upper
240 100
120 10.7 8.6 12.8
236 26.1 20.3 30.5





#79

Terphenyl-d14

Concen: 73.10 ng

RT: 12.986 min Scan# 1853

Delta R.T. 0.000 min

Lab File: BF123242.D

Acq: 20 Feb 2021 11:42





Tgt Ion:244 Resp: 1843188

Ion Ratio Lower Upper

244 100

212 7.4 5.7 8.5

122 12.2 8.3 12.5



#86

Perylene-d12

Concen: 20.00 ng

RT: 15.515 min Scan# 2283

Delta R.T. 0.000 min

Lab File: BF123242.D

Acq: 20 Feb 2021 11:42

Tgt Ion:264 Resp: 472509

Ion Ratio Lower Upper

264 100

260 24.4 18.6 28.0

265 21.2 17.0 25.6

