

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030822\
 Data File : BF127254.D
 Acq On : 08 Mar 2022 13:05
 Operator : CG\JU
 Sample : N1763-04
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 27-28-SAMPLE-LOCATION-14

Quant Time: Mar 08 16:04:38 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Mar 05 02:16:58 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	78707	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	317177	20.000	ng	# 0.00
39) Acenaphthene-d10	9.922	164	170533	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	277507	20.000	ng	# 0.00
76) Chrysene-d12	14.057	240	129867	20.000	ng	# 0.00
86) Perylene-d12	15.551	264	138592	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.504	112	484654	95.172	ng	0.00
7) Phenol-d6	6.510	99	628526	91.469	ng	0.00
23) Nitrobenzene-d5	7.439	82	447469	63.679	ng	-0.01
42) 2,4,6-Tribromophenol	10.716	330	195777	99.710	ng	0.00
45) 2-Fluorobiphenyl	9.239	172	688521	59.438	ng	0.00
79) Terphenyl-d14	12.998	244	527005	59.655	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF030822\
Data File : BF127254.D
Acq On : 08 Mar 2022 13:05
Operator : CG\JU
Sample : N1763-04
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
27-28-SAMPLE-LOCATION-14

Quant Time: Mar 08 16:04:38 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF021622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Mar 05 02:16:58 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05




Instrument : BNA_F
ClientSampleId : 27-28-SAMPLE-LOCATION-14


Tgt Ion:152 Resp: 78707
Ion Ratio Lower Upper
152 100
150 156.1 128.1 192.1
115 68.3 56.7 85.1



#5
2-Fluorophenol
Concen: 95.172 ng
RT: 5.504 min Scan# 547
Delta R.T. 0.006 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05

Tgt Ion:112 Resp: 484654
Ion Ratio Lower Upper
112 100
64 63.9 49.5 74.3
63 35.1 23.9 35.9









#7
Phenol-d6
Concen: 91.469 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05




Instrument :
BNA_F
ClientSampleId :
27-28-SAMPLE-LOCATION-14


Tgt Ion: 99 Resp: 628526
Ion Ratio Lower Upper
99 100
42 19.1 14.2 21.4
71 40.7 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 998
Delta R.T. -0.006 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05

Tgt Ion: 136 Resp: 317177
Ion Ratio Lower Upper
136 100
137 10.8 8.6 13.0
54 8.8 7.8 11.6
68 5.2 6.3 9.5#









#23
Nitrobenzene-d5
Concen: 63.679 ng
RT: 7.439 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05




Instrument :
BNA_F
ClientSampleId :
27-28-SAMPLE-LOCATION-14


Tgt Ion: 82 Resp: 447469
Ion Ratio Lower Upper
82 100
128 39.6 32.7 49.1
54 52.1 41.7 62.5



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.922 min Scan# 1298
Delta R.T. -0.000 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05

Tgt Ion:164 Resp: 170533
Ion Ratio Lower Upper
164 100
162 100.7 81.4 122.0
160 45.5 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 99.710 ng

RT: 10.716 min Scan# 1442

Delta R.T. -0.000 min

Lab File: BF127254.D

Acq: 08 Mar 2022 13:05

Instrument :

BNA_F

ClientSampleId :

27-28-SAMPLE-LOCATION-14





Tgt Ion:330 Resp: 195777

Ion Ratio Lower Upper

330 100

332 94.9 76.0 114.0

141 33.2 30.1 45.1



#45

2-Fluorobiphenyl

Concen: 59.438 ng

RT: 9.239 min Scan# 1182

Delta R.T. -0.000 min

Lab File: BF127254.D

Acq: 08 Mar 2022 13:05




Tgt Ion:172 Resp: 688521


Ion Ratio Lower Upper

172 100

171 34.4 28.3 42.5

170 23.2 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05




Instrument :
BNA_F
ClientSampleId :
27-28-SAMPLE-LOCATION-14


Tgt Ion:188 Resp: 277507
Ion Ratio Lower Upper
188 100
94 9.0 10.1 15.1#
80 10.7 11.8 17.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2001
Delta R.T. -0.006 min
Lab File: BF127254.D
Acq: 08 Mar 2022 13:05

Tgt Ion:240 Resp: 129867
Ion Ratio Lower Upper
240 100
120 10.9 14.4 21.6#
236 25.4 20.5 30.7









#79
 Terphenyl-d14
 Concen: 59.655 ng
 RT: 12.998 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF127254.D
 Acq: 08 Mar 2022 13:05

Instrument :
 BNA_F
 ClientSampleId :
 27-28-SAMPLE-LOCATION-14

Tgt Ion:244 Resp: 527005
 Ion Ratio Lower Upper
 244 100
 212 6.6 5.0 7.4
 122 10.8 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.551 min Scan# 2255
 Delta R.T. 0.006 min
 Lab File: BF127254.D
 Acq: 08 Mar 2022 13:05

Tgt Ion:264 Resp: 138592
 Ion Ratio Lower Upper
 264 100
 260 23.1 19.2 28.8
 265 22.0 17.4 26.2

