

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031622\
 Data File : BF127361.D
 Acq On : 16 Mar 2022 21:55
 Operator : CG\JU
 Sample : N1943-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 DF1

Quant Time: Mar 17 02:36:49 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 10 16:51:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.863	152	81191	20.000	ng	0.00
21) Naphthalene-d8	8.145	136	304403	20.000	ng	#-0.01
39) Acenaphthene-d10	9.904	164	180027	20.000	ng	-0.01
64) Phenanthrene-d10	11.398	188	335307	20.000	ng	# 0.00
76) Chrysene-d12	14.045	240	227366	20.000	ng	# 0.00
86) Perylene-d12	15.527	264	202518	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.487	112	509978	100.974	ng	0.00
7) Phenol-d6	6.498	99	721314	103.819	ng	0.00
23) Nitrobenzene-d5	7.434	82	472064	64.045	ng	0.00
42) 2,4,6-Tribromophenol	10.698	330	195742	101.003	ng	-0.01
45) 2-Fluorobiphenyl	9.222	172	829634	65.153	ng	-0.01
79) Terphenyl-d14	12.986	244	972532	73.654	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031622\
Data File : BF127361.D
Acq On : 16 Mar 2022 21:55
Operator : CG\JU
Sample : N1943-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
DF1

Quant Time: Mar 17 02:36:49 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF031022.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 10 16:51:53 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.863 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127361.D
Acq: 16 Mar 2022 21:55




Instrument :
BNA_F
ClientSampleId :
DF1


Tgt Ion:152 Resp: 81191
Ion Ratio Lower Upper
152 100
150 151.1 128.1 192.1
115 67.6 56.7 85.1



#5
2-Fluorophenol
Concen: 100.974 ng
RT: 5.487 min Scan# 544
Delta R.T. -0.006 min
Lab File: BF127361.D
Acq: 16 Mar 2022 21:55

Tgt Ion:112 Resp: 509978
Ion Ratio Lower Upper
112 100
64 77.7 49.5 74.3#
63 39.8 23.9 35.9#









#7
Phenol-d6
Concen: 103.819 ng
RT: 6.498 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF127361.D
Acq: 16 Mar 2022 21:55




Instrument :
BNA_F
ClientSampleId :
DF1


Tgt Ion: 99 Resp: 721314
Ion Ratio Lower Upper
99 100
42 22.6 14.2 21.4#
71 38.4 24.3 36.5#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.145 min Scan# 996
Delta R.T. -0.012 min
Lab File: BF127361.D
Acq: 16 Mar 2022 21:55

Tgt Ion: 136 Resp: 304403
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 13.1 7.8 11.6#
68 7.4 6.3 9.5





#23

Nitrobenzene-d5

Concen: 64.045 ng

RT: 7.434 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF127361.D

Acq: 16 Mar 2022 21:55

Instrument :

BNA_F

ClientSampleId :

DF1





Tgt Ion: 82 Resp: 472064

Ion Ratio Lower Upper

82 100

128 39.6 32.7 49.1

54 60.7 41.7 62.5



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.904 min Scan# 1295

Delta R.T. -0.012 min

Lab File: BF127361.D

Acq: 16 Mar 2022 21:55




Tgt Ion:164 Resp: 180027


Ion Ratio Lower Upper

164 100

162 101.6 81.4 122.0

160 43.8 36.6 54.8





#42

2,4,6-Tribromophenol

Concen: 101.003 ng

RT: 10.698 min Scan# 1430

Delta R.T. -0.012 min

Lab File: BF127361.D

Acq: 16 Mar 2022 21:55

Instrument :

BNA_F

ClientSampleId :

DF1





Tgt Ion:330 Resp: 195742

Ion Ratio Lower Upper

330 100

332 96.9 76.0 114.0

141 34.0 30.1 45.1



#45

2-Fluorobiphenyl

Concen: 65.153 ng

RT: 9.222 min Scan# 1179

Delta R.T. -0.012 min

Lab File: BF127361.D

Acq: 16 Mar 2022 21:55




Tgt Ion:172 Resp: 829634


Ion Ratio Lower Upper

172 100

171 35.3 28.3 42.5

170 23.4 19.0 28.6









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.398 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127361.D
Acq: 16 Mar 2022 21:55




Instrument :
BNA_F
ClientSampleId :
DF1


Tgt Ion:188 Resp: 335307
Ion Ratio Lower Upper
188 100
94 9.6 10.1 15.1#
80 10.0 11.8 17.6#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.045 min Scan# 1999
Delta R.T. -0.006 min
Lab File: BF127361.D
Acq: 16 Mar 2022 21:55


Tgt Ion:240 Resp: 227366
Ion Ratio Lower Upper
240 100
120 8.7 14.4 21.6#
236 25.5 20.5 30.7








#79
 Terphenyl-d14
 Concen: 73.654 ng
 RT: 12.986 min Scan# 1819
 Delta R.T. -0.006 min
 Lab File: BF127361.D
 Acq: 16 Mar 2022 21:55

Instrument :
 BNA_F
 ClientSampleId :
 DF1



Tgt Ion:244 Resp: 972532
 Ion Ratio Lower Upper
 244 100
 212 7.1 5.0 7.4
 122 8.1 13.3 19.9#



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.527 min Scan# 2251
 Delta R.T. -0.006 min
 Lab File: BF127361.D
 Acq: 16 Mar 2022 21:55

Tgt Ion:264 Resp: 202518
 Ion Ratio Lower Upper
 264 100
 260 23.0 19.2 28.8
 265 22.4 17.4 26.2

