

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031821\
 Data File : BF123393.D
 Acq On : 18 Mar 2021 20:27
 Operator : JU/CG
 Sample : M1686-01RE
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SW-VAN-WINKLE-STREETRE

Quant Time: Mar 19 00:20:13 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF031721.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Mar 18 02:38:45 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.787	152	207680	20.00	ng	0.00
21) Naphthalene-d8	8.075	136	843723	20.00	ng	# 0.00
39) Acenaphthene-d10	9.827	164	407517	20.00	ng	0.00
64) Phenanthrene-d10	11.316	188	613420	20.00	ng	# 0.00
76) Chrysene-d12	13.963	240	334559	20.00	ng	#-0.01
86) Perylene-d12	15.409	264	310950	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.428	112	28329	1.94	ng	0.01
7) Phenol-d6	6.428	99	595415	31.34	ng	-0.02
23) Nitrobenzene-d5	7.351	82	902856	62.85	ng	-0.01
42) 2,4,6-Tribromophenol	0.000	330	0	0.00	ng	
45) 2-Fluorobiphenyl	9.151	172	1412267	67.32	ng	0.00
79) Terphenyl-d14	12.904	244	1059593	61.67	ng	-0.01
Target Compounds						
50) Dimethylphthalate	9.545	163	96374	3.35	ng	Qvalue 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF031821\
Data File : BF123393.D
Acq On : 18 Mar 2021 20:27
Operator : JU/CG
Sample : M1686-01RE
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SW-VAN-WINKLE-STREETRE

Quant Time: Mar 19 00:20:13 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF031721.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Mar 18 02:38:45 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.787 min Scan# 799
Delta R.T. -0.005 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27




Instrument :
BNA_F
ClientSampleId :
SW-VAN-WINKLE-STREETRE


Tgt Ion:152 Resp: 207680
Ion Ratio Lower Upper
152 100
150 157.3 125.8 188.6
115 63.3 49.3 73.9



#5
2-Fluorophenol
Concen: 1.94 ng
RT: 5.428 min Scan# 568
Delta R.T. 0.012 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27

Tgt Ion:112 Resp: 28329
Ion Ratio Lower Upper
112 100
64 61.0 46.9 70.3
63 25.6 24.5 36.7









#7
Phenol-d6
Concen: 31.34 ng
RT: 6.428 min Scan# 738
Delta R.T. -0.017 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27




Instrument :
BNA_F
ClientSampleId :
SW-VAN-WINKLE-STREETRE


Tgt Ion: 99 Resp: 595415
Ion Ratio Lower Upper
99 100
42 19.0 13.8 20.6
71 26.2 26.9 40.3#



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.075 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27

Tgt Ion: 136 Resp: 843723
Ion Ratio Lower Upper
136 100
137 11.1 8.8 13.2
54 8.3 5.5 8.3#
68 6.0 4.6 6.8





#23

Nitrobenzene-d5

Concen: 62.85 ng

RT: 7.351 min Scan# 895

Delta R.T. -0.012 min

Lab File: BF123393.D

Acq: 18 Mar 2021 20:27

Tgt Ion: 82 Resp: 902856

Ion Ratio Lower Upper

82 100

128 46.6 37.0 55.4





54 58.2 38.4 57.6#

Instrument :

BNA_F

ClientSampleId :

SW-VAN-WINKLE-STREETRE



#39

Acenaphthene-d10

Concen: 20.00 ng

RT: 9.827 min Scan# 1316

Delta R.T. -0.006 min

Lab File: BF123393.D

Acq: 18 Mar 2021 20:27




Tgt Ion:164 Resp: 407517


Ion Ratio Lower Upper

164 100

162 99.6 80.8 121.2

160 43.5 35.4 53.0







#42
 2,4,6-Tribromophenol
 Concen: 0.00 ng
 Expected RT: 10.63 min
 Lab File: BF123393.D
 Acq: 18 Mar 2021 20:27

Instrument :
 BNA_F
 ClientSampleId :
 SW-VAN-WINKLE-STREETRE

Tgt Ion: 330




Sig	Exp Ratio
330	100
332	96.9
141	29.8




#45
 2-Fluorobiphenyl
 Concen: 67.32 ng
 RT: 9.151 min Scan# 1201
 Delta R.T. -0.006 min
 Lab File: BF123393.D
 Acq: 18 Mar 2021 20:27

Tgt Ion: 172 Resp: 1412267

Ion	Ratio	Lower	Upper
172	100		
171	35.7	29.6	44.4
170	24.1	19.5	29.3









#50
Dimethylphthalate
Concen: 3.35 ng
RT: 9.545 min Scan# 1268
Delta R.T. -0.018 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27




Instrument :
BNA_F
ClientSampleId :
SW-VAN-WINKLE-STREETRE


Tgt Ion:163 Resp: 96374
Ion Ratio Lower Upper
163 100
194 3.4 3.4 5.0
164 10.4 8.1 12.1



#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.316 min Scan# 1569
Delta R.T. -0.006 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27

Tgt Ion:188 Resp: 613420
Ion Ratio Lower Upper
188 100
94 12.3 7.4 11.2#
80 12.7 8.2 12.4#









#76
Chrysene-d12
Concen: 20.00 ng
RT: 13.963 min Scan# 2019
Delta R.T. -0.012 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27




Instrument :
BNA_F
ClientSampleId :
SW-VAN-WINKLE-STREETRE


Tgt Ion:240 Resp: 334559
Ion Ratio Lower Upper
240 100
120 14.4 8.6 12.8#
236 25.3 20.3 30.5



#79
Terphenyl-d14
Concen: 61.67 ng
RT: 12.904 min Scan# 1839
Delta R.T. -0.012 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27

Tgt Ion:244 Resp: 1059593
Ion Ratio Lower Upper
244 100
212 6.9 5.7 8.5
122 16.5 8.3 12.5#





#86
Perylene-d12
Concen: 20.00 ng
RT: 15.409 min Scan# 2265
Delta R.T. -0.006 min
Lab File: BF123393.D
Acq: 18 Mar 2021 20:27

Instrument :
BNA_F
ClientSampleId :
SW-VAN-WINKLE-STREETRE

Tgt Ion:264 Resp: 310950

Ion	Ratio	Lower	Upper
264	100		
260	24.3	18.6	28.0
265	22.0	17.0	25.6

