

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032421\
 Data File : BF123438.D
 Acq On : 24 Mar 2021 14:36
 Operator : JU/CG
 Sample : M1751-01DL 25X
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 BU-03-031921DL

Quant Time: Mar 24 15:00:32 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Mar 24 12:51:15 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.910	152	242746	20.00	ng	0.00
21) Naphthalene-d8	8.198	136	898281	20.00	ng	# 0.00
39) Acenaphthene-d10	9.957	164	484547	20.00	ng	0.00
64) Phenanthrene-d10	11.451	188	759592	20.00	ng	0.00
76) Chrysene-d12	14.098	240	395929	20.00	ng	-0.01
86) Perylene-d12	15.604	264	478801	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.516	112	51943	3.50	ng	-0.01
7) Phenol-d6	6.522	99	67203	3.40	ng	-0.02
23) Nitrobenzene-d5	7.463	82	39711	2.39	ng	-0.02
42) 2,4,6-Tribromophenol	10.745	330	14879	2.75	ng	-0.01
45) 2-Fluorobiphenyl	9.269	172	79447	2.34	ng	-0.01
79) Terphenyl-d14	13.033	244	57693	2.47	ng	-0.02
Target Compounds						
						Qvalue
31) Naphthalene	8.216	128	514520	10.65	ng	99
33) 4-Chloroaniline	8.216	127	65224	3.29	ng	# 32
37) 2-Methylnaphthalene	8.910	142	85249	2.57	ng	100
49) Acenaphthylene	9.992	152	212705	4.46	ng	# 1
51) 2,6-Dinitrotoluene	9.957	165	66802	9.29	ng	# 31
52) Acenaphthene	9.992	154	399288	13.42	ng	99
55) Dibenzofuran	10.163	168	437565	10.23	ng	98
56) 4-Nitrophenol	10.163	139	165982	27.11	ng	# 15
58) Fluorene	10.504	166	578323	17.91	ng	98
71) Phenanthrene	11.480	178	2556092	60.87	ng	99
72) Anthracene	11.527	178	884204	20.93	ng	98
73) Carbazole	11.675	167	386673	9.69	ng	98
75) Fluoranthene	12.669	202	1812326	39.86	ng	98
78) Pyrene	12.898	202	1387371	40.62	ng	99
81) Benzo(a)anthracene	14.086	228	566939	21.88	ng	98
83) Chrysene	14.121	228	469173	17.54	ng	96
87) Indeno(1,2,3-cd)pyrene	17.121	276	304020	10.22	ng	93
88) Benzo(b)fluoranthene	15.163	252	851643	25.78	ng	99
89) Benzo(k)fluoranthene	15.163	252	851643	27.27	ng	99
90) Benzo(a)pyrene	15.539	252	504889	17.71	ng	98
91) Dibenzo(a,h)anthracene	17.133	278	72033	2.85	ng	95
92) Benzo(g,h,i)perylene	17.580	276	259617	10.27	ng	97


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF032421\
Data File : BF123438.D
Acq On : 24 Mar 2021 14:36
Operator : JU/CG
Sample : M1751-01DL 25X
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Quant Time: Mar 24 15:00:32 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF032321.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Mar 24 12:51:15 2021
Response via : Initial Calibration









1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.910 min Scan# 820
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36




Instrument :
BNA_F
ClientSampleID :
BU-03-031921DL


Tgt Ion:152 Resp: 242746
Ion Ratio Lower Upper
152 100
150 147.0 125.8 188.6
115 62.8 49.3 73.9



2-Fluorophenol
Concen: 3.50 ng
RT: 5.516 min Scan# 583
Delta R.T. -0.012 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:112 Resp: 51943
Ion Ratio Lower Upper
112 100
64 70.0 46.9 70.3
63 32.4 24.5 36.7









Phenol-d6
 Concen: 3.40 ng
 RT: 6.522 min Scan# 754
 Delta R.T. -0.018 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36




Instrument :
 BNA_F
 ClientSampleId :
 BU-03-031921DL

Tgt Ion:	99	Resp:	67203
Ion	Ratio	Lower	Upper
99	100		
42	21.3	13.8	20.6#
71	34.5	26.9	40.3



Naphthalene-d8
 Concen: 20.00 ng
 RT: 8.198 min Scan# 1039
 Delta R.T. 0.000 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36


Tgt Ion:	136	Resp:	898281
Ion	Ratio	Lower	Upper
136	100		
137	11.1	8.8	13.2
54	11.5	5.5	8.3#
68	5.8	4.6	6.8






Abundance Scan 917 (7.481 min): BF123401.D\data.ms (-911) #23

Nitrobenzene-d5
Concen: 2.39 ng
RT: 7.463 min Scan# 914
Delta R.T. -0.018 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL







Tgt Ion:	82	Resp:	39711
Ion	Ratio	Lower	Upper
82	100		
128	38.7	37.0	55.4
54	69.7	38.4	57.6#




Abundance Scan 1043 (8.222 min): BF123401.D\data.ms (-1034) #31

Naphthalene
Concen: 10.65 ng
RT: 8.216 min Scan# 1042
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	128	Resp:	514520
Ion	Ratio	Lower	Upper
128	100		
129	11.4	9.0	13.6
127	13.0	10.7	16.1





Abundance Scan 1051 (8.269 min): BF123401.D\data.ms (-1033)




4-Chloroaniline
Concen: 3.29 ng
RT: 8.216 min Scan# 1042
Delta R.T. -0.053 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL


Tgt Ion:	127	Resp:	65224
Ion	Ratio	Lower	Upper
127	100		
129	87.1	26.2	39.2#
65	0.0	22.2	33.2#
92	0.0	15.3	22.9#



Abundance Scan 1042 (8.216 min): BF123438.D\data.ms (-1000) (-)





Abundance Scan 1161 (8.916 min): BF123401.D\data.ms (-1153)




2-Methylnaphthalene
Concen: 2.57 ng
RT: 8.910 min Scan# 1160
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36


Tgt Ion:	142	Resp:	85249
Ion	Ratio	Lower	Upper
142	100		
141	88.7	70.6	106.0



Abundance Scan 1160 (8.910 min): BF123438.D\data.ms (-1110) (-)






Abundance Scan 1339 (9.963 min): BF123401.D\data.ms (-1339)




Acenaphthene-d10
Concen: 20.00 ng
RT: 9.957 min Scan# 1338
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Tgt Ion:	164	Resp:	484547
Ion Ratio	Lower	Upper	
164	100		
162	102.1	80.8	121.2
160	44.2	35.4	53.0






Abundance Scan 1474 (10.757 min): BF123401.D\data.ms (-1474) (-)




2,4,6-Tribromophenol
Concen: 2.75 ng
RT: 10.745 min Scan# 1472
Delta R.T. -0.012 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	330	Resp:	14879
Ion Ratio	Lower	Upper	
330	100		
332	102.1	77.5	116.3
141	34.4	23.8	35.8






Abundance Scan 1223 (9.281 min): BF123401.D\data.ms (-1216)




2-Fluorobiphenyl
Concen: 2.34 ng
RT: 9.269 min Scan# 1221
Delta R.T. -0.012 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Tgt Ion:	172	Resp:	79447
Ion	Ratio	Lower	Upper
172	100		
171	32.4	29.6	44.4
170	21.9	19.5	29.3






Abundance Scan 1316 (9.828 min): BF123401.D\data.ms (-1304)




Acenaphthylene
Concen: 4.46 ng
RT: 9.992 min Scan# 1344
Delta R.T. 0.165 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	152	Resp:	212705
Ion	Ratio	Lower	Upper
152	100		
151	35.3	16.6	25.0#
153	208.4	10.9	16.3#





Abundance Scan 1301 (9.739 min): BF123401.D\data.ms (-1251-)




2,6-Dinitrotoluene
Concen: 9.29 ng
RT: 9.957 min Scan# 1338
Delta R.T. 0.212 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL


Tgt Ion:	165	Resp:	66802
Ion Ratio	Lower	Upper	
165	100		
63	1.4	36.6	55.0#
89	1.3	39.4	59.0#



Abundance Scan 1338 (9.957 min): BF123438.D\data.ms (-1251-)





Abundance Scan 1345 (9.998 min): BF123401.D\data.ms (-1352-)





Acenaphthene
Concen: 13.42 ng
RT: 9.992 min Scan# 1344
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	154	Resp:	399288
Ion Ratio	Lower	Upper	
154	100		
153	112.7	89.0	133.6
152	54.1	42.7	64.1



Abundance Scan 1344 (9.992 min): BF123438.D\data.ms (-1294-)









Dibenzenofuran
Concen: 10.23 ng
RT: 10.163 min Scan# 1373
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36




Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL


Tgt Ion:	168	Resp:	437565
Ion	Ratio	Lower	Upper
168	100		
139	37.9	31.3	46.9
169	13.6	11.2	16.8



4-Nitrophenol
Concen: 27.11 ng
RT: 10.163 min Scan# 1373
Delta R.T. 0.094 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	139	Resp:	165982
Ion	Ratio	Lower	Upper
139	100		
109	0.8	45.1	85.1#
65	1.4	59.2	99.2#









Scan 1433 (10.516 min): BF123401.D\data.ms (-1458)
 Fluorene
 Concen: 17.91 ng
 RT: 10.504 min Scan# 1431
 Delta R.T. -0.012 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36




Instrument :
 BNA_F
 ClientSampleID :
 BU-03-031921DL

Tgt Ion:	166	Resp:	578323
Ion	Ratio	Lower	Upper
166	100		
165	97.6	79.4	119.0
167	14.1	10.9	16.3




Scan 1592 (11.451 min): BF123401.D\data.ms (-1564)
 Phenanthrene-d10
 Concen: 20.00 ng
 RT: 11.451 min Scan# 1592
 Delta R.T. 0.000 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36

Tgt Ion:	188	Resp:	759592
Ion	Ratio	Lower	Upper
188	100		
94	9.2	7.4	11.2
80	9.0	8.2	12.4






Abundance Scan 1597 (11.480 min): BF123401.D\data.ms (-1550) (-)




Phenanthrene
Concen: 60.87 ng
RT: 11.480 min Scan# 1597
Delta R.T. 0.000 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Tgt Ion:	178	Resp:	2556092
Ion	Ratio	Lower	Upper
178	100		
176	20.9	16.2	24.2
179	15.8	12.7	19.1







Abundance Scan 1606 (11.533 min): BF123401.D\data.ms (-1602) (-)



Anthracene
Concen: 20.93 ng
RT: 11.527 min Scan# 1605
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	178	Resp:	884204
Ion	Ratio	Lower	Upper
178	100		
176	18.8	15.6	23.4
179	15.1	12.8	19.2









Scan 1631 (11.680 min): BF123401.D\data.ms (-1674)
 Carbazole
 Concen: 9.69 ng
 RT: 11.675 min Scan# 1630
 Delta R.T. -0.012 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36




Instrument :
 BNA_F
 ClientSampleID :
 BU-03-031921DL

Tgt Ion:	167	Resp:	386673
Ion	Ratio	Lower	Upper
167	100		
166	21.7	18.0	27.0
139	12.6	10.9	16.3




Scan 1799 (12.669 min): BF123401.D\data.ms (-1749)
 Fluoranthene
 Concen: 39.86 ng
 RT: 12.669 min Scan# 1799
 Delta R.T. -0.006 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36

Tgt Ion:	202	Resp:	1812326
Ion	Ratio	Lower	Upper
202	100		
101	10.7	0.0	32.2
203	18.0	0.0	38.1






Abundance Scan 2043 (14.104 min): BF123401.D\data.ms (-1993) (-)




Chrysene-d12
Concen: 20.00 ng
RT: 14.098 min Scan# 2042
Delta R.T. -0.012 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Tgt Ion:	240	Resp:	395929
Ion	Ratio	Lower	Upper
240	100		
120	10.7	8.6	12.8
236	25.1	20.3	30.5







Abundance Scan 1839 (12.904 min): BF123401.D\data.ms (-1778) (-)



Pyrene
Concen: 40.62 ng
RT: 12.898 min Scan# 1838
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	202	Resp:	1387371
Ion	Ratio	Lower	Upper
202	100		
200	21.8	17.6	26.4
203	18.7	14.6	21.8









Terphenyl-d14
 Concen: 2.47 ng
 RT: 13.033 min Scan# 1861
 Delta R.T. -0.018 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36




Instrument :
 BNA_F
 ClientSampleId :
 BU-03-031921DL


Tgt Ion:	244	Resp:	57693
Ion	Ratio	Lower	Upper
244	100		
212	6.7	5.7	8.5
122	10.8	8.3	12.5



Benzo(a)anthracene
 Concen: 21.88 ng
 RT: 14.086 min Scan# 2040
 Delta R.T. -0.012 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36

Tgt Ion:	228	Resp:	566939
Ion	Ratio	Lower	Upper
228	100		
226	27.2	23.0	34.4
229	19.8	16.6	24.8









#89 (-)
Chrysene
 Concen: 17.54 ng
 RT: 14.121 min Scan# 2046
 Delta R.T. -0.012 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36




Instrument :
 BNA_F
ClientSampleId :
 BU-03-031921DL

Tgt Ion:	228	Resp:	469173
Ion	Ratio	Lower	Upper
228	100		
226	30.0	24.6	36.8
229	23.1	15.8	23.6




#86 (-)
Perylene-d12
 Concen: 20.00 ng
 RT: 15.604 min Scan# 2298
 Delta R.T. -0.006 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36

Tgt Ion:	264	Resp:	478801
Ion	Ratio	Lower	Upper
264	100		
260	22.9	18.6	28.0
265	21.2	17.0	25.6






Abundance Scan 2557 (17.127 min): BF123401.D\data.ms (-2547) (-)




Indeno(1,2,3-cd)pyrene
Concen: 10.22 ng
RT: 17.121 min Scan# 2556
Delta R.T. -0.012 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Tgt Ion:	276	Resp:	304020
Ion	Ratio	Lower	Upper
276	100		
138	18.8	18.7	28.1
277	23.1	20.2	30.4







Abundance Scan 2223 (15.163 min): BF123401.D\data.ms (-2163) (-)



Benzo(b)fluoranthene
Concen: 25.78 ng
RT: 15.163 min Scan# 2223
Delta R.T. -0.006 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	252	Resp:	851643
Ion	Ratio	Lower	Upper
252	100		
253	23.1	18.3	27.5
125	10.5	8.1	12.1









Scan 2229 (15.198 min): BF123401.D\data.ms (-2229) (-)
 Benzo(k)fluoranthene
 Concen: 27.27 ng
 RT: 15.163 min Scan# 2223
 Delta R.T. -0.035 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36




Instrument :
 BNA_F
 ClientSampleId :
 BU-03-031921DL

Tgt Ion:	252	Resp:	851643
Ion	Ratio	Lower	Upper
252	100		
253	23.1	17.8	26.8
125	10.5	8.4	12.6




Scan 2288 (15.545 min): BF123401.D\data.ms (-2288) (-)
 Benzo(a)pyrene
 Concen: 17.71 ng
 RT: 15.539 min Scan# 2287
 Delta R.T. -0.006 min
 Lab File: BF123438.D
 Acq: 24 Mar 2021 14:36

Tgt Ion:	252	Resp:	504889
Ion	Ratio	Lower	Upper
252	100		
253	22.9	17.5	26.3
125	9.9	8.6	12.8






Abundance Scan 2561 (17.151 min): BF123401.D\data.ms (-2548) (-)




Dibenzo(a,h)anthracene
Concen: 2.85 ng
RT: 17.133 min Scan# 2558
Delta R.T. -0.024 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Instrument :
BNA_F
ClientSampleId :
BU-03-031921DL

Tgt Ion:	278	Resp:	72033
Ion	Ratio	Lower	Upper
278	100		
139	14.7	12.0	18.0
279	27.8	19.4	29.2



Abundance Scan 2636 (17.592 min): BF123401.D\data.ms (-2621) (-)



Benzo(g,h,i)perylene
Concen: 10.27 ng
RT: 17.580 min Scan# 2634
Delta R.T. -0.018 min
Lab File: BF123438.D
Acq: 24 Mar 2021 14:36

Tgt Ion:	276	Resp:	259617
Ion	Ratio	Lower	Upper
276	100		
277	22.8	19.3	28.9
138	19.5	16.6	24.8

