

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF040722\
 Data File : BF127683.D
 Acq On : 07 Apr 2022 14:47
 Operator : CG\JU
 Sample : PB143804BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB143804BL

Quant Time: Apr 07 16:54:50 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF040622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 06 13:55:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	145251	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	520948	20.000	ng	0.00
39) Acenaphthene-d10	10.010	164	294542	20.000	ng	0.00
64) Phenanthrene-d10	11.504	188	549203	20.000	ng	0.00
76) Chrysene-d12	14.151	240	445498	20.000	ng	0.00
86) Perylene-d12	15.674	264	328252	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.593	112	936084	104.718	ng	0.01
7) Phenol-d6	6.581	99	1207341	103.243	ng	0.00
23) Nitrobenzene-d5	7.528	82	952204	81.487	ng	0.00
42) 2,4,6-Tribromophenol	10.804	330	391550	124.922	ng	0.00
45) 2-Fluorobiphenyl	9.328	172	1613137	77.478	ng	0.00
79) Terphenyl-d14	13.098	244	1913467	70.895	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF040722\
Data File : BF127683.D
Acq On : 07 Apr 2022 14:47
Operator : CG\JU
Sample : PB143804BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB143804BL


Quant Time: Apr 07 16:54:50 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF040622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 06 13:55:27 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 795
Delta R.T. 0.000 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47

Instrument :
BNA_F
ClientSampleId :
PB143804BL







Tgt Ion:152 Resp: 145251
Ion Ratio Lower Upper
152 100
150 147.0 117.2 175.8
115 62.4 49.8 74.6



#5
2-Fluorophenol
Concen: 104.718 ng
RT: 5.593 min Scan# 562
Delta R.T. 0.012 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47

Tgt Ion:112 Resp: 936084
Ion Ratio Lower Upper
112 100
64 67.0 58.4 87.6
63 37.6 30.1 45.1









#7
Phenol-d6
Concen: 103.243 ng
RT: 6.581 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47




Instrument :
BNA_F
ClientSampleId :
PB143804BL


Tgt Ion: 99 Resp: 1207341
Ion Ratio Lower Upper
99 100
42 21.9 17.8 26.6
71 42.0 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47

Tgt Ion:136 Resp: 520948
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 9.2 9.2 13.8
68 6.2 5.4 8.0









#23
Nitrobenzene-d5
Concen: 81.487 ng
RT: 7.528 min Scan# 891
Delta R.T. -0.006 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47




Instrument :
BNA_F
ClientSampleId :
PB143804BL


Tgt Ion: 82 Resp: 952204
Ion Ratio Lower Upper
82 100
128 36.5 30.6 45.8
54 53.3 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.010 min Scan# 1313
Delta R.T. -0.006 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47


Tgt Ion: 164 Resp: 294542
Ion Ratio Lower Upper
164 100
162 101.0 81.2 121.8
160 45.3 34.6 52.0








#42
2,4,6-Tribromophenol
Concen: 124.922 ng
RT: 10.804 min Scan# 1448
Delta R.T. 0.000 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47

Instrument :
BNA_F
ClientSampleId :
PB143804BL







Tgt Ion:330 Resp: 391550
Ion Ratio Lower Upper
330 100
332 97.4 79.1 118.7
141 34.7 26.2 39.4



#45
2-Fluorobiphenyl
Concen: 77.478 ng
RT: 9.328 min Scan# 1197
Delta R.T. 0.000 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47

Tgt Ion:172 Resp: 1613137
Ion Ratio Lower Upper
172 100
171 35.9 28.4 42.6
170 24.0 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.504 min Scan# 11
Delta R.T. 0.000 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47




Instrument :
BNA_F
ClientSampleId :
PB143804BL


Tgt Ion:188 Resp: 549203
Ion Ratio Lower Upper
188 100
94 7.7 7.4 11.0
80 8.4 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.151 min Scan# 2017
Delta R.T. -0.006 min
Lab File: BF127683.D
Acq: 07 Apr 2022 14:47


Tgt Ion:240 Resp: 445498
Ion Ratio Lower Upper
240 100
120 8.0 7.1 10.7
236 25.9 20.7 31.1








#79
 Terphenyl-d14
 Concen: 70.895 ng
 RT: 13.098 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF127683.D
 Acq: 07 Apr 2022 14:47

Instrument :
 BNA_F
 ClientSampleId :
 PB143804BL



Tgt Ion:244 Resp: 1913467

Ion	Ratio	Lower	Upper
244	100		
212	7.9	5.7	8.5
122	8.4	6.2	9.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.674 min Scan# 2276
 Delta R.T. -0.006 min
 Lab File: BF127683.D
 Acq: 07 Apr 2022 14:47

Tgt Ion:264 Resp: 328252

Ion	Ratio	Lower	Upper
264	100		
260	23.4	19.1	28.7
265	21.2	17.4	26.2

