

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF040722\
 Data File : BF127701.D
 Acq On : 07 Apr 2022 23:53
 Operator : CG\JU
 Sample : N2207-07
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20220351-AMENDED-096-21-03

Quant Time: Apr 08 04:47:00 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF040622.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed Apr 06 13:55:27 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.963	152	127700	20.000	ng	0.00
21) Naphthalene-d8	8.245	136	465475	20.000	ng	# 0.00
39) Acenaphthene-d10	10.010	164	266040	20.000	ng	0.00
64) Phenanthrene-d10	11.498	188	481942	20.000	ng	0.00
76) Chrysene-d12	14.151	240	336026	20.000	ng	0.00
86) Perylene-d12	15.674	264	320680	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.575	112	115226	14.662	ng	0.00
7) Phenol-d6	6.569	99	497815	48.420	ng	-0.01
23) Nitrobenzene-d5	7.522	82	625185	59.878	ng	-0.01
42) 2,4,6-Tribromophenol	10.792	330	24358	8.604	ng	-0.01
45) 2-Fluorobiphenyl	9.322	172	1015195	53.983	ng	0.00
79) Terphenyl-d14	13.092	244	1008912	49.559	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF040722\
Data File : BF127701.D
Acq On : 07 Apr 2022 23:53
Operator : CG\JU
Sample : N2207-07
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20220351-AMENDED-096-21-03

Quant Time: Apr 08 04:47:00 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF040622.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed Apr 06 13:55:27 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.963 min Scan# 795
Delta R.T. 0.000 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53




Instrument :
BNA_F
ClientSampleId :
20220351-AMENDED-096-21-03

Tgt Ion:152 Resp: 127700
Ion Ratio Lower Upper
152 100
150 143.6 117.2 175.8
115 61.9 49.8 74.6



#5
2-Fluorophenol
Concen: 14.662 ng
RT: 5.575 min Scan# 559
Delta R.T. -0.006 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53

Tgt Ion:112 Resp: 115226
Ion Ratio Lower Upper
112 100
64 67.4 58.4 87.6
63 35.2 30.1 45.1









#7
Phenol-d6
Concen: 48.420 ng
RT: 6.569 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53




Instrument :
BNA_F
ClientSampleId :
20220351-AMENDED-096-21-03


Tgt Ion: 99 Resp: 497815
Ion Ratio Lower Upper
99 100
42 21.0 17.8 26.6
71 39.0 29.6 44.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.245 min Scan# 1013
Delta R.T. -0.006 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53

Tgt Ion: 136 Resp: 465475
Ion Ratio Lower Upper
136 100
137 11.0 8.6 13.0
54 8.8 9.2 13.8#
68 6.3 5.4 8.0









#23
Nitrobenzene-d5
Concen: 59.878 ng
RT: 7.522 min Scan# 89
Delta R.T. -0.012 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53




Instrument :
BNA_F
ClientSampleId :
20220351-AMENDED-096-21-03


Tgt Ion: 82 Resp: 625185
Ion Ratio Lower Upper
82 100
128 36.7 30.6 45.8
54 53.6 48.2 72.2



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 10.010 min Scan# 1313
Delta R.T. -0.006 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53

Tgt Ion: 164 Resp: 266040
Ion Ratio Lower Upper
164 100
162 101.8 81.2 121.8
160 45.0 34.6 52.0





#42

2,4,6-Tribromophenol

Concen: 8.604 ng

RT: 10.792 min Scan# 1446

Delta R.T. -0.012 min

Lab File: BF127701.D


Acq: 07 Apr 2022 23:53

Instrument :

BNA_F

ClientSampleId :

20220351-AMENDED-096-21-03






Tgt Ion:330 Resp: 24358

Ion Ratio Lower Upper

330 100

332 99.1 79.1 118.7

141 39.4 26.2 39.4#



#45

2-Fluorobiphenyl

Concen: 53.983 ng

RT: 9.322 min Scan# 1196

Delta R.T. -0.006 min

Lab File: BF127701.D

Acq: 07 Apr 2022 23:53




Tgt Ion:172 Resp: 1015195


Ion Ratio Lower Upper

172 100

171 35.4 28.4 42.6

170 23.9 18.6 27.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.498 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53




Instrument :
BNA_F
ClientSampleId :
20220351-AMENDED-096-21-03


Tgt Ion:188 Resp: 481942
Ion Ratio Lower Upper
188 100
94 9.3 7.4 11.0
80 10.1 8.0 12.0



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.151 min Scan# 2017
Delta R.T. -0.006 min
Lab File: BF127701.D
Acq: 07 Apr 2022 23:53


Tgt Ion:240 Resp: 336026
Ion Ratio Lower Upper
240 100
120 7.2 7.1 10.7
236 25.4 20.7 31.1








#79
 Terphenyl-d14
 Concen: 49.559 ng
 RT: 13.092 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF127701.D
 Acq: 07 Apr 2022 23:53

Instrument :
 BNA_F
 ClientSampleId :
 20220351-AMENDED-096-21-03



Tgt Ion:244 Resp: 1008912
 Ion Ratio Lower Upper
 244 100
 212 7.3 5.7 8.5
 122 8.0 6.2 9.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.674 min Scan# 2276
 Delta R.T. -0.006 min
 Lab File: BF127701.D
 Acq: 07 Apr 2022 23:53

Tgt Ion:264 Resp: 320680
 Ion Ratio Lower Upper
 264 100
 260 24.4 19.1 28.7
 265 20.6 17.4 26.2

