

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF041621\
 Data File : BF123600.D
 Acq On : 16 Apr 2021 19:40
 Operator : JU/CG
 Sample : M2016-03
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TOTE-1750

Quant Time: Apr 17 01:25:25 2021
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF041521.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Apr 16 10:31:33 2021
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	192467	20.00	ng	0.00
21) Naphthalene-d8	8.157	136	790239	20.00	ng	# 0.00
39) Acenaphthene-d10	9.922	164	340671	20.00	ng	0.00
64) Phenanthrene-d10	11.416	188	536322	20.00	ng	# 0.01
76) Chrysene-d12	14.063	240	361405	20.00	ng	# 0.00
86) Perylene-d12	15.574	264	392220	20.00	ng	0.04
System Monitoring Compounds						
5) 2-Fluorophenol	5.528	112	1484050	124.62	ng	0.05
7) Phenol-d6	6.504	99	140431	8.51	ng	0.00
23) Nitrobenzene-d5	7.439	82	1400792	81.49	ng	0.00
42) 2,4,6-Tribromophenol	10.722	330	455039	117.95	ng	0.01
45) 2-Fluorobiphenyl	9.245	172	2086107	91.28	ng	0.00
79) Terphenyl-d14	13.004	244	1388220	74.66	ng	0.00
Target Compounds						
32) Benzoic acid	8.451	122	19794524m	2364.28	ng	Qvalue
50) Dimethylphthalate	9.651	163	201807	8.57	ng	97
84) Bis(2-ethylhexyl)phtha...	14.051	149	102877	6.24	ng	# 85


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF041621\
Data File : BF123600.D
Acq On : 16 Apr 2021 19:40
Operator : JU/CG
Sample : M2016-03
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TOTE-1750

Quant Time: Apr 17 01:25:25 2021
Quant Method : Z:\SVOASRV\HPCHEM1\BNA_F\METHODS\8270-BF041521.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Apr 16 10:31:33 2021
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.00 ng
RT: 6.875 min Scan# 814
Delta R.T. 0.006 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40




Instrument :
BNA_F
ClientSampleId :
TOTE-1750


Tgt Ion:152 Resp: 192467
Ion Ratio Lower Upper
152 100
150 159.8 127.0 190.6
115 66.8 54.3 81.5



#5
2-Fluorophenol
Concen: 124.62 ng
RT: 5.528 min Scan# 585
Delta R.T. 0.047 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40

Tgt Ion:112 Resp: 1484050
Ion Ratio Lower Upper
112 100
64 79.8 61.4 92.0
63 42.6 33.0 49.4









#7
Phenol-d6
Concen: 8.51 ng
RT: 6.504 min Scan# 751
Delta R.T. 0.006 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40




Instrument :
BNA_F
ClientSampleId :
TOTE-1750


Tgt Ion: 99 Resp: 140431
Ion Ratio Lower Upper
99 100
42 28.9 19.8 29.8
71 38.5 31.1 46.7



#21
Naphthalene-d8
Concen: 20.00 ng
RT: 8.157 min Scan# 1032
Delta R.T. 0.000 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40


Tgt Ion: 136 Resp: 790239
Ion Ratio Lower Upper
136 100
137 10.1 8.7 13.1
54 13.2 9.8 14.6
68 6.7 4.1 6.1








#23
Nitrobenzene-d5
Concen: 81.49 ng
RT: 7.439 min Scan# 910
Delta R.T. 0.006 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40

Instrument :
BNA_F
ClientSampleId :
TOTE-1750



Tgt Ion: 82 Resp: 1400792




Ion	Ratio	Lower	Upper
82	100		
128	37.5	29.4	44.2
54	66.0	54.1	81.1




#32
Benzoic acid
Concen: 2364.28 ng m
RT: 8.451 min Scan# 1082
Delta R.T. 0.529 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40

Tgt Ion:122 Resp:19794524

Ion	Ratio	Lower	Upper
122	100		
105	135.3	107.8	147.8
77	110.7	81.6	121.6









#39
Acenaphthene-d10
Concen: 20.00 ng
RT: 9.922 min Scan# 1332
Delta R.T. 0.006 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40




Instrument :
BNA_F
ClientSampleId :
TOTE-1750


Tgt Ion:164 Resp: 340671
Ion Ratio Lower Upper
164 100
162 103.9 80.7 121.1
160 45.7 37.3 55.9



#42
2,4,6-Tribromophenol
Concen: 117.95 ng
RT: 10.722 min Scan# 1468
Delta R.T. 0.012 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40

Tgt Ion:330 Resp: 455039
Ion Ratio Lower Upper
330 100
332 95.6 77.1 115.7
141 32.0 27.9 41.9









#45
2-Fluorobiphenyl
Concen: 91.28 ng
RT: 9.245 min Scan# 1217
Delta R.T. 0.006 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40




Instrument :
BNA_F
ClientSampleId :
TOTE-1750


Tgt Ion:172 Resp: 2086107
Ion Ratio Lower Upper
172 100
171 35.5 28.1 42.1
170 23.7 19.2 28.8



#50
Dimethylphthalate
Concen: 8.57 ng
RT: 9.651 min Scan# 1286
Delta R.T. 0.012 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40

Tgt Ion:163 Resp: 201807
Ion Ratio Lower Upper
163 100
194 4.5 3.1 4.7
164 11.6 8.2 12.2









#64
Phenanthrene-d10
Concen: 20.00 ng
RT: 11.416 min Scan# 1586
Delta R.T. 0.012 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40




Instrument :
BNA_F
ClientSampleId :
TOTE-1750


Tgt Ion:188 Resp: 536322
Ion Ratio Lower Upper
188 100
94 10.5 6.9 10.3#
80 9.8 8.2 12.2



#76
Chrysene-d12
Concen: 20.00 ng
RT: 14.063 min Scan# 2036
Delta R.T. 0.006 min
Lab File: BF123600.D
Acq: 16 Apr 2021 19:40

Tgt Ion:240 Resp: 361405
Ion Ratio Lower Upper
240 100
120 11.5 7.2 10.8#
236 24.0 19.0 28.4









#79
 Terphenyl-d14
 Concen: 74.66 ng
 RT: 13.004 min Scan# 1856
 Delta R.T. 0.006 min
 Lab File: BF123600.D
 Acq: 16 Apr 2021 19:40




Instrument :
 BNA_F
 ClientSampleId :
 TOTE-1750


Tgt Ion:244 Resp: 1388220
 Ion Ratio Lower Upper
 244 100
 212 7.2 5.7 8.5
 122 10.6 9.7 14.5



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 6.24 ng
 RT: 14.051 min Scan# 2034
 Delta R.T. 0.012 min
 Lab File: BF123600.D
 Acq: 16 Apr 2021 19:40

Tgt Ion:149 Resp: 102877
 Ion Ratio Lower Upper
 149 100
 167 36.2 21.8 32.6#
 279 3.9 3.3 4.9





#86
 Perylene-d12
 Concen: 20.00 ng
 RT: 15.574 min Scan# 2293
 Delta R.T. 0.035 min
 Lab File: BF123600.D
 Acq: 16 Apr 2021 19:40

Instrument :
 BNA_F
 ClientSampleId :
 TOTE-1750

Tgt Ion:264 Resp: 392220
 Ion Ratio Lower Upper
 264 100
 260 24.1 18.7 28.1
 265 20.5 17.8 26.8

