

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042423\
 Data File : BF133005.D
 Acq On : 24 Apr 2023 20:22
 Operator : CG\JU
 Sample : 02469-02RE
 Misc :
 ALS Vial : 7 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 TWP-15RE

Quant Time: Apr 25 02:11:31 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 22 03:30:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.745	152	201859	20.000	ng	0.00
21) Naphthalene-d8	8.028	136	796211	20.000	ng	-0.01
39) Acenaphthene-d10	9.781	164	416867	20.000	ng	-0.01
64) Phenanthrene-d10	11.263	188	785288	20.000	ng	0.00
76) Chrysene-d12	13.898	240	567427	20.000	ng	-0.01
86) Perylene-d12	15.321	264	460016	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.351	112	570182	42.670	ng	0.00
7) Phenol-d6	6.375	99	431519	26.017	ng	-0.01
23) Nitrobenzene-d5	7.310	82	1277188	86.583	ng	-0.01
42) 2,4,6-Tribromophenol	10.569	330	382445	91.224	ng	-0.01
45) 2-Fluorobiphenyl	9.110	172	2071530	83.136	ng	0.00
79) Terphenyl-d14	12.857	244	2562786	77.895	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042423\
Data File : BF133005.D
Acq On : 24 Apr 2023 20:22
Operator : CG\JU
Sample : 02469-02RE
Misc :
ALS Vial : 7 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
TWP-15RE

Quant Time: Apr 25 02:11:31 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 22 03:30:56 2023
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.745 min Scan# 793
Delta R.T. -0.006 min
Lab File: BF133005.D
Acq: 24 Apr 2023 20:22




Instrument :
BNA_F
ClientSampleId :
TWP-15RE


Tgt Ion:152 Resp: 201859
Ion Ratio Lower Upper
152 100
150 152.7 124.8 187.2
115 60.7 49.9 74.9



#5
2-Fluorophenol
Concen: 42.670 ng
RT: 5.351 min Scan# 555
Delta R.T. 0.000 min
Lab File: BF133005.D
Acq: 24 Apr 2023 20:22

Tgt Ion:112 Resp: 570182
Ion Ratio Lower Upper
112 100
64 58.8 46.8 70.2
63 29.7 23.8 35.8









#7
Phenol-d6
Concen: 26.017 ng
RT: 6.375 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF133005.D
Acq: 24 Apr 2023 20:22




Instrument :
BNA_F
ClientSampleId :
TWP-15RE


Tgt Ion: 99 Resp: 431519
Ion Ratio Lower Upper
99 100
42 20.5 16.3 24.5
71 31.9 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.028 min Scan# 1010
Delta R.T. -0.012 min
Lab File: BF133005.D
Acq: 24 Apr 2023 20:22

Tgt Ion: 136 Resp: 796211
Ion Ratio Lower Upper
136 100
137 11.2 8.6 13.0
54 9.4 7.0 10.4
68 7.7 5.4 8.2





#23

Nitrobenzene-d5

Concen: 86.583 ng

RT: 7.310 min Scan# 81

Delta R.T. -0.012 min

Lab File: BF133005.D

Acq: 24 Apr 2023 20:22

Instrument :





BNA_F

ClientSampleId :

TWP-15RE

Tgt Ion: 82 Resp: 1277188

Ion	Ratio	Lower	Upper
82	100		
128	46.5	37.7	56.5
54	54.1	43.0	64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.781 min Scan# 1308




Delta R.T. -0.012 min


Lab File: BF133005.D

Acq: 24 Apr 2023 20:22

Tgt Ion: 164 Resp: 416867

Ion	Ratio	Lower	Upper
164	100		
162	100.2	78.7	118.1
160	45.2	35.8	53.6









#42
 2,4,6-Tribromophenol
 Concen: 91.224 ng
 RT: 10.569 min Scan# 1444
 Delta R.T. -0.012 min
 Lab File: BF133005.D
 Acq: 24 Apr 2023 20:22




Instrument :
 BNA_F
 ClientSampleId :
 TWP-15RE


Tgt Ion:330 Resp: 382445
 Ion Ratio Lower Upper
 330 100
 332 96.7 77.1 115.7
 141 30.3 25.8 38.8



#45
 2-Fluorobiphenyl
 Concen: 83.136 ng
 RT: 9.110 min Scan# 1194
 Delta R.T. -0.006 min
 Lab File: BF133005.D
 Acq: 24 Apr 2023 20:22

Tgt Ion:172 Resp: 2071530
 Ion Ratio Lower Upper
 172 100
 171 36.4 28.8 43.2
 170 24.2 19.4 29.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.263 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF133005.D

Acq: 24 Apr 2023 20:22

Instrument :

BNA_F

ClientSampleId :

TWP-15RE





Tgt Ion:188 Resp: 785288

Ion Ratio Lower Upper

188 100

94 12.3 9.7 14.5

80 12.4 10.4 15.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.898 min Scan# 2008

Delta R.T. -0.012 min

Lab File: BF133005.D

Acq: 24 Apr 2023 20:22




Tgt Ion:240 Resp: 567427


Ion Ratio Lower Upper

240 100

120 14.1 10.5 15.7

236 26.2 21.5 32.3









#79
 Terphenyl-d14
 Concen: 77.895 ng
 RT: 12.857 min Scan# 1831
 Delta R.T. -0.006 min
 Lab File: BF133005.D
 Acq: 24 Apr 2023 20:22

Instrument :
 BNA_F
 ClientSampleId :
 TWP-15RE

Tgt Ion:244 Resp: 2562786
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.1 7.7
 122 11.2 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.321 min Scan# 2250
 Delta R.T. -0.006 min
 Lab File: BF133005.D
 Acq: 24 Apr 2023 20:22

Tgt Ion:264 Resp: 460016
 Ion Ratio Lower Upper
 264 100
 260 23.5 18.8 28.2
 265 21.6 17.0 25.4

