

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042423\
 Data File : BF133008.D
 Acq On : 24 Apr 2023 21:53
 Operator : CG\JU
 Sample : 02464-04
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-92

Quant Time: Apr 25 02:12:45 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Sat Apr 22 03:30:56 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.745	152	209199	20.000	ng	0.00
21) Naphthalene-d8	8.028	136	832875	20.000	ng	-0.01
39) Acenaphthene-d10	9.780	164	436090	20.000	ng	-0.01
64) Phenanthrene-d10	11.263	188	795842	20.000	ng	0.00
76) Chrysene-d12	13.898	240	586649	20.000	ng	-0.01
86) Perylene-d12	15.321	264	478587	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.375	112	1577218	113.890	ng	0.02
7) Phenol-d6	6.387	99	1782153	103.680	ng	0.00
23) Nitrobenzene-d5	7.310	82	1289889	83.595	ng	-0.01
42) 2,4,6-Tribromophenol	10.574	330	588992	134.298	ng	0.00
45) 2-Fluorobiphenyl	9.110	172	2111816	81.017	ng	0.00
79) Terphenyl-d14	12.857	244	2703555	79.481	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042423\
Data File : BF133008.D
Acq On : 24 Apr 2023 21:53
Operator : CG\JU
Sample : 02464-04
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-92


Quant Time: Apr 25 02:12:45 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Sat Apr 22 03:30:56 2023
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.745 min Scan# 793
Delta R.T. -0.006 min
Lab File: BF133008.D
Acq: 24 Apr 2023 21:53

Instrument :
BNA_F
ClientSampleId :
MH-92







Tgt Ion:152 Resp: 209199
Ion Ratio Lower Upper
152 100
150 155.4 124.8 187.2
115 60.5 49.9 74.9



#5
2-Fluorophenol
Concen: 113.890 ng
RT: 5.375 min Scan# 559
Delta R.T. 0.023 min
Lab File: BF133008.D
Acq: 24 Apr 2023 21:53

Tgt Ion:112 Resp: 1577218
Ion Ratio Lower Upper
112 100
64 54.3 46.8 70.2
63 27.5 23.8 35.8





#7
Phenol-d6
Concen: 103.680 ng
RT: 6.387 min Scan# 71
Delta R.T. -0.000 min
Lab File: BF133008.D
Acq: 24 Apr 2023 21:53

Instrument :





BNA_F

ClientSampleId :

MH-92

Tgt Ion: 99 Resp: 1782153




Ion	Ratio	Lower	Upper
99	100		
42	19.9	16.3	24.5
71	32.0	25.6	38.4




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.028 min Scan# 1010
Delta R.T. -0.012 min
Lab File: BF133008.D
Acq: 24 Apr 2023 21:53

Tgt Ion: 136 Resp: 832875

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.6	13.0
54	9.6	7.0	10.4
68	7.4	5.4	8.2





#23

Nitrobenzene-d5

Concen: 83.595 ng

RT: 7.310 min Scan# 81

Delta R.T. -0.012 min

Lab File: BF133008.D

Acq: 24 Apr 2023 21:53

Instrument :





BNA_F

ClientSampleId :

MH-92

Tgt Ion: 82 Resp: 1289889

Ion	Ratio	Lower	Upper
82	100		
128	46.7	37.7	56.5
54	55.1	43.0	64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.780 min Scan# 1308




Delta R.T. -0.012 min


Lab File: BF133008.D

Acq: 24 Apr 2023 21:53

Tgt Ion:164 Resp: 436090

Ion	Ratio	Lower	Upper
164	100		
162	98.0	78.7	118.1
160	43.5	35.8	53.6





#42

2,4,6-Tribromophenol

Concen: 134.298 ng

RT: 10.574 min Scan# 1444

Delta R.T. -0.006 min

Lab File: BF133008.D

Acq: 24 Apr 2023 21:53

Instrument :

BNA_F

ClientSampleId :

MH-92





Tgt Ion:330 Resp: 588992

Ion Ratio Lower Upper

330 100

332 96.8 77.1 115.7

141 28.8 25.8 38.8



#45

2-Fluorobiphenyl

Concen: 81.017 ng

RT: 9.110 min Scan# 1194

Delta R.T. -0.006 min

Lab File: BF133008.D

Acq: 24 Apr 2023 21:53




Tgt Ion:172 Resp: 2111816


Ion Ratio Lower Upper

172 100

171 36.2 28.8 43.2

170 24.1 19.4 29.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.263 min Scan# 1

Delta R.T. -0.006 min

Lab File: BF133008.D

Acq: 24 Apr 2023 21:53

Instrument :

BNA_F

ClientSampleId :

MH-92





Tgt Ion:188 Resp: 795842

Ion Ratio Lower Upper

188 100

94 11.3 9.7 14.5

80 11.5 10.4 15.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.898 min Scan# 2008

Delta R.T. -0.012 min

Lab File: BF133008.D

Acq: 24 Apr 2023 21:53




Tgt Ion:240 Resp: 586649


Ion Ratio Lower Upper

240 100

120 13.3 10.5 15.7

236 25.7 21.5 32.3









#79
 Terphenyl-d14
 Concen: 79.481 ng
 RT: 12.857 min Scan# 1831
 Delta R.T. -0.006 min
 Lab File: BF133008.D
 Acq: 24 Apr 2023 21:53

Instrument :
 BNA_F
 ClientSampleId :
 MH-92

Tgt Ion:244 Resp: 2703555
 Ion Ratio Lower Upper
 244 100
 212 6.3 5.1 7.7
 122 11.1 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.321 min Scan# 2250
 Delta R.T. -0.006 min
 Lab File: BF133008.D
 Acq: 24 Apr 2023 21:53

Tgt Ion:264 Resp: 478587
 Ion Ratio Lower Upper
 264 100
 260 24.6 18.8 28.2
 265 21.9 17.0 25.4

