

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042623\
 Data File : BF133069.D
 Acq On : 26 Apr 2023 17:29
 Operator : CG\JU
 Sample : 02448-02
 Misc :
 ALS Vial : 5 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 20230324-COMP-2

Quant Time: Apr 27 01:58:09 2023
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Apr 27 01:56:03 2023
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.734	152	174205	20.000	ng	0.00
21) Naphthalene-d8	8.016	136	704487	20.000	ng	0.00
39) Acenaphthene-d10	9.769	164	367300	20.000	ng	0.00
64) Phenanthrene-d10	11.251	188	682221	20.000	ng	0.00
76) Chrysene-d12	13.880	240	449388	20.000	ng	-0.01
86) Perylene-d12	15.304	264	355462	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.345	112	1237868	107.341	ng	0.00
7) Phenol-d6	6.375	99	1514343	105.796	ng	0.00
23) Nitrobenzene-d5	7.298	82	872526	66.852	ng	0.00
42) 2,4,6-Tribromophenol	10.557	330	401591	108.717	ng	0.00
45) 2-Fluorobiphenyl	9.098	172	1461002	66.547	ng	0.00
79) Terphenyl-d14	12.839	244	1766260	67.786	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF042623\
Data File : BF133069.D
Acq On : 26 Apr 2023 17:29
Operator : CG\JU
Sample : 02448-02
Misc :
ALS Vial : 5 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
20230324-COMP-2

Quant Time: Apr 27 01:58:09 2023
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF042123.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Apr 27 01:56:03 2023
Response via : Initial Calibration









#1
 1,4-Dichlorobenzene-d4
 Concen: 20.000 ng
 RT: 6.734 min Scan# 793
 Delta R.T. -0.005 min
 Lab File: BF133069.D
 Acq: 26 Apr 2023 17:29




Instrument :
 BNA_F
 ClientSampleId :
 20230324-COMP-2


Tgt Ion:152 Resp: 174205
 Ion Ratio Lower Upper
 152 100
 150 159.6 124.8 187.2
 115 61.9 49.9 74.9



#5
 2-Fluorophenol
 Concen: 107.341 ng
 RT: 5.345 min Scan# 554
 Delta R.T. 0.006 min
 Lab File: BF133069.D
 Acq: 26 Apr 2023 17:29

Tgt Ion:112 Resp: 1237868
 Ion Ratio Lower Upper
 112 100
 64 55.1 46.8 70.2
 63 28.1 23.8 35.8








#7
Phenol-d6
Concen: 105.796 ng
RT: 6.375 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF133069.D
Acq: 26 Apr 2023 17:29




Instrument :
BNA_F
ClientSampleId :
20230324-COMP-2


Tgt Ion: 99 Resp: 1514343
Ion Ratio Lower Upper
99 100
42 19.1 16.3 24.5
71 32.7 25.6 38.4



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.016 min Scan# 1008
Delta R.T. -0.006 min
Lab File: BF133069.D
Acq: 26 Apr 2023 17:29

Tgt Ion: 136 Resp: 704487
Ion Ratio Lower Upper
136 100
137 11.5 8.6 13.0
54 9.5 7.0 10.4
68 7.6 5.4 8.2





#23

Nitrobenzene-d5

Concen: 66.852 ng

RT: 7.298 min Scan# 81

Delta R.T. -0.006 min

Lab File: BF133069.D

Acq: 26 Apr 2023 17:29

Instrument :





BNA_F

ClientSampleId :

20230324-COMP-2

Tgt Ion: 82 Resp: 872526

Ion	Ratio	Lower	Upper
82	100		
128	47.9	37.7	56.5
54	53.7	43.0	64.4



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.769 min Scan# 1306




Delta R.T. -0.006 min

Lab File: BF133069.D

Acq: 26 Apr 2023 17:29

Tgt Ion:164 Resp: 367300

Ion	Ratio	Lower	Upper
164	100		
162	98.8	78.7	118.1
160	44.9	35.8	53.6





#42

2,4,6-Tribromophenol

Concen: 108.717 ng

RT: 10.557 min Scan# 1444

Delta R.T. -0.006 min

Lab File: BF133069.D


Acq: 26 Apr 2023 17:29

Instrument :

BNA_F

ClientSampleId :

20230324-COMP-2






Tgt Ion:330 Resp: 401591

Ion Ratio Lower Upper

330 100

332 97.4 77.1 115.7

141 30.0 25.8 38.8



#45

2-Fluorobiphenyl

Concen: 66.547 ng

RT: 9.098 min Scan# 1192

Delta R.T. 0.000 min

Lab File: BF133069.D

Acq: 26 Apr 2023 17:29




Tgt Ion:172 Resp: 1461002


Ion Ratio Lower Upper

172 100

171 35.8 28.8 43.2

170 23.8 19.4 29.2





#64

Phenanthrene-d10

Concen: 20.000 ng

RT: 11.251 min Scan# 11

Delta R.T. -0.006 min

Lab File: BF133069.D


Acq: 26 Apr 2023 17:29

Instrument :

BNA_F

ClientSampleId :

20230324-COMP-2






Tgt Ion:188 Resp: 682221

Ion Ratio Lower Upper

188 100

94 10.5 9.7 14.5

80 11.2 10.4 15.6



#76

Chrysene-d12

Concen: 20.000 ng

RT: 13.880 min Scan# 2005

Delta R.T. -0.012 min

Lab File: BF133069.D

Acq: 26 Apr 2023 17:29




Tgt Ion:240 Resp: 449388


Ion Ratio Lower Upper

240 100

120 15.1 10.5 15.7


236 25.5 21.5 32.3








#79
 Terphenyl-d14
 Concen: 67.786 ng
 RT: 12.839 min Scan# 11
 Delta R.T. 0.000 min
 Lab File: BF133069.D
 Acq: 26 Apr 2023 17:29

Instrument :
 BNA_F
 ClientSampleId :
 20230324-COMP-2



Tgt Ion:244 Resp: 1766260
 Ion Ratio Lower Upper
 244 100
 212 6.5 5.1 7.7
 122 12.5 8.6 13.0



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.304 min Scan# 2247
 Delta R.T. 0.000 min
 Lab File: BF133069.D
 Acq: 26 Apr 2023 17:29

Tgt Ion:264 Resp: 355462
 Ion Ratio Lower Upper
 264 100
 260 24.2 18.8 28.2
 265 21.6 17.0 25.4

