

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051425\
 Data File : BF142380.D
 Acq On : 14 May 2025 22:03
 Operator : RC/JU
 Sample : Q2017-01
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 MH-I

Quant Time: May 15 01:05:17 2025
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050525.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Mon May 05 18:41:44 2025
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)


Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.898	152	206123	20.000	ng	0.00
21) Naphthalene-d8	8.181	136	812562	20.000	ng	0.00
39) Acenaphthene-d10	9.933	164	470712	20.000	ng	-0.01
64) Phenanthrene-d10	11.422	188	837366	20.000	ng	-0.01
76) Chrysene-d12	14.063	240	560731	20.000	ng	0.00
86) Perylene-d12	15.551	264	473950	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.510	112	935079	77.442	ng	0.00
7) Phenol-d6	6.516	99	1198484	80.701	ng	0.00
23) Nitrobenzene-d5	7.457	82	686143	51.499	ng	-0.01
42) 2,4,6-Tribromophenol	10.728	330	406294	89.401	ng	0.00
45) 2-Fluorobiphenyl	9.257	172	1500500	45.453	ng	0.00
79) Terphenyl-d14	13.010	244	1611522	42.538	ng	0.00
Target Compounds						
84) Bis(2-ethylhexyl)phtha...	14.045	149	7770	4.610	ng	Qvalue # 99


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051425\
Data File : BF142380.D
Acq On : 14 May 2025 22:03
Operator : RC/JU
Sample : Q2017-01
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
MH-I

Quant Time: May 15 01:05:17 2025
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050525.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Mon May 05 18:41:44 2025
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.898 min Scan# 801
Delta R.T. -0.006 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03




Instrument :
BNA_F
ClientSampleId :
MH-I


Tgt Ion:152 Resp: 206123
Ion Ratio Lower Upper
152 100
150 155.4 126.6 190.0
115 56.9 47.3 70.9



#5
2-Fluorophenol
Concen: 77.442 ng
RT: 5.510 min Scan# 564
Delta R.T. -0.000 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03

Tgt Ion:112 Resp: 935079
Ion Ratio Lower Upper
112 100
64 58.6 48.9 73.3
63 30.4 25.6 38.4









#7
Phenol-d6
Concen: 80.701 ng
RT: 6.516 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03




Instrument :
BNA_F
ClientSampleId :
MH-I


Tgt Ion: 99 Resp: 1198484
Ion Ratio Lower Upper
99 100
42 20.4 17.0 25.4
71 32.0 25.8 38.8



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.181 min Scan# 1018
Delta R.T. -0.006 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03

Tgt Ion: 136 Resp: 812562
Ion Ratio Lower Upper
136 100
137 11.1 8.9 13.3
54 9.3 7.7 11.5
68 5.8 4.9 7.3





#23

Nitrobenzene-d5

Concen: 51.499 ng

RT: 7.457 min Scan# 89

Delta R.T. -0.012 min

Lab File: BF142380.D

Acq: 14 May 2025 22:03

Instrument :

BNA_F

ClientSampleId :

MH-I





Tgt Ion: 82 Resp: 686143

Ion Ratio Lower Upper

82 100

128 47.9 37.0 55.6

54 60.4 48.6 73.0



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.933 min Scan# 1316

Delta R.T. -0.012 min

Lab File: BF142380.D

Acq: 14 May 2025 22:03




Tgt Ion:164 Resp: 470712


Ion Ratio Lower Upper

164 100

162 99.4 79.2 118.8

160 43.4 35.3 52.9









#42
2,4,6-Tribromophenol
Concen: 89.401 ng
RT: 10.728 min Scan# 1451
Delta R.T. -0.006 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03




Instrument :
BNA_F
ClientSampleId :
MH-I


Tgt Ion:330 Resp: 406294
Ion Ratio Lower Upper
330 100
332 95.1 76.8 115.2
141 28.0 24.9 37.3



#45
2-Fluorobiphenyl
Concen: 45.453 ng
RT: 9.257 min Scan# 1201
Delta R.T. -0.006 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03

Tgt Ion:172 Resp: 1500500
Ion Ratio Lower Upper
172 100
171 35.5 28.6 42.8
170 23.5 19.0 28.4









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.422 min Scan# 1569
Delta R.T. -0.012 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03




Instrument :
BNA_F
ClientSampleId :
MH-I


Tgt Ion:188 Resp: 837366
Ion Ratio Lower Upper
188 100
94 9.6 7.5 11.3
80 10.4 7.9 11.9



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.063 min Scan# 2018
Delta R.T. -0.006 min
Lab File: BF142380.D
Acq: 14 May 2025 22:03

Tgt Ion:240 Resp: 560731
Ion Ratio Lower Upper
240 100
120 11.4 9.7 14.5
236 25.5 20.0 30.0









#79
 Terphenyl-d14
 Concen: 42.538 ng
 RT: 13.010 min Scan# 1839
 Delta R.T. -0.006 min
 Lab File: BF142380.D
 Acq: 14 May 2025 22:03




Instrument :
 BNA_F
 ClientSampleId :
 MH-I


Tgt Ion:244 Resp: 1611522
 Ion Ratio Lower Upper
 244 100
 212 6.4 5.4 8.2
 122 10.7 9.0 13.4



#84
 Bis(2-ethylhexyl)phthalate
 Concen: 4.610 ng
 RT: 14.045 min Scan# 2015
 Delta R.T. -0.006 min
 Lab File: BF142380.D
 Acq: 14 May 2025 22:03


Tgt Ion:149 Resp: 7770
 Ion Ratio Lower Upper
 149 100
 167 28.1 22.0 33.0
 279 4.6 3.0 4.6#





#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.551 min Scan# 21
 Delta R.T. -0.012 min
 Lab File: BF142380.D
 Acq: 14 May 2025 22:03

Instrument :
 BNA_F
 ClientSampleId :
 MH-I



Tgt Ion:264 Resp: 473950
 Ion Ratio Lower Upper
 264 100
 260 23.7 18.6 27.8
 265 22.2 17.5 26.3

