

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051722\
 Data File : BF128301.D
 Acq On : 17 May 2022 20:11
 Operator : CG\JU
 Sample : N2878-06
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P007-SS020-0006-01

Quant Time: May 18 01:34:57 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 18 01:31:11 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.875	152	79675	20.000	ng	0.00
21) Naphthalene-d8	8.157	136	298752	20.000	ng	0.00
39) Acenaphthene-d10	9.916	164	150133	20.000	ng	0.00
64) Phenanthrene-d10	11.410	188	223126	20.000	ng	0.00
76) Chrysene-d12	14.057	240	193086	20.000	ng	0.00
86) Perylene-d12	15.551	264	136807	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.499	112	481605	96.359	ng	0.00
7) Phenol-d6	6.510	99	620673	93.890	ng	0.00
23) Nitrobenzene-d5	7.440	82	455206	68.561	ng	-0.01
42) 2,4,6-Tribromophenol	10.710	330	136774	79.435	ng	0.00
45) 2-Fluorobiphenyl	9.234	172	700108	72.966	ng	0.00
79) Terphenyl-d14	12.998	244	620648	60.315	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF051722\
Data File : BF128301.D
Acq On : 17 May 2022 20:11
Operator : CG\JU
Sample : N2878-06
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P007-SS020-0006-01


Quant Time: May 18 01:34:57 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF050922.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 18 01:31:11 2022
Response via : Initial Calibration







#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.875 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11

Instrument :
BNA_F
ClientSampleId :
P007-SS020-0006-01







Tgt Ion:152 Resp: 79675
Ion Ratio Lower Upper
152 100
150 154.5 125.3 187.9
115 67.2 48.8 73.2



#5
2-Fluorophenol
Concen: 96.359 ng
RT: 5.499 min Scan# 546
Delta R.T. 0.000 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11

Tgt Ion:112 Resp: 481605
Ion Ratio Lower Upper
112 100
64 68.5 49.5 74.3
63 38.0 26.3 39.5









#7
Phenol-d6
Concen: 93.890 ng
RT: 6.510 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11




Instrument :
BNA_F
ClientSampleId :
P007-SS020-0006-01


Tgt Ion: 99 Resp: 620673
Ion Ratio Lower Upper
99 100
42 23.0 16.6 24.8
71 40.6 30.0 45.0



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.157 min Scan# 998
Delta R.T. -0.006 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11

Tgt Ion: 136 Resp: 298752
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.9 6.8 10.2
68 6.1 5.1 7.7









#23
Nitrobenzene-d5
Concen: 68.561 ng
RT: 7.440 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11




Instrument :
BNA_F
ClientSampleId :
P007-SS020-0006-01


Tgt Ion: 82 Resp: 455206
Ion Ratio Lower Upper
82 100
128 35.2 30.0 45.0
54 53.2 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.916 min Scan# 1297
Delta R.T. -0.006 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11

Tgt Ion:164 Resp: 150133
Ion Ratio Lower Upper
164 100
162 97.6 76.0 114.0
160 43.4 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 79.435 ng

RT: 10.710 min Scan# 1436

Delta R.T. -0.006 min

Lab File: BF128301.D

Acq: 17 May 2022 20:11

Instrument :

BNA_F

ClientSampleId :

P007-SS020-0006-01





Tgt Ion:330 Resp: 136774

Ion Ratio Lower Upper

330 100

332 96.8 79.0 118.4

141 35.4 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 72.966 ng

RT: 9.234 min Scan# 1181

Delta R.T. -0.006 min

Lab File: BF128301.D

Acq: 17 May 2022 20:11




Tgt Ion:172 Resp: 700108


Ion Ratio Lower Upper

172 100

171 35.6 28.6 42.8

170 23.8 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.410 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11




Instrument :
BNA_F
ClientSampleId :
P007-SS020-0006-01


Tgt Ion:188 Resp: 223126
Ion Ratio Lower Upper
188 100
94 8.2 8.0 12.0
80 9.4 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.057 min Scan# 2001
Delta R.T. -0.006 min
Lab File: BF128301.D
Acq: 17 May 2022 20:11

Tgt Ion:240 Resp: 193086
Ion Ratio Lower Upper
240 100
120 9.6 7.0 10.6
236 25.0 20.3 30.5









#79
 Terphenyl-d14
 Concen: 60.315 ng
 RT: 12.998 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128301.D
 Acq: 17 May 2022 20:11

Instrument :
 BNA_F
 ClientSampleId :
 P007-SS020-0006-01

Tgt Ion:244 Resp: 620648
 Ion Ratio Lower Upper
 244 100
 212 7.5 6.2 9.4
 122 8.7 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.551 min Scan# 2255
 Delta R.T. -0.006 min
 Lab File: BF128301.D
 Acq: 17 May 2022 20:11

Tgt Ion:264 Resp: 136807
 Ion Ratio Lower Upper
 264 100
 260 23.8 20.1 30.1
 265 21.8 17.5 26.3

