

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052422\
 Data File : BF128440.D
 Acq On : 24 May 2022 17:45
 Operator : CG\JU
 Sample : N2873-05
 Misc :
 ALS Vial : 13 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P031-SS001-0006-01

Quant Time: May 25 03:55:45 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 03:52:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	92854	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	349328	20.000	ng	0.00
39) Acenaphthene-d10	9.880	164	184227	20.000	ng	0.00
64) Phenanthrene-d10	11.374	188	287223	20.000	ng	0.00
76) Chrysene-d12	14.021	240	212013	20.000	ng	#-0.01
86) Perylene-d12	15.509	264	186012	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	491728	84.274	ng	0.00
7) Phenol-d6	6.481	99	635096	82.660	ng	-0.01
23) Nitrobenzene-d5	7.410	82	441558	56.635	ng	-0.01
42) 2,4,6-Tribromophenol	10.680	330	136527	71.859	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	672654	59.710	ng	0.00
79) Terphenyl-d14	12.957	244	574192	52.281	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052422\
Data File : BF128440.D
Acq On : 24 May 2022 17:45
Operator : CG\JU
Sample : N2873-05
Misc :
ALS Vial : 13 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P031-SS001-0006-01

Quant Time: May 25 03:55:45 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052022.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 03:52:53 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45




Instrument :
BNA_F
ClientSampleId :
P031-SS001-0006-01


Tgt Ion:152 Resp: 92854
Ion Ratio Lower Upper
152 100
150 158.0 125.3 187.9
115 64.4 48.8 73.2



#5
2-Fluorophenol
Concen: 84.274 ng
RT: 5.469 min Scan# 541
Delta R.T. -0.000 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45


Tgt Ion:112 Resp: 491728
Ion Ratio Lower Upper
112 100
64 65.0 49.5 74.3
63 34.7 26.3 39.5








#7
Phenol-d6
Concen: 82.660 ng
RT: 6.481 min Scan# 71
Delta R.T. -0.012 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45


Instrument :
BNA_F
ClientSampleId :
P031-SS001-0006-01





Tgt Ion: 99 Resp: 635096
Ion Ratio Lower Upper
99 100
42 21.5 16.6 24.8
71 38.5 30.0 45.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 993
Delta R.T. -0.000 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45



Tgt Ion: 136 Resp: 349328
Ion Ratio Lower Upper
136 100
137 10.6 8.6 13.0
54 8.4 6.8 10.2
68 6.1 5.1 7.7









#23
Nitrobenzene-d5
Concen: 56.635 ng
RT: 7.410 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45




Instrument :
BNA_F
ClientSampleId :
P031-SS001-0006-01


Tgt Ion: 82 Resp: 441558
Ion Ratio Lower Upper
82 100
128 37.6 30.0 45.0
54 50.9 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.880 min Scan# 1291
Delta R.T. -0.006 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45


Tgt Ion:164 Resp: 184227
Ion Ratio Lower Upper
164 100
162 94.9 76.0 114.0
160 44.5 34.8 52.2








#42
2,4,6-Tribromophenol
Concen: 71.859 ng
RT: 10.680 min Scan# 1427
Delta R.T. -0.006 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45

Instrument :
BNA_F
ClientSampleId :
P031-SS001-0006-01






Tgt Ion:330 Resp: 136527
Ion Ratio Lower Upper
330 100
332 94.7 79.0 118.4
141 33.1 28.9 43.3



#45
2-Fluorobiphenyl
Concen: 59.710 ng
RT: 9.198 min Scan# 1175
Delta R.T. -0.006 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45

Tgt Ion:172 Resp: 672654
Ion Ratio Lower Upper
172 100
171 35.6 28.6 42.8
170 23.8 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.374 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45




Instrument :
BNA_F
ClientSampleId :
P031-SS001-0006-01

Tgt Ion:188 Resp: 287223
Ion Ratio Lower Upper
188 100
94 8.9 8.0 12.0
80 10.1 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.021 min Scan# 1995
Delta R.T. -0.012 min
Lab File: BF128440.D
Acq: 24 May 2022 17:45


Tgt Ion:240 Resp: 212013
Ion Ratio Lower Upper
240 100
120 11.4 7.0 10.6#
236 25.8 20.3 30.5








#79
 Terphenyl-d14
 Concen: 52.281 ng
 RT: 12.957 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128440.D
 Acq: 24 May 2022 17:45

Instrument :
 BNA_F
 ClientSampleId :
 P031-SS001-0006-01



Tgt Ion:244 Resp: 574192
 Ion Ratio Lower Upper
 244 100
 212 7.4 6.2 9.4
 122 10.6 8.6 12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2248
 Delta R.T. -0.000 min
 Lab File: BF128440.D
 Acq: 24 May 2022 17:45

Tgt Ion:264 Resp: 186012
 Ion Ratio Lower Upper
 264 100
 260 22.7 20.1 30.1
 265 20.1 17.5 26.3

