

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052422\
 Data File : BF128448.D
 Acq On : 24 May 2022 21:39
 Operator : CG\JU
 Sample : N2897-06 5X
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P042-SS001-0006-01

Quant Time: May 25 03:56:43 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052022.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Wed May 25 03:52:53 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.845	152	100157	20.000	ng	0.00
21) Naphthalene-d8	8.128	136	371123	20.000	ng	0.00
39) Acenaphthene-d10	9.886	164	183348	20.000	ng	0.00
64) Phenanthrene-d10	11.380	188	282175	20.000	ng	0.00
76) Chrysene-d12	14.027	240	194836	20.000	ng	0.00
86) Perylene-d12	15.509	264	140782	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	85599	13.601	ng	0.00
7) Phenol-d6	6.487	99	114168	13.776	ng	0.00
23) Nitrobenzene-d5	7.410	82	71257	8.603	ng	-0.01
42) 2,4,6-Tribromophenol	10.680	330	18479	9.773	ng	0.00
45) 2-Fluorobiphenyl	9.198	172	128066	11.423	ng	0.00
79) Terphenyl-d14	12.957	244	112922	11.188	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF052422\
Data File : BF128448.D
Acq On : 24 May 2022 21:39
Operator : CG\JU
Sample : N2897-06 5X
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P042-SS001-0006-01

Quant Time: May 25 03:56:43 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF052022.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Wed May 25 03:52:53 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.845 min Scan# 71
Delta R.T. 0.000 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39




Instrument :
BNA_F
ClientSampleId :
P042-SS001-0006-01


Tgt Ion:152 Resp: 100157
Ion Ratio Lower Upper
152 100
150 155.8 125.3 187.9
115 62.9 48.8 73.2



#5
2-Fluorophenol
Concen: 13.601 ng
RT: 5.469 min Scan# 541
Delta R.T. -0.000 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39


Tgt Ion:112 Resp: 85599
Ion Ratio Lower Upper
112 100
64 60.0 49.5 74.3
63 32.1 26.3 39.5








#7
Phenol-d6
Concen: 13.776 ng
RT: 6.487 min Scan# 716
Delta R.T. -0.006 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39

Instrument :
BNA_F
ClientSampleId :
P042-SS001-0006-01



Tgt Ion: 99 Resp: 114168




Ion	Ratio	Lower	Upper
99	100		
42	18.2	16.6	24.8
71	34.5	30.0	45.0




#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.128 min Scan# 993
Delta R.T. -0.000 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39

Tgt Ion: 136 Resp: 371123

Ion	Ratio	Lower	Upper
136	100		
137	11.2	8.6	13.0
54	8.9	6.8	10.2
68	6.2	5.1	7.7









#23
Nitrobenzene-d5
Concen: 8.603 ng
RT: 7.410 min Scan# 81
Delta R.T. -0.012 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39




Instrument :
BNA_F
ClientSampleId :
P042-SS001-0006-01


Tgt Ion: 82 Resp: 71257
Ion Ratio Lower Upper
82 100
128 38.0 30.0 45.0
54 49.6 41.3 61.9



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.886 min Scan# 1292
Delta R.T. -0.000 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39

Tgt Ion:164 Resp: 183348
Ion Ratio Lower Upper
164 100
162 95.4 76.0 114.0
160 42.8 34.8 52.2





#42

2,4,6-Tribromophenol

Concen: 9.773 ng

RT: 10.680 min Scan# 1430

Delta R.T. -0.006 min

Lab File: BF128448.D

Acq: 24 May 2022 21:39

Instrument :

BNA_F

ClientSampleId :

P042-SS001-0006-01





Tgt Ion:330 Resp: 18479

Ion Ratio Lower Upper

330 100

332 99.2 79.0 118.4

141 35.7 28.9 43.3



#45

2-Fluorobiphenyl

Concen: 11.423 ng

RT: 9.198 min Scan# 1175

Delta R.T. -0.006 min

Lab File: BF128448.D

Acq: 24 May 2022 21:39




Tgt Ion:172 Resp: 128066

Ion Ratio Lower Upper

172 100

171 34.7 28.6 42.8

170 22.7 19.1 28.7









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.380 min Scan# 11
Delta R.T. -0.000 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39




Instrument :
BNA_F
ClientSampleId :
P042-SS001-0006-01


Tgt Ion:188 Resp: 282175
Ion Ratio Lower Upper
188 100
94 8.5 8.0 12.0
80 9.0 8.9 13.3



#76
Chrysene-d12
Concen: 20.000 ng
RT: 14.027 min Scan# 1996
Delta R.T. -0.006 min
Lab File: BF128448.D
Acq: 24 May 2022 21:39

Tgt Ion:240 Resp: 194836
Ion Ratio Lower Upper
240 100
120 9.4 7.0 10.6
236 25.2 20.3 30.5









#79
 Terphenyl-d14
 Concen: 11.188 ng
 RT: 12.957 min Scan# 11
 Delta R.T. -0.006 min
 Lab File: BF128448.D
 Acq: 24 May 2022 21:39

Instrument :
 BNA_F
 ClientSampleId :
 P042-SS001-0006-01

Tgt Ion:244 Resp: 112922

Ion	Ratio	Lower	Upper
244	100		
212	6.6	6.2	9.4
122	10.3	8.6	12.8



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.509 min Scan# 2248
 Delta R.T. -0.000 min
 Lab File: BF128448.D
 Acq: 24 May 2022 21:39

Tgt Ion:264 Resp: 140782

Ion	Ratio	Lower	Upper
264	100		
260	23.2	20.1	30.1
265	21.0	17.5	26.3

