

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060322\
 Data File : BF128674.D
 Acq On : 03 Jun 2022 12:17
 Operator : CG\JU
 Sample : N2987-15
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 P027-SS004-0006-01

Quant Time: Jun 03 23:41:10 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Thu Jun 02 17:07:23 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.822	152	87204	20.000	ng	0.00
21) Naphthalene-d8	8.104	136	332225	20.000	ng	0.00
39) Acenaphthene-d10	9.863	164	188121	20.000	ng	0.00
64) Phenanthrene-d10	11.351	188	342769	20.000	ng	# 0.00
76) Chrysene-d12	13.992	240	203598	20.000	ng	# 0.00
86) Perylene-d12	15.451	264	179621	20.000	ng	-0.01
System Monitoring Compounds						
5) 2-Fluorophenol	5.469	112	583639	106.605	ng	0.00
7) Phenol-d6	6.487	99	731269	109.424	ng	-0.01
23) Nitrobenzene-d5	7.387	82	539235	75.569	ng	0.00
42) 2,4,6-Tribromophenol	10.657	330	246267	110.794	ng	0.00
45) 2-Fluorobiphenyl	9.187	172	989162	73.656	ng	0.00
79) Terphenyl-d14	12.939	244	1001512	85.475	ng	0.00


Target Compounds	Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF060322\
Data File : BF128674.D
Acq On : 03 Jun 2022 12:17
Operator : CG\JU
Sample : N2987-15
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
P027-SS004-0006-01

Quant Time: Jun 03 23:41:10 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Thu Jun 02 17:07:23 2022
Response via : Initial Calibration









#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.822 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17




Instrument :
BNA_F
ClientSampleId :
P027-SS004-0006-01


Tgt Ion:152 Resp: 87204
Ion Ratio Lower Upper
152 100
150 152.3 123.7 185.5
115 66.3 49.9 74.9



#5
2-Fluorophenol
Concen: 106.605 ng
RT: 5.469 min Scan# 541
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17

Tgt Ion:112 Resp: 583639
Ion Ratio Lower Upper
112 100
64 73.1 53.3 79.9
63 42.8 28.0 42.0#









#7
Phenol-d6
Concen: 109.424 ng
RT: 6.487 min Scan# 716
Delta R.T. -0.011 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17




Instrument :
BNA_F
ClientSampleId :
P027-SS004-0006-01


Tgt Ion: 99 Resp: 731269
Ion Ratio Lower Upper
99 100
42 24.6 17.3 25.9
71 44.0 28.9 43.3#



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.104 min Scan# 989
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17

Tgt Ion: 136 Resp: 332225
Ion Ratio Lower Upper
136 100
137 10.9 8.8 13.2
54 9.2 7.5 11.3
68 4.9 4.7 7.1









#23
Nitrobenzene-d5
Concen: 75.569 ng
RT: 7.387 min Scan# 80
Delta R.T. -0.005 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17




Instrument :
BNA_F
ClientSampleId :
P027-SS004-0006-01


Tgt Ion: 82 Resp: 539235
Ion Ratio Lower Upper
82 100
128 39.2 34.0 51.0
54 63.9 46.9 70.3



#39
Acenaphthene-d10
Concen: 20.000 ng
RT: 9.863 min Scan# 1288
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17

Tgt Ion:164 Resp: 188121
Ion Ratio Lower Upper
164 100
162 101.1 79.5 119.3
160 45.9 34.2 51.4





#42

2,4,6-Tribromophenol

Concen: 110.794 ng

RT: 10.657 min Scan# 1423

Delta R.T. -0.006 min

Lab File: BF128674.D


Acq: 03 Jun 2022 12:17

Instrument :

BNA_F

ClientSampleId :

P027-SS004-0006-01






Tgt Ion:330 Resp: 246267

Ion Ratio Lower Upper

330 100

332 97.6 76.8 115.2

141 37.1 28.0 42.0



#45

2-Fluorobiphenyl

Concen: 73.656 ng

RT: 9.187 min Scan# 1173

Delta R.T. -0.005 min

Lab File: BF128674.D

Acq: 03 Jun 2022 12:17




Tgt Ion:172 Resp: 989162


Ion Ratio Lower Upper

172 100

171 35.4 28.8 43.2

170 23.9 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.351 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17




Instrument :
BNA_F
ClientSampleId :
P027-SS004-0006-01


Tgt Ion:188 Resp: 342769
Ion Ratio Lower Upper
188 100
94 6.0 7.0 10.6#
80 6.5 7.6 11.4#



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.992 min Scan# 1990
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17


Tgt Ion:240 Resp: 203598
Ion Ratio Lower Upper
240 100
120 6.7 8.9 13.3#
236 26.3 20.8 31.2








#79
Terphenyl-d14
Concen: 85.475 ng
RT: 12.939 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17

Instrument :
BNA_F
ClientSampleId :
P027-SS004-0006-01



Tgt Ion:244 Resp: 1001512
Ion Ratio Lower Upper
244 100
212 7.6 6.1 9.1
122 9.5 8.8 13.2



#86
Perylene-d12
Concen: 20.000 ng
RT: 15.451 min Scan# 2238
Delta R.T. -0.011 min
Lab File: BF128674.D
Acq: 03 Jun 2022 12:17

Tgt Ion:264 Resp: 179621
Ion Ratio Lower Upper
264 100
260 22.9 18.4 27.6
265 20.9 17.2 25.8

