

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062322\
 Data File : BF128959.D
 Acq On : 23 Jun 2022 18:40
 Operator : CG\JU
 Sample : N3462-06
 Misc :
 ALS Vial : 4 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 SB-6-18-20-20220622

Quant Time: Jun 24 04:32:49 2022
 Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 24 00:50:48 2022
 Response via : Initial Calibration

Compound	R.T.	QIon	Response	Conc	Units	Dev(Min)

Internal Standards						
1) 1,4-Dichlorobenzene-d4	6.722	152	101390	20.000	ng	0.00
21) Naphthalene-d8	8.010	136	378864	20.000	ng	0.00
39) Acenaphthene-d10	9.763	164	213523	20.000	ng	0.00
64) Phenanthrene-d10	11.245	188	394794	20.000	ng	0.00
76) Chrysene-d12	13.892	240	191363	20.000	ng	# 0.00
86) Perylene-d12	15.327	264	149010	20.000	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.363	112	655131	102.921	ng	0.00
7) Phenol-d6	6.387	99	826236	106.336	ng	0.00
23) Nitrobenzene-d5	7.292	82	595076	73.129	ng	-0.01
42) 2,4,6-Tribromophenol	10.557	330	235778	93.456	ng	0.00
45) 2-Fluorobiphenyl	9.086	172	1094690	71.816	ng	0.00
79) Terphenyl-d14	12.839	244	899313	81.660	ng	0.00


Target Compounds	Qvalue

(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\svoasrv\HPCHEM1\BNA_F\Data\BF062322\
Data File : BF128959.D
Acq On : 23 Jun 2022 18:40
Operator : CG\JU
Sample : N3462-06
Misc :
ALS Vial : 4 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
SB-6-18-20-20220622

Quant Time: Jun 24 04:32:49 2022
Quant Method : Z:\svoasrv\HPCHEM1\BNA_F\Methods\8270-BF060222.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 24 00:50:48 2022
Response via : Initial Calibration








#1
1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.722 min Scan# 71
Delta R.T. -0.006 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40




Instrument :
BNA_F
ClientSampleId :
SB-6-18-20-20220622

Tgt Ion:152 Resp: 101390
Ion Ratio Lower Upper
152 100
150 157.3 123.7 185.5
115 69.7 49.9 74.9



#5
2-Fluorophenol
Concen: 102.921 ng
RT: 5.363 min Scan# 523
Delta R.T. 0.006 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40

Tgt Ion:112 Resp: 655131
Ion Ratio Lower Upper
112 100
64 67.2 53.3 79.9
63 37.7 28.0 42.0









#7
Phenol-d6
Concen: 106.336 ng
RT: 6.387 min Scan# 61
Delta R.T. -0.000 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40




Instrument :
BNA_F
ClientSampleId :
SB-6-18-20-20220622

Tgt Ion: 99 Resp: 826236
Ion Ratio Lower Upper
99 100
42 23.0 17.3 25.9
71 40.6 28.9 43.3



#21
Naphthalene-d8
Concen: 20.000 ng
RT: 8.010 min Scan# 973
Delta R.T. -0.000 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40

Tgt Ion:136 Resp: 378864
Ion Ratio Lower Upper
136 100
137 10.3 8.8 13.2
54 9.0 7.5 11.3
68 5.0 4.7 7.1





#23

Nitrobenzene-d5

Concen: 73.129 ng

RT: 7.292 min Scan# 81

Delta R.T. -0.012 min

Lab File: BF128959.D

Acq: 23 Jun 2022 18:40

Instrument :

BNA_F

ClientSampleId :

SB-6-18-20-20220622





Tgt Ion: 82 Resp: 595076

Ion Ratio Lower Upper

82 100

128 38.6 34.0 51.0

54 61.4 46.9 70.3



#39

Acenaphthene-d10

Concen: 20.000 ng

RT: 9.763 min Scan# 1271

Delta R.T. -0.006 min

Lab File: BF128959.D

Acq: 23 Jun 2022 18:40




Tgt Ion: 164 Resp: 213523


Ion Ratio Lower Upper

164 100

162 99.8 79.5 119.3


160 45.7 34.2 51.4








#42
2,4,6-Tribromophenol
Concen: 93.456 ng
RT: 10.557 min Scan# 1424
Delta R.T. -0.006 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40

Instrument :
BNA_F
ClientSampleId :
SB-6-18-20-20220622







Tgt Ion: 330 Resp: 235778
Ion Ratio Lower Upper
330 100
332 96.9 76.8 115.2
141 35.5 28.0 42.0



#45
2-Fluorobiphenyl
Concen: 71.816 ng
RT: 9.086 min Scan# 1156
Delta R.T. -0.006 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40

Tgt Ion: 172 Resp: 1094690
Ion Ratio Lower Upper
172 100
171 35.7 28.8 43.2
170 23.6 19.8 29.8









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.245 min Scan# 11
Delta R.T. -0.006 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40




Instrument :
BNA_F
ClientSampleId :
SB-6-18-20-20220622


Tgt Ion:188 Resp: 394794
Ion Ratio Lower Upper
188 100
94 8.1 7.0 10.6
80 9.6 7.6 11.4



#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.892 min Scan# 1973
Delta R.T. -0.006 min
Lab File: BF128959.D
Acq: 23 Jun 2022 18:40


Tgt Ion:240 Resp: 191363
Ion Ratio Lower Upper
240 100
120 7.0 8.9 13.3#
236 25.8 20.8 31.2








#79
 Terphenyl-d14
 Concen: 81.660 ng
 RT: 12.839 min Scan# 11
 Delta R.T. -0.000 min
 Lab File: BF128959.D
 Acq: 23 Jun 2022 18:40

Instrument :
 BNA_F
 ClientSampleId :
 SB-6-18-20-20220622



Tgt Ion:244 Resp: 899313
 Ion Ratio Lower Upper
 244 100
 212 7.3 6.1 9.1
 122 8.9 8.8 13.2



#86
 Perylene-d12
 Concen: 20.000 ng
 RT: 15.327 min Scan# 2217
 Delta R.T. -0.000 min
 Lab File: BF128959.D
 Acq: 23 Jun 2022 18:40

Tgt Ion:264 Resp: 149010
 Ion Ratio Lower Upper
 264 100
 260 23.6 18.4 27.6
 265 20.4 17.2 25.8

