

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062819\
 Data File : BF115275.D
 Acq On : 28 Jun 2019 12:28
 Operator : HP/JU
 Sample : PB120979BL
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB120979BL

Quant Time: Jun 29 04:41:03 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF062119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 28 05:26:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	227727	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	860366	20.00	ng	0.00
39) Acenaphthene-d10	9.62	164	427283	20.00	ng	0.00
64) Phenanthrene-d10	11.09	188	852476	20.00	ng	0.00
76) Chrysene-d12	13.71	240	695864	20.00	ng	0.00
87) Perylene-d12	15.08	264	753916	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	1605489	108.79	ng	0.01
7) Phenol-d6	6.24	99	1952949	109.03	ng	0.00
23) Nitrobenzene-d5	7.16	82	1212324	86.68	ng	0.00
42) 2,4,6-Tribromophenol	10.41	330	574659	127.54	ng	0.00
45) 2-Fluorobiphenyl	8.96	172	2323148	92.35	ng	0.00
79) Terphenyl-d14	12.68	244	2625703	80.23	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062819\
Data File : BF115275.D
Acq On : 28 Jun 2019 12:28
Operator : HP/JU
Sample : PB120979BL
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB120979BL

Quant Time: Jun 29 04:41:03 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF062119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 28 05:26:43 2019
Response via : Initial Calibration






#1




1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.60 min Scan# 792
Delta R.T. -0.01 min
Lab File: BF115275.D
Acq: 28 Jun 2019 12:28

Instrument :
BNA_F
ClientSampleId :
PB120979BL

Tot Ion:152 Resp: 227727
Ion Ratio Lower Upper
152 100
150 155.0 124.2 186.2
115 60.7 46.1 69.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 108.794 ng
RT: 5.20 min Scan# 555
Delta R.T. 0.01 min
Lab File: BF115275.D
Acq: 28 Jun 2019 12:28

Tgt Ion:112 Resp: 1605489
Ion Ratio Lower Upper
112 100
64 55.5 43.8 65.6
63 28.2 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 109.033 ng

RT: 6.24 min Scan# 732

Delta R.T. 0.01 min

Lab File: BF115275.D

Acq: 28 Jun 2019 12:28

Instrument :

BNA_F

ClientSampleId :

PB120979BL


Tot Ion: 99 Resp: 1952949

Ion Ratio Lower Upper




99 100

42 16.6 13.6 20.4

71 33.1 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.88 min Scan# 1010

Delta R.T. -0.01 min

Lab File: BF115275.D

Acq: 28 Jun 2019 12:28

Tgt Ion: 136 Resp: 860366


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 6.7 5.6 8.4

68 5.9 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 86.680 ng
 RT: 7.16 min Scan# 888
 Delta R.T. -0.01 min
 Lab File: BF115275.D
 Acq: 28 Jun 2019 12:28




Instrument :
 BNA_F
 ClientSampleId :
 PB120979BL


Tot Ion: 82 Resp: 1212324
 Ion Ratio Lower Upper
 82 100
 128 52.0 40.4 60.6
 54 47.0 37.5 56.3



#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.62 min Scan# 1307
 Delta R.T. 0.00 min
 Lab File: BF115275.D
 Acq: 28 Jun 2019 12:28

Tgt Ion:164 Resp: 427283
 Ion Ratio Lower Upper
 164 100
 162 101.6 81.7 122.5
 160 45.6 37.0 55.4






#42
 2,4,6-Tribromophenol
 Concen: 127.536 ng
 RT: 10.41 min Scan# 1440
 Delta R.T. 0.00 min
 Lab File: BF115275.D
 Acq: 28 Jun 2019 12:28

Instrument :
 BNA_F
 ClientSampleId :
 PB120979BL

Tot Ion	Ratio	Lower	Upper
330	100		
332	96.3	77.3	115.9
141	31.7	28.2	42.2






Abundance

Ion 329.80 (329.50 to 330.50): E


Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45
 2-Fluorobiphenyl
 Concen: 92.354 ng
 RT: 8.96 min Scan# 1194
 Delta R.T. 0.00 min
 Lab File: BF115275.D
 Acq: 28 Jun 2019 12:28

Tgt Ion	Ratio	Lower	Upper
172	100		
171	37.1	29.8	44.6
170	25.4	20.3	30.5






Abundance

Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.09 min Scan# 1557
Delta R.T. 0.00 min
Lab File: BF115275.D
Acq: 28 Jun 2019 12:28

Instrument :
BNA_F
ClientSampled :
PB120979BL

Tot Ion:188 Resp: 852476
Ion Ratio Lower Upper
188 100
94 9.7 8.6 12.8
80 10.2 8.8 13.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.71 min Scan# 2002
Delta R.T. -0.01 min
Lab File: BF115275.D
Acq: 28 Jun 2019 12:28

Tgt Ion:240 Resp: 695864
Ion Ratio Lower Upper
240 100
120 12.3 9.4 14.2
236 26.4 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 80.226 ng

RT: 12.68 min Scan# 1827

Delta R.T. 0.00 min

Lab File: BF115275.D

Acq: 28 Jun 2019 12:28

Instrument :

BNA_F

ClientSampleId :

PB120979BL


Tot Ion:244 Resp: 2625703

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.6




122 12.3 10.4 15.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.08 min Scan# 2235

Delta R.T. 0.00 min

Lab File: BF115275.D

Acq: 28 Jun 2019 12:28


Tgt Ion:264 Resp: 753916

Ion Ratio Lower Upper

264 100

260 24.5 19.6 29.4

265 21.7 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

