

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062819\
 Data File : BF115278.D
 Acq On : 28 Jun 2019 13:47
 Operator : HP/JU
 Sample : PB120984BL
 Misc :
 ALS Vial : 14 Sample Multiplier: 1

Instrument :
 BNA_F
 ClientSampleId :
 PB120984BL

Quant Time: Jun 29 04:46:41 2019
 Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF062119.M
 Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
 QLast Update : Fri Jun 28 05:26:43 2019
 Response via : Initial Calibration

Internal Standards	R.T.	QIon	Response	Conc	Units	Dev(Min)
1) 1,4-Dichlorobenzene-d4	6.60	152	262630	20.00	ng	0.00
21) Naphthalene-d8	7.88	136	1016503	20.00	ng	0.00
39) Acenaphthene-d10	9.62	164	495130	20.00	ng	0.00
64) Phenanthrene-d10	11.09	188	966566	20.00	ng	0.00
76) Chrysene-d12	13.71	240	775289	20.00	ng	0.00
87) Perylene-d12	15.08	264	852392	20.00	ng	0.00
System Monitoring Compounds						
5) 2-Fluorophenol	5.20	112	1603023	94.19	ng	0.01
7) Phenol-d6	6.24	99	1972526	95.49	ng	0.00
23) Nitrobenzene-d5	7.16	82	1205992	72.98	ng	0.00
42) 2,4,6-Tribromophenol	10.41	330	567492	108.69	ng	0.00
45) 2-Fluorobiphenyl	8.96	172	2301330	78.95	ng	0.00
79) Terphenyl-d14	12.68	244	2639862	72.40	ng	0.00


Target Compounds Qvalue


(#) = qualifier out of range (m) = manual integration (+) = signals summed

Data Path : Z:\SVOASRV\HPCHEM1\BNA F\DATA\BF062819\
Data File : BF115278.D
Acq On : 28 Jun 2019 13:47
Operator : HP/JU
Sample : PB120984BL
Misc :
ALS Vial : 14 Sample Multiplier: 1

Instrument :
BNA_F
ClientSampleId :
PB120984BL

Quant Time: Jun 29 04:46:41 2019
Quant Method : Z:\SVOASRV\HPCHEM1\BNA F\METHODS\8270-BF062119.M
Quant Title : ASP BNA STANDARDS FOR 5 POINT CALIBRATION
QLast Update : Fri Jun 28 05:26:43 2019
Response via : Initial Calibration






#1



1,4-Dichlorobenzene-d4
Concen: 20.000 ng
RT: 6.60 min Scan# 792
Delta R.T. -0.01 min
Lab File: BF115278.D
Acq: 28 Jun 2019 13:47

Instrument :
BNA_F
ClientSampleId :
PB120984BL

Tot Ion:152 Resp: 262630
Ion Ratio Lower Upper
152 100
150 158.8 124.2 186.2
115 61.7 46.1 69.1




Abundance Ion 152.00 (151.70 to 152.70): E
Ion 150.00 (149.70 to 150.70): E
Ion 115.00 (114.70 to 115.70): E





#5


2-Fluorophenol
Concen: 94.191 ng
RT: 5.20 min Scan# 555
Delta R.T. 0.01 min
Lab File: BF115278.D
Acq: 28 Jun 2019 13:47

Tgt Ion:112 Resp: 1603023
Ion Ratio Lower Upper
112 100
64 55.4 43.8 65.6
63 28.3 22.2 33.4



Abundance Ion 112.00 (111.70 to 112.70): E
Ion 64.00 (63.70 to 64.70): BF1
Ion 63.00 (62.70 to 63.70): BF1





#7

Phenol-d6

Concen: 95.491 ng

RT: 6.24 min Scan# 732

Delta R.T. 0.01 min

Lab File: BF115278.D

Acq: 28 Jun 2019 13:47

Instrument :

BNA_F

ClientSampleId :

PB120984BL


Tot Ion: 99 Resp: 1972526

Ion Ratio Lower Upper




99 100

42 16.7 13.6 20.4

71 32.8 25.5 38.3



Abundance Ion 99.00 (98.70 to 99.70): BF1
Ion 42.00 (41.70 to 42.70): BF1
Ion 71.00 (70.70 to 71.70): BF1



#21

Naphthalene-d8

Concen: 20.000 ng

RT: 7.88 min Scan# 1010

Delta R.T. -0.01 min

Lab File: BF115278.D

Acq: 28 Jun 2019 13:47

Tgt Ion:136 Resp: 1016503


Ion Ratio Lower Upper

136 100



137 11.1 8.9 13.3


54 6.8 5.6 8.4

68 5.8 4.8 7.2



Abundance Ion 136.00 (135.70 to 136.70): E
Ion 137.00 (136.70 to 137.70): E
Ion 54.00 (53.70 to 54.70): BF1
Ion 68.00 (67.70 to 68.70): BF1









#23
 Nitrobenzene-d5
 Concen: 72.983 ng
 RT: 7.16 min Scan# 888
 Delta R.T. -0.01 min
 Lab File: BF115278.D
 Acq: 28 Jun 2019 13:47

Instrument :
 BNA_F
 ClientSampleId :
 PB120984BL

Tot Ion: 82 Resp: 1205992
 Ion Ratio Lower Upper
 82 100
 128 52.3 40.4 60.6
 54 46.3 37.5 56.3




Abundance Ion 82.00 (81.70 to 82.70): BF1
 Ion 128.00 (127.70 to 128.70): BF1
 Ion 54.00 (53.70 to 54.70): BF1






#39
 Acenaphthene-d10
 Concen: 20.000 ng
 RT: 9.62 min Scan# 1307
 Delta R.T. 0.00 min
 Lab File: BF115278.D
 Acq: 28 Jun 2019 13:47

Tgt Ion:164 Resp: 495130
 Ion Ratio Lower Upper
 164 100
 162 101.8 81.7 122.5
 160 46.4 37.0 55.4



Abundance Ion 164.00 (163.70 to 164.70): E
 Ion 162.00 (161.70 to 162.70): E
 Ion 160.00 (159.70 to 160.70): E





#42

2,4,6-Tribromophenol

Concen: 108.687 ng

RT: 10.41 min Scan# 1440

Delta R.T. -0.00 min

Lab File: BF115278.D

Acq: 28 Jun 2019 13:47

Instrument :

BNA_F

ClientSampleId :

PB120984BL


Tot Ion:330 Resp: 567492

Ion Ratio Lower Upper

330 100

332 96.6 77.3 115.9




141 32.0 28.2 42.2



Abundance Ion 329.80 (329.50 to 330.50): E

Ion 331.80 (331.50 to 332.50): E

Ion 141.00 (140.70 to 141.70): E



#45

2-Fluorobiphenyl

Concen: 78.951 ng

RT: 8.96 min Scan# 1194

Delta R.T. -0.00 min

Lab File: BF115278.D

Acq: 28 Jun 2019 13:47


Tgt Ion:172 Resp: 2301330

Ion Ratio Lower Upper

172 100

171 37.4 29.8 44.6



170 25.1 20.3 30.5




Abundance Ion 172.00 (171.70 to 172.70): E

Ion 171.00 (170.70 to 171.70): E

Ion 170.00 (169.70 to 170.70): E









#64
Phenanthrene-d10
Concen: 20.000 ng
RT: 11.09 min Scan# 1557
Delta R.T. 0.00 min
Lab File: BF115278.D
Acq: 28 Jun 2019 13:47

Instrument :
BNA_F
ClientSampleId :
PB120984BL

Tot Ion:188 Resp: 966566
Ion Ratio Lower Upper
188 100
94 9.8 8.6 12.8
80 9.9 8.8 13.2




Abundance Ion 188.00 (187.70 to 188.70): E
Ion 94.00 (93.70 to 94.70): BF1
Ion 80.00 (79.70 to 80.70): BF1






#76
Chrysene-d12
Concen: 20.000 ng
RT: 13.71 min Scan# 2002
Delta R.T. -0.01 min
Lab File: BF115278.D
Acq: 28 Jun 2019 13:47

Tgt Ion:240 Resp: 775289
Ion Ratio Lower Upper
240 100
120 12.4 9.4 14.2
236 27.2 21.7 32.5



Abundance Ion 240.00 (239.70 to 240.70): E
Ion 120.00 (119.70 to 120.70): E
Ion 236.00 (235.70 to 236.70): E





#79

Terphenyl-d14

Concen: 72.396 ng

RT: 12.68 min Scan# 1827

Delta R.T. 0.00 min

Lab File: BF115278.D

Acq: 28 Jun 2019 13:47

Instrument :

BNA_F

ClientSampleId :

PB120984BL


Tot Ion:244 Resp: 2639862

Ion Ratio Lower Upper

244 100

212 7.3 5.8 8.6




122 12.1 10.4 15.6



Abundance Ion 244.00 (243.70 to 244.70): E

Ion 212.00 (211.70 to 212.70): E

Ion 122.00 (121.70 to 122.70): E



#87

Perylene-d12

Concen: 20.000 ng

RT: 15.08 min Scan# 2235

Delta R.T. -0.00 min

Lab File: BF115278.D

Acq: 28 Jun 2019 13:47


Tgt Ion:264 Resp: 852392

Ion Ratio Lower Upper

264 100

260 24.6 19.6 29.4

265 21.5 17.3 25.9



Abundance Ion 264.00 (263.70 to 264.70): E

Ion 260.00 (259.70 to 260.70): E

Ion 265.00 (264.70 to 265.70): E

